

Kitsault Molybdenum Project British Columbia, Canada NI 43-101 Technical Report on Updated Feasibility Study



Prepared for:
Avanti Mining Inc.

Prepared by:
Gary Christie, P.Eng.
David G. Thomas, P.Geo.
Ramon Mendoza Reyes, P.Eng.
Ignacy (Tony) Lipiec, P.Eng.

Effective Date:
4 February 2013

Project No. 171424

CERTIFICATE OF QUALIFIED PERSON

*Gary Christie
AMEC Americas Limited
400 – 111 Dunsmuir Street
Vancouver, BC V6B 5W3
Canada
Tel 604-664-3028
Fax 604-669-9516
Email: gary.chrisite@amec.com*

I, Gary Joseph Christie, P.Eng., am a Professional Engineer employed as a Project Manager of AMEC Mining and Metals, 111 Dunsmuir Street, Vancouver, BC.

This certificate applies to the technical report entitled "Avanti Mining Inc., Kitsault Molybdenum Project, British Columbia, Canada, NI 43-101 Technical Report on Feasibility Study" that has an effective date of 4 February 2013 and is dated 22 March 2013 (the "Technical Report").

I am a member of the Association of Professional Engineers and Geoscientists of British Columbia (APEGBC). I'm a graduate mechanical engineer from the University of British Columbia with a Bachelors of Applied Science awarded in 1979.

I have practiced my profession continuously since 1979 and have been involved in management of engineering and financial review of industrial minerals and base and precious metals projects and operations in North and South America.

As a result of my experience and qualifications, I am a Qualified Person as defined in National Instrument 43-101 Standards of Disclosure for Mineral Projects (NI 43-101).

I visited the Kitsault Project (the "Project") on 15 October, 2009.

I am responsible for Sections 1, 2, 3, 4, 5, 18, 19, 20, 21, 22, 23, 24, 25, 25, 26 and 27 of the Technical Report.

I am independent of Avanti Mining Inc. as independence is described by Section 1.5 of NI 43-101.

I have been involved with the Project since 2010 as project manager of the original 2010 Feasibility Study and this Feasibility Study Update.

I have read NI 43-101 and the sections of the technical report for which I am responsible have been prepared in compliance with that Instrument.

As of the effective date of the technical report, to the best of my knowledge, information and belief, the sections of the technical report for which I am responsible contain all scientific and technical information that is required to be disclosed to make those sections of the technical report not misleading.

Dated: 22 March, 2013.

"Signed and sealed"

Gary Christie, P.Eng.

AMEC Americas Limited
111 Dunsmuir Street, Suite 400
Vancouver, B.C. V6B 5W3
Tel (604) 664-3030
Fax (604) 664-3057

CERTIFICATE OF QUALIFIED PERSON

I, David G. Thomas, P.Geo., am employed as a Consulting Geologist, and was formerly a Principal Resource Geologist with AMEC Americas Ltd.

This certificate applies to the technical report entitled "Avanti Mining Inc., Kitsault Molybdenum Project, British Columbia, Canada, NI 43-101 Technical Report on Updated Feasibility Study" that has an effective date of 4 February 2013 and is dated 22 March 2013 (the "Technical Report").

I am a Professional Geologist registered in British Columbia (P.Geo NRL # 149114) and a member of the Australasian Institute of Mining and Metallurgy (MAusIMM # 225250). I graduated in 1993 from Durham University, in the United Kingdom with a Bachelor of Science degree and in 1995 from Imperial College, University of London, in the United Kingdom with a Master of Science degree.

I have practiced my profession for over 18 years. In that time I have been directly involved in review of exploration, geological models, exploration data, sampling, sample preparation, quality assurance-quality control, databases, and mineral resource estimates for a variety of mineral deposits, including porphyry copper and molybdenum mineral deposits.

As a result of my experience and qualifications, I am a Qualified Person as defined in National Instrument 43-101 Standards of Disclosure for Mineral Projects (NI 43-101).

I visited the Kitsault Project from September 23 to September 24, 2011.

I am responsible for Sections 6 to 12 and 14 of the Technical Report.

I am independent of Avanti Mining Inc. as independence is described by Section 1.5 of NI 43-101.

I have read NI 43-101 and this report has been prepared in compliance with that Instrument.

I have been involved with the Project since 2011 as the resource estimator for the Kitsault, Bell Moly and Roundy Creek deposits.

I have read NI 43-101 and the sections of the technical report for which I am responsible have been prepared in compliance with that Instrument.

As of the effective date of the technical report, to the best of my knowledge, information and belief, the sections of the technical report for which I am responsible contain all scientific and technical information that is required to be disclosed to make those sections of the technical report not misleading.

Dated: 22 March, 2013.

"Signed and sealed"

David Thomas, P.Geo.

CERTIFICATE OF QUALIFIED PERSON

*Ramon Mendoza Reyes
AMEC Americas Limited
400 – 111 Dunsmuir Street
Vancouver, BC V6B 5W3
Canada
Tel 604-664-3075
Fax 604-669-9516
Email: ramon.mendoza@amec.com*

I, Ramon Mendoza Reyes, P.Eng., am employed as a Principal Mining Engineer with AMEC Americas Limited.

This certificate applies to the technical report entitled "Avanti Mining Inc., Kitsault Molybdenum Project, British Columbia, Canada, NI 43-101 Technical Report on Feasibility Study" that has an effective date of 4 February 2013 and is dated 22 March 2013 (the "Technical Report").

I am a Professional Engineer in the province of British Columbia. I graduated in 1989 from the National Autonomous University of Mexico with a bachelor's degree in Mining Engineering, and in 2003 completed a M.Sc. Degree in Mining & Earth Systems Engineering from the Colorado School of Mines in Golden, Colorado, USA.

I have practiced my profession continuously for 23 years and have previously been involved with mine designs, mine planning, mine project economic evaluations and mine operations for precious metals, base metals, disseminated sulphide and industrial mineral projects in North America and South America.

As a result of my experience and qualifications, I am a Qualified Person as defined in National Instrument 43-101 Standards of Disclosure for Mineral Projects (NI 43-101).

I have not visited the Kitsault Project (the "Project").

I am responsible for Sections 15 and 16 of the Technical Report.

I am independent of Avanti Mining Inc. as independence is described by Section 1.5 of NI 43-101.

I have been involved with the Project since 2012 as the mining engineer for the Feasibility Study Update.

I have read NI 43-101 and the sections of the technical report for which I am responsible have been prepared in compliance with that Instrument.

As of the effective date of the technical report, to the best of my knowledge, information and belief, the sections of the technical report for which I am responsible contain all scientific and technical information that is required to be disclosed to make those sections of the technical report not misleading.

Dated: 22 March, 2013.

"Signed and sealed"

Ramon Mendoza Reyes, P.Eng

AMEC Americas Limited
111 Dunsmuir Street, Suite 400
Vancouver, B.C. V6B 5W3
Tel (604) 664-3030
Fax (604) 664-3057

www.amec.com

CERTIFICATE OF QUALIFIED PERSON

*Ignacy (Tony) Lipiec
AMEC Americas Limited
400 – 111 Dunsmuir Street
Vancouver, BC V6B 5W3
Canada
Tel 604-664-3130
Fax 604-669-9516
Email: tony.lipiec@amec.com*

I, Ignacy (Tony) Lipiec, P.Eng., am employed as a Process Manager with AMEC Americas Limited.

This certificate applies to the technical report entitled “Avanti Mining Inc., Kitsault Molybdenum Project, British Columbia, Canada, NI 43-101 Technical Report on Feasibility Study” that has an effective date of 4 February 2013 and is dated 22 March 2013 (the “Technical Report”).

I am a Professional Engineer in the province of British Columbia. I graduated from the University of British Columbia with a B.A.Sc. degree in Mining & Mineral Process Engineering, in 1985.

I have practiced my profession for 28 years, and have been involved with metallurgical design and process engineering for gold, base metal and disseminated sulphide projects in North America and South America.

As a result of my experience and qualifications, I am a Qualified Person as defined in National Instrument 43–101 Standards of Disclosure for Mineral Projects (NI 43–101).

I have not visited the Kitsault Project (the “Project”).

I am responsible for Sections 13 and 17 of the Technical Report.

I am independent of Avanti Mining Inc. as independence is described by Section 1.5 of NI 43–101.

I have been involved with the Project since 2012 as the process engineer for the Feasibility Study Update.

I have read NI 43–101 and the sections of the technical report for which I am responsible have been prepared in compliance with that Instrument.

As of the effective date of the technical report, to the best of my knowledge, information and belief, the sections of the technical report for which I am responsible contain all scientific and technical information that is required to be disclosed to make those sections of the technical report not misleading.

Dated: 22 March, 2013.

“Signed and sealed”

Ignacy (Tony) Lipiec, P.Eng

IMPORTANT NOTICE

This report was prepared as National Instrument 43-101 Technical Report for Avanti Mining Inc. (Avanti) by AMEC Americas Inc. (AMEC). The quality of information, conclusions, and estimates contained herein is consistent with the level of effort involved in AMEC's services, based on i) information available at the time of preparation, ii) data supplied by outside sources, and iii) the assumptions, conditions, and qualifications set forth in this report. This report is intended for use by Avanti subject to terms and conditions of its contract with AMEC. Except for the purposed legislated under Canadian provincial and territorial securities law, any other uses of this report by any third party is at that party's sole risk.

CONTENTS

1.0	SUMMARY	1-1
1.1	Principal Outcomes	1-1
1.2	Location and Access	1-1
1.3	Mineral Tenure, Surface Rights, and Royalties	1-2
1.4	Permits.....	1-2
1.5	Environment.....	1-3
1.6	Social Considerations	1-4
1.7	Geology and Mineralization	1-4
1.8	History and Exploration	1-5
1.9	Drilling.....	1-5
1.10	Analyses	1-6
1.11	Quality Assurance and Quality Control.....	1-7
1.12	Data Verification.....	1-7
1.13	Metallurgical Testwork.....	1-8
1.14	Mineral Resource Estimates.....	1-8
1.15	Mineral Resource Statement.....	1-9
1.16	Mineral Reserve Estimates	1-10
1.17	Mineral Reserve Statement.....	1-10
1.18	Mining Method	1-13
1.19	Recovery Method.....	1-14
1.20	Tailings Management.....	1-14
1.21	Markets	1-14
1.22	Taxation	1-15
1.23	Capital Cost Estimate.....	1-15
1.24	Operating Cost Estimate	1-15
1.25	Financial Analysis	1-17
1.26	Sensitivity Analysis.....	1-18
1.27	Conclusions and Interpretations	1-18
1.28	Recommendations	1-20
2.0	INTRODUCTION	2-1
2.1	Terms of Reference	2-1
2.2	Qualified Persons.....	2-1
2.3	Site Visits and Scope of Personal Inspection	2-4
2.4	Effective Dates.....	2-4
2.5	Information Sources and References	2-5
2.6	Previous Technical Reports	2-5
3.0	RELIANCE ON OTHER EXPERTS	3-1
3.1	Mineral Tenure.....	3-1
3.2	Surface Rights	3-1
3.3	Royalties	3-2
3.4	Agreements and Encumbrances	3-2

3.5	Permitting.....	3-3
3.6	Environmental	3-3
3.7	Social and Community Impacts	3-3
3.8	Taxation	3-3
4.0	PROPERTY DESCRIPTION AND LOCATION	4-1
4.1	Location	4-1
4.2	Project Acquisition.....	4-1
4.3	Mineral Tenure.....	4-2
4.3.1	Mineral Title in British Columbia	4-2
4.3.2	Project Mineral Tenure	4-3
4.4	Surface Rights	4-3
4.5	Royalties	4-5
4.5.1	1975–1976 Royalty Agreement	4-5
4.5.2	1984 Royalty Agreement	4-6
4.5.3	ALI Agreement.....	4-6
4.5.4	TA Agreement	4-6
4.5.5	NC Agreement.....	4-7
4.6	Encumbrances	4-7
4.7	Permits.....	4-8
4.8	Environment.....	4-8
4.9	Social Issues.....	4-8
4.10	Comment on Section 4.....	4-8
5.0	ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, AND PHYSIOGRAPHY	5-1
5.1	Access	5-1
5.2	Climate.....	5-1
5.3	Local Resources and Infrastructure.....	5-2
5.4	Physiography	5-2
5.5	Seismicity.....	5-3
5.6	Comment on Section 5.....	5-3
6.0	HISTORY	6-1
7.0	GEOLOGICAL SETTING AND MINERALIZATION.....	7-1
7.1	Regional Geology.....	7-1
7.2	Project Geology.....	7-3
7.3	Deposits.....	7-3
7.3.1	Kitsault	7-3
7.3.2	Bell Moly.....	7-14
7.3.3	Roundy Creek.....	7-20
7.4	Comment on Section 7.....	7-25
8.0	DEPOSIT TYPES	8-1
8.1	Comment on Section 8.....	8-2
9.0	EXPLORATION	9-1

9.1	Grids and Surveys.....	9-1
9.2	Geological Mapping	9-1
9.3	Geochemical Sampling	9-2
9.4	Geophysics	9-2
9.5	Pits and Trenches	9-2
9.6	Petrology, Mineralogy, and Research Studies	9-2
9.7	Geotechnical and Hydrological Studies	9-2
9.8	Metallurgical Studies	9-2
9.9	Exploration Potential	9-2
9.9.1	Kitsault	9-2
9.9.2	Patsy Creek	9-3
9.9.3	Bell Moly	9-4
9.9.4	Roundy Creek	9-4
9.10	Comments on Section 9	9-4
10.0	DRILLING	10-1
10.1	Kitsault	10-1
10.1.1	Legacy Drilling	10-5
10.1.2	Avanti Drilling	10-5
10.1.3	Geological Logging	10-9
10.1.4	Collar Surveys	10-9
10.1.5	Down-hole Surveys	10-10
10.1.6	Core Recovery	10-11
10.2	Bell Moly	10-11
10.2.1	Geological Logging	10-12
10.2.2	Collar Surveys	10-12
10.2.3	Down-hole Surveys	10-12
10.2.4	Recovery	10-16
10.3	Roundy Creek	10-16
10.3.1	Legacy Drilling	10-17
10.3.2	Avanti Drilling	10-17
10.3.3	Geological Logging	10-17
10.3.4	Collar Surveys	10-24
10.3.5	Down Hole Surveys	10-24
10.3.6	Recovery	10-25
10.4	Comments on Section 10	10-25
10.4.1	Kitsault	10-25
10.4.2	Bell Moly	10-26
10.4.3	Roundy Creek	10-27
11.0	SAMPLE PREPARATION, ANALYSES, AND SECURITY	11-1
11.1	Sampling Methods	11-1
11.1.1	Kitsault	11-1
11.1.2	Bell Moly	11-2
11.1.3	Roundy Creek	11-2
11.2	Density Determinations	11-2

11.2.1	Kitsault	11-2
11.2.2	Bell Moly.....	11-3
11.2.3	Roundy Creek.....	11-3
11.3	Analytical and Test Laboratories	11-3
11.4	Sample Preparation and Analysis	11-4
11.4.1	Kitsault	11-4
11.4.2	Bell Moly.....	11-6
11.4.3	Roundy Creek.....	11-7
11.5	Quality Assurance and Quality Control	11-7
11.5.1	Legacy Drill Programs	11-7
11.5.2	Avanti Drill Programs.....	11-7
11.6	Databases.....	11-8
11.7	Sample Security.....	11-9
11.7.1	Kitsault	11-9
11.7.2	Bell Moly.....	11-10
11.7.3	Roundy Creek.....	11-10
11.8	Comments on Section 11	11-10
12.0	DATA VERIFICATION	12-1
12.1	AMEC, 2010 (Kitsault).....	12-1
12.1.1	Pre-Avanti (Legacy) Drilling	12-1
12.1.2	Avanti Drilling.....	12-3
12.2	AMEC, 2011.....	12-6
12.3	BD Resource Consulting Incorporated, 2011	12-6
12.4	AMEC 2012.....	12-7
12.5	Comments on Section 12	12-7
13.0	MINERAL PROCESSING AND METALLURGICAL TESTING	13-1
13.1	Metallurgical Testwork.....	13-1
13.1.1	Testwork Samples	13-2
13.1.2	Testwork Procedures.....	13-2
13.1.3	2009 Metallurgical Program	13-3
13.2	2010 Metallurgical Program	13-4
13.3	2011 Metallurgical Program	13-8
13.4	Recovery Models	13-10
13.5	Comment on Section 13.....	13-13
14.0	MINERAL RESOURCE ESTIMATES.....	14-1
14.1	Key Assumptions/Basis of Estimate	14-1
14.1.1	Kitsault	14-1
14.1.2	Bell Moly.....	14-1
14.1.3	Roundy Creek.....	14-1
14.2	Geological Models.....	14-2
14.2.1	Kitsault	14-2
14.2.2	Bell Moly.....	14-2
14.2.3	Roundy Creek.....	14-2
14.3	Exploratory Data Analysis	14-3

14.3.1	Kitsault	14-3
14.4	Composites	14-4
14.4.1	Kitsault	14-4
14.4.2	Bell Moly.....	14-4
14.4.3	Roundy Creek.....	14-4
14.5	Density Assignment	14-5
14.5.1	Kitsault	14-5
14.5.2	Bell Moly.....	14-6
14.5.3	Roundy Creek.....	14-6
14.6	Grade Capping/Outlier Restrictions.....	14-6
14.6.1	Kitsault	14-6
14.6.2	Bell Moly.....	14-7
14.6.3	Roundy Creek.....	14-8
14.7	Variography.....	14-8
14.7.1	Kitsault	14-8
14.7.2	Bell Moly.....	14-9
14.7.3	Roundy Creek.....	14-9
14.8	Estimation/Interpolation Methods	14-10
14.8.1	Bell Moly.....	14-10
14.8.2	Roundy Creek.....	14-12
14.9	Block Model Validation	14-14
14.9.1	Kitsault	14-14
14.9.2	Bell Moly.....	14-14
14.9.3	Roundy Creek.....	14-15
14.10	Classification of Mineral Resources.....	14-15
14.10.1	Kitsault.....	14-15
14.10.2	Bell Moly.....	14-15
14.10.3	Roundy Creek.....	14-16
14.11	Reasonable Prospects of Economic Extraction	14-16
14.11.1	Kitsault.....	14-16
14.11.2	Bell Moly.....	14-17
14.11.3	Roundy Creek.....	14-18
14.12	Mineral Resource Statement.....	14-18
14.12.1	Kitsault.....	14-18
14.12.2	Bell Moly.....	14-21
14.12.3	Roundy Creek.....	14-22
14.13	Factors That May Affect the Mineral Resource Estimate	14-24
14.14	Comments on Section 14	14-24
15.0	MINERAL RESERVE ESTIMATES.....	15-1
15.1	Key Assumptions/Basis of Estimate	15-1
15.2	Pit Slopes.....	15-1
15.3	Dilution and Mining Losses	15-1
15.4	Conversion Factors from Mineral Resources to Mineral Reserves	15-2
15.5	Mineral Reserves Statement	15-3
15.6	Factors That May Affect the Mineral Reserve Estimate	15-3

15.7	Comments on Section 15	15-3
16.0	MINING METHODS.....	16-1
16.1	Pit Design.....	16-1
16.1.1	Pit Optimization	16-1
16.1.2	Pit Design Phases	16-3
16.2	Production Plan.....	16-3
16.3	Equipment.....	16-6
16.3.1	Equipment Selection.....	16-6
16.3.2	Equipment Maintenance	16-8
16.4	Geotechnical	16-9
16.5	Drainage and Dewatering.....	16-9
16.6	Emission Controls	16-11
16.7	Comments on Section 16	16-11
17.0	RECOVERY METHODS.....	17-1
17.1	Process Flow Sheet	17-1
17.1.1	Process Description.....	17-1
17.2	Energy, Water, and Process Materials Requirements	17-6
17.2.1	Process Material Requirements.....	17-6
17.2.2	Water.....	17-8
17.2.3	Energy	17-8
17.3	Comments on Section 17	17-9
18.0	PROJECT INFRASTRUCTURE	18-1
18.1	Infrastructure Layout	18-1
18.2	Road and Logistics.....	18-3
18.2.1	Haul Roads.....	18-3
18.2.2	Snow Removal	18-3
18.3	Stockpiles.....	18-3
18.4	Waste Storage Facilities.....	18-3
18.5	Tailings Storage Facilities	18-4
18.6	Water Management.....	18-7
18.6.1	Management Plan	18-7
18.6.2	Water Diversion	18-9
18.6.3	Open Pit	18-9
18.6.4	Water Balance	18-10
18.7	Accommodation	18-10
18.8	Power.....	18-11
18.9	Water	18-12
18.10	Communications	18-12
18.11	Fuel.....	18-12
18.12	Comments on Section 18.....	18-13
19.0	MARKET STUDIES AND CONTRACTS.....	19-1
19.1	Market Studies	19-1
19.2	Commodity Price Projections	19-2

19.3	Contracts.....	19-2
19.4	Comments on Section 19	19-3
20.0	ENVIRONMENTAL STUDIES, PERMITTING, AND SOCIAL OR COMMUNITY IMPACT	20-1
20.1.1	Public Consultations	20-1
20.2	Baseline Studies	20-1
20.2.1	Initial Studies	20-1
20.2.2	Additional 2011–2012 Studies	20-3
20.3	Bonds.....	20-7
20.4	Decommissioning and Reclamation	20-7
20.5	Existing Environmental Liabilities	20-9
20.5.1	Tailings.....	20-9
20.5.2	Reclamation	20-9
20.5.3	Exploration	20-10
20.6	Permitting.....	20-11
20.6.1	Permits Acquired as Part of July 2008 Acquisition	20-11
20.6.2	Permits Required to Support Development.....	20-11
20.7	Considerations of Social and Community Impacts.....	20-13
20.7.1	Other Surface Ownership Interests.....	20-13
20.7.2	Project Socio-Economic Effects	20-14
20.8	Consultation with First Nations and the Nisga’a Nation	20-15
20.9	Comments on Section 20	20-16
21.0	CAPITAL AND OPERATING COSTS	21-1
21.1	Capital Cost Estimates	21-1
21.1.1	Tailings Dam	21-2
21.2	Operating Cost Estimates	21-3
21.3	Comments on Section 21	21-5
22.0	ECONOMIC ANALYSIS.....	22-1
22.1	Basis of Analysis	22-2
22.1.1	Taxation.....	22-2
22.2	Financial Results.....	22-4
22.3	Sensitivity Analysis.....	22-4
22.4	Comments on Section 22	22-4
23.0	ADJACENT PROPERTIES	23-1
24.0	OTHER RELEVANT DATA AND INFORMATION.....	24-1
25.0	INTERPRETATION AND CONCLUSIONS	25-1
25.1	History and Exploration	25-1
25.2	Mineral Tenure, Surface Rights, Royalties, Environment, Social and Permits.....	25-1
25.3	Geology and Mineralization	25-2
25.4	Exploration, Drilling, Analysis and Data Verification	25-3
25.5	Metallurgical Testwork.....	25-3

25.6	Mineral Resource and Mineral Reserve Estimates	25-4
25.7	Life-of-Mine Plan	25-5
25.8	Recovery Plan	25-6
25.9	Infrastructure	25-7
25.10	Markets	25-7
25.11	Capital and Operating Costs	25-7
25.12	Financial Analysis	25-7
25.13	Conclusions	25-7
26.0	RECOMMENDATIONS	26-1
26.1	Phase 1	26-1
26.1.1	EA Certificate	26-1
26.1.2	Metallurgical Tests	26-1
26.1.3	Optimization Studies	26-2
26.1.4	Blasting and Fragmentation Studies	26-2
26.2	Phase 2	26-2
27.0	REFERENCES	27-1

TABLES

Table 1-1:	Kitsault Deposit Mineral Resource Estimate; David Thomas P. Geo., Effective Date 17 April 2012	1-11
Table 1-2:	Bell Moly Mineral Resource Estimate, 0.02% Mo Cut-Off; David Thomas P. Geo., Effective Date 1 May 2012	1-11
Table 1-3:	Roundy Creek Mineral Resource Estimate, 0.022% Mo Cut-Off; David Thomas P. Geo., Effective Date 1 May 2012	1-12
Table 1-4:	Kitsault Mineral Reserves, Effective Date 4 February 2013 Ramon Mendoza Reyes, P. Eng. (cut-off 0.026% Mo)	1-12
Table 1-5:	Capital Cost Summary by Major Area	1-16
Table 1-6:	LOM Operating Costs (\$000)	1-16
Table 1-7:	Annual Operating Costs	1-16
Table 1-8:	Financial Analysis Results, US\$	1-19
Table 1-9:	Financial Analysis Results, Canadian \$	1-19
Table 1-10:	Sensitivity of the Financial Analysis to Changes in Mo Price (base case is highlighted)	1-20
Table 10-1:	Summary of Core Drilling on the Kitsault Project	10-2
Table 10-2:	Summary of Core Drilling on the Kitsault Deposit	10-3
Table 10-3:	Representative Mineralized Intercepts of the Kitsault Deposit	10-8
Table 10-4:	Summary of Collar and Down Hole Survey Methods Used For Drilling at the Kitsault Deposit	10-10
Table 10-5:	Representative Mineralized Intercepts of the Bell Moly Deposit	10-16
Table 10-6:	Representative Mineralized Intercepts of the Roundy Creek Deposit	10-24
Table 11-1:	SG Determinations, Kitsault	11-3
Table 11-2:	SG Determinations, Roundy Creek	11-4
Table 11-3:	Primary Laboratories used for Kitsault Samples	11-4

Table 11-4: Insertion Rates of QA/QC Samples for the 2008–2009 Avanti Drilling Program	11-8
Table 11-5: Insertion Rates of QA/QC Samples for the 2011 Avanti Drilling Program	11-8
Table 13-1: Metallurgical Testwork Summary Table	13-1
Table 13-2: Results of Locked-Cycle Testwork on Three Composites	13-6
Table 13-3: Concentrate Quality – Locked-Cycle Testwork	13-7
Table 13-4: 2011 Locked Cycle Testwork on Lithological & Master Composites	13-10
Table 14-1 Composite and Block Sharing, Kitsault	14-5
Table 14-2: Composite and Block Sharing, Bell Moly	14-5
Table 14-3: Composite and Block Sharing, Sunshine Zone	14-6
Table 14-4: Composite and Block Sharing, Roundy Zone	14-6
Table 14-5: Capping Thresholds and Metal to Remove, Sunshine Zone	14-9
Table 14-6: Capping Thresholds and Metal to Remove, Roundy Zone	14-9
Table 14-7: Search Ellipse Orientation and Dimensions for Molybdenum, Kitsault	14-11
Table 14-8: Search Ellipse Orientation and Dimensions for Silver, Kitsault	14-11
Table 14-9: Search Ellipse Orientation and Dimensions for Lead, Kitsault	14-12
Table 14-10: Search Ellipse Orientation and Dimensions, Bell Moly	14-13
Table 14-11: Search Ellipse Parameters, Sunshine Zone	14-13
Table 14-12: Search Ellipse Parameters, Roundy Zone	14-13
Table 14-13: Search Ellipse Parameters, Sunlight Zone	14-14
Table 14-14: Optimization Parameters for Open Pit Resource Shell, Kitsault	14-17
Table 14-15: Marginal Cut-off Grade Input Parameters and Results for Mineral Resources, Kitsault	14-17
Table 14-16: Optimization Parameters for Resource Pit Shell, Bell Moly	14-18
Table 14-17: Optimization Parameters for Resource Pit Shell, Roundy Creek	14-19
Table 14-18: Kitsault Deposit Mineral Resource Sensitivity to Cut-Off Grade; David Thomas P. Geo., Effective Date 17 April 2012 (base case is highlighted)	14-20
Table 14-19: Kitsault Deposit Mineral Resource Estimate; David Thomas P. Geo., Effective Date 17 April 2012	14-21
Table 14-20: Bell Moly Mineral Resource Sensitivity to Cut-Off Grade; David Thomas P. Geo., Effective Date 1 May 2012 (base case is highlighted)	14-22
Table 14-21: Bell Moly Mineral Resource Estimate, 0.02% Mo Cut-Off; David Thomas P. Geo., Effective Date 1 May 2012	14-22
Table 14-22: Sunshine and Sunlight Mineral Resource Sensitivity to Cut-Off Grade; David Thomas P. Geo., Effective Date 1 May 2012 (base case is highlighted)	14-23
Table 14-23: Roundy Mineral Resource Sensitivity to Cut-Off Grade; David Thomas P. Geo., Effective Date 1 May 2012 (base case is highlighted)	14-23
Table 14-24: Roundy Creek Mineral Resource Estimate, 0.022% Mo Cut-Off; David Thomas P. Geo., Effective Date 1 May 2012	14-23
Table 15-1: Kitsault Mineral Reserves, Effective Date 4 February 2013 Ramon Mendoza Reyes, P. Eng. (cut-off 0.026% Mo)	15-4
Table 16-1: Mining Cost	16-2
Table 16-2: Ore-based Costs	16-2
Table 16-3: Summary Mine Production Plan by Year	16-5
Table 16-4: Summary of Mill Feed by Period	16-6
Table 16-5: Mine Equipment Fleet Requirements	16-8
Table 16-6: Pit Slope Design Recommendations	16-10

Table 17-1: Key Process Design Criteria	17-2
Table 20-1: Summary of Net Present Value Closure Costs (2014)	20-8
Table 20-2: BC Authorizations, Licences, and Permits Required for Kitsault Mine Project	20-12
Table 20-3: Federal Authorizations, Licences, and Permits Required for Kitsault Mine Project....	20-13
Table 21-1: Capital Cost Summary by Major Area	21-2
Table 21-2: LOM Operating Costs (\$000)	21-5
Table 21-3: Annual Operating Costs	21-5
Table 22-1: Concentrate Assumptions	22-3
Table 22-2: Royalty Assumptions	22-3
Table 22-3: Financial Analysis Results, US\$	22-5
Table 22-4: Financial Analysis Results, Canadian \$	22-5
Table 22-5: Cashflow Analysis	22-6
Table 22-6: Sensitivity of the Financial Analysis to Changes in Mo Price (base case is highlighted)	22-9

FIGURES

Figure 1-1: Sensitivity of After-Tax NPV at 8% Discount Rate	1-20
Figure 2-1: Project Location Map	2-2
Figure 2-2: Mineral Titles Online	2-3
Figure 4-1: Tenure Location Plan	4-4
Figure 7-1: General Project Geology Plan	7-2
Figure 7-2: Early Geological Interpretation of the Kitsault Deposit, after Carter (1964)	7-5
Figure 7-3: Surface Geological Projection Plan	7-6
Figure 7-4: Geological Plan, 450 m Elevation	7-7
Figure 7-5: Kitsault Geological Section 6141850N (looking north)	7-10
Figure 7-6: Kitsault Geological Section 6141900N (looking north)	7-11
Figure 7-7: Kitsault Geological Section 473350E (looking west)	7-12
Figure 7-8: Simplified Geological Plan, Bell Moly Deposit (after Steininger, 1985)	7-15
Figure 7-9: Geological Plan, Roundy Creek Deposit (after Woodcock and Carter, 1976)	7-21
Figure 7-10: Geological Map, Roundy Creek Deposit	7-22
Figure 7-11: Sunshine Creek, High Grade Zone	7-23
Figure 10-1: 400 m Elevation Geology Plan with Drill Hole Location Map for the Kitsault Deposit, Illustrating the Relationship between Drilling and Mineralization	10-4
Figure 10-2: Drill Section 1 Illustrates the Relationship between Drilled Thickness and True Thickness of Mineralization for the Kitsault Deposit, Section 6141900N	10-6
Figure 10-3: Drill Section 2 shows the Relationship between Drilled Thickness and True Thickness of Mineralization for the Kitsault Deposit Section 473350E, looking N	10-7
Figure 10-4: Drill Location Plan, Bell Moly	10-13
Figure 10-5: Drill Hole Plan, at Elevation 602 m, Bell Moly, (blocks illustrated from May 1 st 2012 block model)	10-14
Figure 10-6: Drill Section, Bell Moly 478850 E, Looking West (blocks illustrated from May 1 st 2012 block model)	10-15
Figure 10-7: Drill Location Plan, Roundy Creek Deposit	10-18

Figure 10-8: Drill Plan at 150 M Elevation, Roundy Zone (blocks illustrated are from May 1 st , 2012 block model)	10-19
Figure 10-9: Drill Plan at 300 m Elevation, Sunshine Zone, (blocks illustrated from May 1 st , 2012 block model)	10-20
Figure 10-10: Drill Section 6142250N, Sunlight–Sunshine Zone, (illustrated blocks from resource May 1 st , 2012 block model)	10-21
Figure 10-11: Drill Section 6142451N, Roundy Zone (blocks illustrated from May 1 st , 2012 block model)	10-22
Figure 10-12: Drill Section, Roundy Creek Deposit, 468520E (looking W)	10-23
Figure 13-1: Distribution of Samples Used for 2009 Variability Work	13-5
Figure 13-2: Distribution of Samples Used for 2010 Variability Work	13-9
Figure 13-3: Recovery vs. Feed Grade – Samples with Coarser Grinds	13-11
Figure 13-4: Variability Testing – Mass Pull of Coarse Grinds ($P_{80} > 190 \mu\text{m}$)	13-12
Figure 16-1: Kitsault Pit Phases in Plan at 540 m Elevation	16-4
Figure 17-1: Process Overview	17-4
Figure 17-2: Concentrator General Arrangement.....	17-7
Figure 18-1: Plan Layout of Open Pit, Waste Dump, and Plant Site	18-2
Figure 18-2: Kitsault WRMF Facilities	18-5
Figure 18-3: General Layout of Tailings Management Facility	18-6
Figure 22-1: Sensitivity of Pre-Tax IRR	22-8
Figure 22-2: Sensitivity of Pre-tax NPV at 8% Discount Rate	22-8
Figure 22-3: Sensitivity of After-Tax NPV at 8% Discount Rate	22-9

APPENDICES

Appendix A
Mineral Tenure
Avanti Claim Status for Kitsault Project as at 1 March 2013

1.0 SUMMARY

AMEC Americas Limited (AMEC) was commissioned by Avanti Mining Inc. (Avanti) to prepare an independent Qualified Person's Review and NI 43-101 Technical Report (the Report) for the wholly-owned Kitsault molybdenum project (the Project), located in British Columbia. The Report will be used in support of Avanti's press release dated 6 February 2012, entitled "Avanti Mining Updates Kitsault Feasibility Study".

Avanti holds the Kitsault Project through a wholly-owned subsidiary, Avanti Kitsault Mines Ltd. For the purposes of this Report, the name "Avanti" is used for both the parent and subsidiary companies.

1.1 Principal Outcomes

- For the Kitsault deposit an updated combined Measured and Indicated Mineral Resource totalling 321.8 Mt at 0.071% Mo and 4.8 g/t Ag. Additional Inferred Mineral Resource of 317.6 Mt at 0.041% Mo and 4.6 g/t Ag
- Initial capital costs including working capital are estimated at CAD\$938 M and LOM sustaining capital at CAD\$106 M ($\pm 15\%$ accuracy)
- Cash operating costs are estimated at CAD\$6.65/lb Mo produced. With inclusion of silver by-product credits of CAD\$0.91/lb Mo, this reduces to a cash operating cost of CAD\$5.73/lb. Total cash costs are CAD\$6.73/lb Mo.
- At a long-term molybdenum price of US\$14.50/lb, that approximates the three-year trailing average price, the Project has an after tax Net Present Value (NPV) at an 8% discount rate of \$433 M and a 16.6% IRR.
- Inferred Mineral Resource estimate for the Bell Moly deposit of 109.7 Mt at 0.048% Mo
- Indicated Mineral Resource estimate for the Sunshine and Sunlight Areas of the Roundy Creek deposit of 1.94 Mt at 0.109% Mo, and an additional Inferred Mineral Resource of 0.33 Mt grading 0.079% Mo at the Sunshine and Sunlight Areas, plus a further 4.32 Mt grading 0.073% Mo in the greater Roundy Creek area.

1.2 Location and Access

The Kitsault Project is situated about 140 km north of Prince Rupert, and south of the head of Alice Arm, an inlet of the Pacific Ocean, within British Columbia.

The Project is accessed via a 83 km long gravel road from Nass Camp on the Nisga'a Highway, 120 km north of Terrace, BC. The Project is also accessed by floatplane or

boat from Prince Rupert, BC, to the former Kitsault town site, a distance of about 140 km.

A series of Forest Service roads and a private gravel road connect the proposed mine site to Nass Camp, north of New Aiyansh, Rosswood, and Terrace. The feasibility study envisages that the road from Nass Camp will be upgraded and maintained regularly for use as the main access road to site.

1.3 Mineral Tenure, Surface Rights, and Royalties

Avanti provided AMEC with a claims table that indicates the Project consists of 35 mining leases and 198 mineral claims, covering an area of 39,138 ha, as at 21 March 2013. Claims and mining leases are held in the name of the wholly-owned Avanti subsidiary, Avanti Kitsault Mine Ltd. AMEC was provided with information from legal advisors retained by Avanti that the leases and claims are in good standing.

The majority of the leases and claims are located under Provincial Crown lands. Four claims are located under privately-owned lands at the former Kitsault town site that is situated on the Alice Arm. Surface rights held by Avanti, which overlap the non-Crown portions of the mineral leases and claims, include three land parcels, totalling 14.497 ha, and a statutory right-of-way.

A royalty is payable by the Climax Molybdenum Company of British Columbia (CMC) to Bell Molybdenum Mines Limited (Bell) on each tonne of ore mined and removed from claims 250340, 250341, 250342, 250343, 250344, 250345, 250346, 250347, 250390, and 250391 (covering the Bell Moly deposit only). The entire property is subject to a 9.22% net cash flow interest that is owned by Amax Zinc (Newfoundland) Limited. This net cash flow interest is only payable after the recovery of all operating and capital costs associated with construction or sustaining capital.

Aluminerie Loralco, Inc. (ALI) has a 1% NSR on future production from the mineral properties acquired from Ali in 2008.

1.4 Permits

The primary BC authorization for the development of the Kitsault Project is a permit under the Provincial Mines Act. A preliminary list of the BC Provincial authorizations, licences, and permits that Avanti will potentially be required to obtain has been developed. Any required Federal and Provincial environmental assessment (EA) processes must be completed before the respective jurisdictions can issue permits, licences, or other authorizations required to allow the development to proceed.

On March 19, 2013, Environment Minister Terry Lake and Energy, Mines and Natural Gas Minister Rich Coleman, issued a conditional Environmental Assessment Certificate to Avanti Kitsault Mine Ltd. for the Kitsault open-pit molybdenum mine project. The Environmental Assessment Certificate includes 34 conditions and a Certified Project Description. Each of the conditions is a legally binding requirement that Avanti Kitsault Mine Ltd. must meet to be in compliance with the certificate. It is also a legal requirement that the project be built and operated in accordance with the Certified Project Description. Concurrent with the BC Environmental Assessment Act process, Avanti also began the Federal environmental assessment process in 2010 with the submittal of the Project Description. Avanti expects a positive federal decision later in 2013. The delay is due to statutory differences in the approval timeframes between the Provincial and Federal Acts.

1.5 Environment

The Kitsault mine is a permitted site with considerable past mining activity and basic infrastructure in place. Rehabilitation of the 1981–1982 mining program was started under an approved Reclamation Plan in the mid-1990s and completed, except for ongoing required monitoring, in 2006.

Historical mining in the Kitsault area has resulted in the development of baseline data for more than 20 years. A number of Project-specific baseline studies were completed and include dust, noise, meteorological, groundwater and water monitoring studies, collection of physical, chemical and biological oceanography data, wetland, flora and fauna surveys, site metal analysis, an Archaeological Impact Assessment, and desk-based socio-economic and land use reviews. A Nisga'a Economic, Social, and Cultural Impacts Assessment Report (ESCIA) was completed.

The proposed Project requires an environmental assessment (EA) certificate; Avanti engaged in discussions with regulatory agencies, the public, and First Nations on the approved application information requirements (AIR) for the EA. A conditional Environmental Assessment Certificate was granted on 19 March, 2013. Key conditions attached to the EA included considerations of water quality, and management and monitoring programs.

The Project triggered a comprehensive study environmental assessment under the Canadian Environmental Assessment Act. Before the Project can proceed, Avanti will also need to obtain the necessary Provincial licences, leases and other approvals.

1.6 Social Considerations

The four Nisga'a communities on Nisga'a Land are the closest to the proposed mine site. They are the following: Gitlaxt'aamiks (New Aiyansh); Gitwinksihlkw; Laxgalts'ap; and Gingolx and any surrounding populations. The Kitsault mine area falls outside of Nisga'a Lands owned by the Nisga'a Nation, under the terms of the Nisga'a Final Agreement (NFA), which became effective on 11 May 2000. However, it is within the Nass Area and the Nass Wildlife Area (as defined in, and governed by the NFA), and as such it is subject to constitutionally-protected rights of the Nisga'a Nation under the terms of the NFA.

The Kitsault Resort, a community outfitter, and a trapline holder are also within the Project area.

The Nisga'a Nation has filed a Notice of Disagreement with the Province of British Columbia under the Nisga'a Final Agreement concerning the environmental assessment of the Kitsault Project.

1.7 Geology and Mineralization

Mineralization is hosted within granodiorite to quartz monzonite stocks of the Coast Range Crystalline Complex that have intruded the Intermontaine Tectonic Belt of the Canadian Cordillera along its contact with the complex. Collectively, the stocks are known informally as the Alice Arm intrusions.

Intrusive rocks associated with molybdenum mineralization at Kitsault, Bell Moly, and Roundy Creek are multiphase diorite, quartz monzonite, and younger felsic units of the Lime Creek Intrusive Complex, the Clary Creek stock, and the Roundy Creek intrusive complex. Surrounding the intrusive rocks are hornfels aureoles that grade outwards into regionally- and thermally-metamorphosed interbedded argillite and greywacke of the Bowser Lake Group. Cross-cutting relationships within the intrusive suites indicate that molybdenum mineralization is the result of multiple mineralizing events.

Molybdenum mineralization at the Kitsault deposit forms a hollow, steeply-dipping, annular, cylindrical body that is well-developed on three sides of the margins of the central Lime Creek Intrusive Complex. The body has widths from 100 m to 150 m on the east, west, and north sides, and a less well defined zone to the south, where it is at least 300 m wide and may extend to nearly the southern limits of drilling. Molybdenum mineralization is hosted in a number of generations of stockwork and sheeted molybdenite-quartz veins within the body. Sphalerite, galena, and a variety of Pb-Bi sulphosalt minerals are associated with some vein phases.

The Alice Arm intrusive-hosted molybdenum deposits are part of a suite of porphyry molybdenum deposits in the North American cordillera that are classed as low-fluorine stockwork molybdenite deposits.

1.8 History and Exploration

Open pit mining commenced in 1968 under the Kennco Explorations (Western) Ltd. (KEL) subsidiary company B.C. Molybdenum (BC Moly), and continued to 1972, when low molybdenum prices forced closure. During that period, about 9.3 Mt of ore was produced, with about 22.9 Mlb of molybdenum recovered. Amax of Canada Limited (Amax) subsequently mined the deposit between 1981 and 1982, but closed the mine due to low molybdenum prices. During this second production period, about 4.08 Mt of ore and stockpile material were processed and 8.99 Mlb of saleable molybdenum were recovered.

Work completed by Avanti since Project acquisition in 2008 has comprised evaluation and interpretation of legacy mining and exploration data from the BC Moly and Amax mining phases; core drilling, including geotechnical, hydrological, confirmation and condemnation drill holes; baseline environmental studies and monitoring programs; geotechnical evaluations; metallurgical testwork; Mineral Resource and Mineral Reserve estimation, and engineering and design studies.

A preliminary assessment was undertaken in 2008, and a pre-feasibility study in 2009. Under the assumptions considered, the Project showed positive economics.

During 2010, a feasibility study was completed that, under the assumptions in the study, returned positive Project economics. The study was updated in late 2012–early 2013; this Report discusses the results of that assessment.

1.9 Drilling

A total of 76,118 m was drilled in 490 core drill holes on the Kitsault Project between 1959 and 2011, of which 343 holes (48,376 m) were drilled by pre-Avanti interests, and 174 holes (24,475 m) were completed by Avanti. The Kitsault deposit has 254 drill holes (51,682 m), Bell Moly has 53 holes (10,981 m) and Roundy Creek has 186 holes (13,455 m).

Both vertical and sub-vertical holes were drilled at Kitsault. The drill holes delineating the mineralization were drilled parallel to two main grids, an east–west grid and a north–south grid, with 29 drill holes oblique to both grids. The majority of sub-vertical

holes were drilled from the center of the annular shaped mineralized body towards the outer edges of mineralization.

Core was logged for geological and geotechnical parameters, and photographed.

The collar survey methods for the Kitsault deposit varied over time, and there is little information on the methods used for the legacy drilling. The 2008 to 2011 Avanti collar surveys were conducted by McElhanney Consulting Services Ltd using survey quality global positioning system (GPS) instruments.

Several different methods were used in legacy data to determine the deflection of the core drill holes; Avanti drilling used a Reflex EZ Shot instrument for all down-hole surveys. Sixty percent of the total length drilled is supported by down-hole surveys; with the remainder not surveyed, or surveyed by acid-etch methods for dip deflection only.

The Kitsault deposit database includes 133 density determinations performed using a wax seal method on drill core from the 2008 Avanti drilling. A total of 153 density determinations were performed in 2011 on Roundy Creek drill core drilled as part of the 2011 drill program. Density data indicates an average SG of 2.63. Density data is limited for a project at feasibility level. AMEC notes, however, that most of the rock is unweathered, and only small variations in SG should occur due to weathering or depth. However, additional density determinations should be performed.

1.10 Analyses

The average sample length is 3 m, and in AMEC's opinion, this sample length is suitable for the style of mineralization encountered at Kitsault. The thickness of mineralized intercepts ranges between tens of meters to several hundred meters. Sample preparation for Avanti drilling was undertaken at the ALS Chemex facility in Terrace, with pulps sent to ALS Chemex in North Vancouver for analyses.

Several different laboratories were used by the various operators for primary analyses; laboratory accreditations prior to Avanti's involvement in the project are unknown. For the Avanti drill programs, ALS Chemex of Vancouver, BC was the primary analytical laboratory, and Acme Analytical Laboratories Ltd. (Acme), of Vancouver, BC was used as a secondary laboratory for check assays; both laboratories are ISO 9001:2000 certified.

Legacy samples from 1974 were crushed (100% passing 80 mesh) and pulverised (100% passing -100 mesh), then analysed using the Climax Molybdenum assay procedure which is a three-acid digestion of the pulp, titration of the aliquot, with

analyses by mass spectrometer. All samples were analysed for Mo and reported as MoS₂. Lead data were only collected after 1978.

For the Avanti drilling, samples were crushed (85% passing 10 mesh) and pulverized (95% passing 150 mesh) then analysed using an ICP atomic emission spectrometry CP61 (four acid) method for a 33-element analysis. In addition, sulphide sulphur was determined using the sodium carbonate dissolution of sulphate, Leco furnace and infrared spectroscopy method. Sulphate sulphur was determined by carbonate leach, and gravimetric analyses. Check samples at Acme were analysed using a four-acid digestion followed by ICP mass spectrometry.

1.11 Quality Assurance and Quality Control

There is no information on the quality assurance/quality control (QA/QC) program used for legacy drill programs. Legacy drilling occurred before comprehensive QA/QC was standard within the industry.

The Avanti quality control on the assay data-set includes blanks, coarse duplicates, pulp duplicates, three Mo certified reference materials (CRMs) and check assays, with an approximate insertion rate of about 3%. Avanti conducted a more comprehensive check assay program in 2010 and included CRMs with the check assays to test the secondary laboratory accuracy for Mo, Zn, and Pb.

No significant issues were identified with the Avanti QA/QC programs that would affect Mineral Resource or Mineral Reserve estimation.

1.12 Data Verification

Two previous independent data checks were performed by SRK Consulting Ltd (SRK) and Wardrop Engineering Inc. (Wardrop), in support of preliminary assessment and pre-feasibility studies respectively, on the Project. No significant issues were noted in these reviews.

AMEC performed an independent verification of the data and database to support Mineral Resources estimated in 2010 for Kitsault and a second review in 2011 on the Bell Moly and Roundy Creek data.

AMEC performed sufficient verification of the data and database to support Mineral Resources and Mineral Reserves being estimated for the 2010 Feasibility study. Review of the analytical data, including performance of duplicate, blank and CRM

samples indicated that the molybdenum analytical data were acceptable for Mineral Resources and Mineral Reserve estimation.

Data verification in support of the Bell Moly and Roundy Creek evaluated relogging and resampling undertaken by Avanti on legacy core and assessing the Avanti results against the original legacy data at both deposits, and reviewed the new data generated from the 2011 Avanti drilling program at Roundy Creek. Data were considered appropriate to support Mineral Resource estimation at both deposits, although the confidence classification was restricted to Inferred at Bell Moly.

1.13 Metallurgical Testwork

Initial metallurgical testwork completed in support of the two phases of mine production, and information gained during the two mining phases showed that the mineralization is amenable to being processed using conventional technologies, and acceptable recoveries were returned.

Testwork completed by Avanti comprised comminution and flotation tests on samples of quartz monzonite, diorite, and hornfels, the three major rock types projected to have life-of-mine (LOM) distribution. These samples originated from the area designated as potential plant feed material indicated in the mine plan to have an ore feed grade of approximately 0.09% Mo.

Past production and current testwork indicate that saleable molybdenum flotation concentrates can be produced by the use of conventional comminution and flotation processes. The plant feed will be crushed and milled, then subjected to flotation. The resulting concentrate will be leached to remove the lead impurity, thereby producing a high-grade saleable molybdenum concentrate that meets smelter specifications. The final concentrate is expected to contain 52% Mo and <0.04% Pb, for an average, overall, life-of-mine molybdenum recovery of 89.9%.

Preliminary metallurgical testwork indicates that there is potential for recovery of silver. Further testwork is required to assess the level of recovery and concentrate quality possible.

1.14 Mineral Resource Estimates

Mineral Resources were estimated for the Kitsault, Bell Moly and Roundy Creek deposits. Estimates are supported by the following:

- Kitsault: 207 core drill holes (49,082 m)

- Bell Moly: 53 core drill holes (10,981 m)
- Roundy Creek: 183 core drill holes (13,455 m)

Avanti prepared lithological interpretations for each deposit. AMEC constructed deterministic grade shell models using 0.05% Mo at Kitsault, and 0.02% Mo for Bell Moly and Roundy Creek. As appropriate, separate geological or grade domains were defined.

Samples were composited to 6 m lengths at Kitsault and Bell Moly, and to 3 m intervals at Roundy Creek. Block sizes were 10 m x 10 m x 10 m at Kitsault, 10 m x 10 m x 6 m at Bell Moly and 3 m x 3 m x 3 m at Roundy Creek. At Kitsault, density values were assigned to blocks based upon the average of drill core density measurements for each lithology. An average Kitsault deposit density was assigned the Bell Moly blocks, whereas the Roundy Creek blocks were assigned an average density value based on density measurements on Roundy Creek core.

AMEC completed a capping study for each domain at each deposit and Mo grade caps were imposed. Silver and lead caps were also used at Kitsault, but not at Bell Moly or Roundy Creek, as only Mo was estimated for these two deposits.

Interpolation was undertaken using ordinary kriging and multiple estimation passes with incrementally increasing search distances. Restrictions were placed on the minimum and maximum numbers of composites to be used to interpolate the blocks, and the number of composites that could be used from any single drill hole. Validation of the grade estimates showed no significant global or local bias and the smoothing was considered appropriate for the mining selectivity anticipated during mining.

Drill spacing studies support the Mineral Resource classifications at Kitsault and Roundy Creek. All mineralization at Bell Moly is in the Inferred category.

AMEC assessed the classified blocks for reasonable prospects of economic extraction by applying preliminary economics for potential open pit mining methods using a Lerchs-Grossmann (LG) pit shell. The cut-off grade at each deposit for reporting Mineral Resources was calculated based on the Mo price, metallurgical process recoveries and costs, and selling costs. A cut-off grade of 0.018% Mo was used at Kitsault, cut-off grades of 0.020% Mo and 0.022% Mo at Bell Moly and Roundy Creek were calculated with an additional cost allowance for trucking of ore to the Kitsault processing facility.

1.15 Mineral Resource Statement

Mineral Resources at Kitsault have an effective date of 17 April 2012; the effective date for the Bell Moly and Roundy Creek estimates is 1 May 2012. All Mineral

Resource estimates are classified in accordance with the 2010 CIM Definition Standards for Mineral Resources and Mineral Reserves.

Mineral Resources were estimated using a long-term molybdenum price of CAD\$17.39/lb. Mineral Resources for the Kitsault deposit are reported inclusive of Mineral Reserves and do not include external dilution. Mineral Resources that are not Mineral Reserves do not have demonstrated economic viability. Mineral Resources are summarized by deposit in Table 1-1 to Table 1-3.

1.16 Mineral Reserve Estimates

Geotechnical domains and pit slope angles were provided by SRK Consulting Ltd (SRK). Overall slopes ranged from 42° to 48°.

Loss and dilution adjustments were made to the entirety of the block model in anticipation of the approach of using elevated cut-offs, implying variations of the cut-offs along the mine planning periods. Dilution and loss have an impact lower than 1% on the total mineralization, and are considered appropriate for a porphyry-type deposit.

A marginal cut-off grade of 0.026% Mo was used, being the point where the revenue from processing the ore is equal to the total ore-based costs (processing, sustaining capital allowance, tailings management, G&A, closure allowance). The revenue was based on net molybdenum price after refining charges and a 1.7% royalty deduction. Process recovery for material with grade of 0.026% Mo was considered at 81%. Revenue from silver was not included in the constraining of the Mineral Reserves.

1.17 Mineral Reserve Statement

The Mineral Reserves for the Kitsault Project are tabulated in Table 1-4 at a cut-off grade of 0.026% Mo. Mineral Reserves have an effective date of 4 February 2013.

**Table 1-1: Kitsault Deposit Mineral Resource Estimate; David Thomas P. Geo.,
Effective Date 17 April 2012**

Category	Tonnage (Mt)	Mo (%)	Ag (ppm)	Mo (Contained Mlb)	Ag (Contained Moz)	Pb (ppm)
Measured	142.7	0.087	5.0	272.6	22.8	243
Indicated	179.1	0.059	4.3	233.0	26.7	231
<i>Measured + Indicated</i>	<i>321.8</i>	<i>0.071</i>	<i>4.8</i>	<i>505.5</i>	<i>49.5</i>	<i>236</i>
Inferred	317.6	0.041	4.6	286.3	47.3	237

Notes to Accompany Kitsault Deposit Mineral Resource Table

1. Mineral Resources are inclusive of Mineral Reserves
2. Mineral Resources that are not Mineral Reserves do not have demonstrated economic viability
3. Mineral Resources are defined with a Lerchs–Grossmann pit shell, and reported at a 0.018% Mo cut-off grade
4. Mineral Resources are reported using a commodity price of CDN\$17.39/lb Mo, an average process recovery 89%, a process cost of CDN\$ 5.83/t and selling cost of CDN\$1.24 /lb of Mo sold. No revenue was assumed for Ag
5. Tonnages are rounded to the nearest 100,000 tonnes; grades are rounded to three decimal places for Mo and one decimal for Ag
6. Rounding as required by reporting guidelines may result in apparent summation differences between tonnes, grade and contained metal content
7. Tonnage and grade measurements are in metric units; contained molybdenum is in imperial pounds.
8. There is a reasonable prospect of recovering silver, and the benefit has been included as a deduction in the operating cost. A dedicated silver recovery circuit has been included in the process design based on preliminary testing.

**Table 1-2: Bell Moly Mineral Resource Estimate, 0.02% Mo Cut-Off; David Thomas
P. Geo., Effective Date 1 May 2012**

Category	Tonnage (Mt)	Mo %	Mo Content (Contained Mlb)
Inferred	109.7	0.048	115.8

Notes to Accompany Bell Moly Deposit Mineral Resource Table

1. Mineral Resources are defined with a Lerchs–Grossmann pit shell, and reported at a 0.02% Mo cut-off grade
2. An incremental mining cost of \$0.6/t of mineralization was used to account for trucking of mineralized material to the proposed Kitsault processing facility that is planned to be located approximately 7 km to the east.
3. Mineral Resources are reported using a commodity price of CDN\$17.39/lb Mo, an average process recovery of 89%, a process cost of CDN\$5.83/t and selling cost of CDN\$1.24/lb of Mo sold.
4. Tonnages are rounded to the nearest 100,000 tonnes; grades are rounded to three decimal places for Mo
5. Rounding as required by reporting guidelines may result in apparent summation differences between tonnes, grade and contained metal content
6. Tonnage and grade measurements are in metric units; contained molybdenum is in imperial pounds.

**Table 1-3: Roundy Creek Mineral Resource Estimate, 0.022% Mo Cut-Off;
David Thomas P. Geo., Effective Date 1 May 2012**

Sunshine and Sunlight Area Category	Tonnes (Mt)	Mo Grade Mo (%)	Mo Content (Contained M lbs)
Indicated	1.94	0.109	4.7
Inferred	0.33	0.079	0.6
Roundy Area Category	Tonnes (Mt)	Mo Grade Mo (%)	Mo Content (Contained M lbs)
Inferred	4.32	0.073	7.0

Notes to Accompany Roundy Creek Deposit Mineral Resource Table

1. Mineral Resources are defined with a Lerchs–Grossmann pit shell, and reported at a 0.022% Mo cut-off grade
2. An incremental mining cost of \$1.20/t of mineralization was used to account for trucking of mineralized material to the Kitsault processing facility located approximately 7 km to the east. A contractor mining cost of \$2.90 has been assumed.
3. Mineral Resources are reported using a commodity price of CDN\$17.39/lb Mo, an average process recovery of 89%, a process cost of CDN\$5.83/t and selling cost of CDN\$1.24/lb of Mo sold.
4. Tonnages are rounded to the nearest 1,000 tonnes; grades are rounded to three decimal places for Mo
5. Rounding as required by reporting guidelines may result in apparent summation differences between tonnes, grade and contained metal content
6. Tonnage and grade measurements are in metric units; contained molybdenum is in imperial pounds.

**Table 1-4: Kitsault Mineral Reserves, Effective Date 4 February 2013
Ramon Mendoza Reyes, P. Eng. (cut-off 0.026% Mo)**

Classification	Tonnage (Mt)	Mo (%)	Ag (g/t)	Contained Mo (M lb)	Contained Ag (M Oz)
Proven	129.0	0.092	5.0	262.4	20.7
Probable	99.2	0.070	5.0	153.1	15.9
Total Proven and Probable	228.2	0.083	5.0	415.5	36.6

Notes:

1. Mineral Reserves are defined within a mine plan, with pit phase designs guided by Lerchs–Grossmann (LG) pit shells, and reported at a 0.026% Mo cut-off grade, after dilution and mining loss adjustments. The LG shell generation was performed on Measured and Indicated mineral resources only, using a molybdenum price of \$13.58/lb, an average mining cost of \$1.88/t mined, a combined ore based cost of \$7.09/t milled, and a selling cost of \$1.24/lb of Mo sold. Metallurgical recovery used was a function of the head grade, defined as $\text{Recovery} = 7.5808 \cdot \ln(\text{Mo}\%) + 108.63$ with a cap applied at 95%. Revenue from silver was not included in the LG shell generation. Overall pit slopes varied from 42 to 48 degrees.
2. Dilution and Mining loss have been accounted for based on a contact dilution approach assuming a dilution band of one meter around the contact edges. A total of 2.6Mt of Measured and Indicated mineral resources above cut-off was routed as waste. 1.4Mt of Measured and Indicated mineral resources below cut-off has been included as dilution material. The grade of the diluting material was the grade of those blocks. An additional 0.3Mt of Inferred dilution material with grades set to zero is included in the mine plan as mill feed.
3. Tonnages are rounded to the nearest 100,000 tonnes; grades are rounded to three decimal places for Mo and one decimal place for Ag.
4. Rounding as required by reporting guidelines may result in apparent summation differences between tonnes, grade and contained metal content.
5. Tonnage and grade measurements are in metric units; contained molybdenum is in imperial pounds and contained silver is in troy ounces.
6. The life-of-mine strip ratio is 1.05:1

1.18 Mining Method

The mine plan envisages a single open pit, consisting of six phases, based on nested LG shell guidance, molybdenum grade, Patsy Creek diversion requirements, strip ratio, access considerations, and operational constraints.

Under the project master plan, construction and pre-stripping are scheduled over a 15-month period. The primary objective of preproduction mining is to supply material for the South Embankment of the Tailings Management Facility (TMF) and other construction projects. Preproduction mining will also focus on developing mine access roads suitable for large mining equipment.

The plan assumes that the mine will operate 365 d/a, with 10 days allowed for delays due to fog and winter conditions. The plant was scheduled to operate 365 d/a with sufficient materials stockpiled at the crusher and coarse ore stockpile to accommodate mine outages resulting from weather constraints. Maximum vertical advance per phase per year was limited to twelve 10 m benches. Total pre-stripping is 9.0 Mt. Peak material movement is 129 kt/d. The highest rate of vertical advance is in Year 1, when Phase 3 is mined at a rate of 11 benches a year. In the production years, two to three phases are typically active in any period. The maximum mining rate of 45.9 Mt/a is achieved in Year 2. The average rate from Years 1 to 10 is 38.5 Mt/a.

Short-term stockpiling will be required to buffer crusher downtime and production fluctuations from the pit. Low-grade ore mined early in the life will need to be stored in long-term stockpiles to improve the NPV of the project. The material between the elevated cut-off and the economic cut-off will be placed in a long-term stockpile and be processed through the mill at the end of the mine life.

Mill feed constitutes the ore transported directly from the mine plus ore reclaimed from the stockpiles. After plant ramp-up, mill feed will average 40,000 t/d. Contained Mo in the mill feed is projected to average approximately 32.1 Mlb/a in the first five years and 26.0 Mlb/a over the life of the mine; the maximum is 39.5 Mlb in Year 3.

Waste rock in the block model was characterized as either non acid-generating (NAG) or potentially acid-generating (PAG); and will be placed in the Waste Rock Management Facility (WRMF) located in the Patsy Creek drainage area, buttressing the South Embankment TMF. Two small in-pit waste rock management facilities with a capacity of 5.4 Mt will also be utilized.

Mining equipment is conventional, consisting of a truck–shovel–loader configuration, and appropriate auxiliary equipment. The strategy for repair and maintenance of the

mobile equipment fleets at the Kitsault Project will be an Owner-managed maintenance program.

Blasting will be required due to the rock hardness; blast hole patterns will be designed by the drill and blast engineers for optimal “digability”, cost, and fragmentation for ore and waste areas.

Geotechnical design criteria were developed for bench, inter-ramp, and overall pit slope scales to satisfy a minimum static factor of safety of 1.2. Limited bench-scale failures were considered acceptable during design.

A two-dimensional pit inflow model was developed that incorporates three separate hydraulic zones, and predicts a total groundwater inflow to the pit of 4,800 m³/d at the end of mining. Water will be managed via ditching, sumps, pipes, pumps, booster pumps and diversions.

1.19 Recovery Method

The mineral processing plant is based on conventional technology and proven equipment. Process design is for a concentrator with a nominal processing capacity of 40,000 t/d of ore from the open pit. Run-of-mine (ROM) ore from the open pit will be crushed and conveyed to the concentrator where the ore will be ground to liberate the mineral values from the host rock and then separated by flotation into a molybdenum concentrate. The concentrate will be filtered and bagged for truck transport to the port facilities, where it will be loaded onto seagoing vessels for delivery for roasting. The roasting step will be performed by Molymet in either Chile or Belgium. Silver will be recovered from the molybdenum tailings stream and concentrated into a saleable concentrate.

1.20 Tailings Management

The tailings management facility (TMF) was designed to provide environmentally secure storage for disposal of 233 Mt of tailing, and includes provision, if the Project were expanded, to store as much as 300 Mt. Water management components were designed to maximize the diversion of clean water around the Project components, while ensuring the capture of contact water throughout the site.

1.21 Markets

Avanti has a molybdenum concentrate tolling agreement with Molibdenos y Metales S.A. (Molymet) of Chile for the life-of-mine molybdenum concentrate production.

Avanti retains an option to reduce the molybdenum concentrate delivered to Molymet for processing to 80% of the total production in the event one of the company's strategic partners wants to take its 20% share in the form of molybdenum concentrate.

Although Avanti has entered an off-take commitment Letter of Intent with one potential purchaser, consisting of 50% of production for the life of mine, the terms have not yet been finalized.

Metal prices used in the financial analysis are the three-year trailing average applicable at the time of the estimate.

1.22 Taxation

Taxation considerations include Provincial and Federal corporate income taxes and BC Mineral taxes as determined using a taxation model provided by PriceWaterHouseCoopers LLP.

1.23 Capital Cost Estimate

The estimate was developed in accordance with AMEC Feasibility Standards (Class 3), AACE Class 3 international classification, and consists of semi-detailed unit costs and assembly line items. Where design is not sufficiently advanced to prepare material take-offs (MTOs), the estimate is based on factors or allowances. The estimate was prepared by area using the project work breakdown structure (WBS) and AMEC's standard disciplines. The accuracy of the capital cost estimate, considering the current state of design and procurement, is expected to be within $\pm 15\%$ of final project cost. All costs are expressed in third quarter 2012 Canadian dollars with no allowance for escalation, currency fluctuation, or interest during construction. Items quoted in US dollars were converted to Canadian dollars using an exchange rate of $\text{CDN}\$1.00 = \text{US}\0.95 .

The estimated Project capital costs are summarized in Table 1-5.

1.24 Operating Cost Estimate

The operating cost estimate for the Kitsault Project was assembled by area and component, based on estimated staffing levels, consumables, and expenditures, according to the mine plan and process design. The costs were prepared in third quarter 2012 Canadian dollars. Estimated LOM and operating costs by tonne are summarized in Table 1-6 and Table 1-7.

Table 1-5: Capital Cost Summary by Major Area

Area	Description	Cost (CDN\$M)
1000	Mining	111.3
2000	Site preparation and roads	44.3
3000	Process facilities	238.7
4000	Tailings management and reclaim systems	120.9
5000	Utilities ties	37.5
6000	Ancillary buildings and facilities	49.9
	Total Direct Costs	602.6
8000	Owner's costs	22.1
9000	Indirects	313.6
	Total Indirect Costs	335.7
	Total Direct + Indirect Costs	938.2
	Contingency	Incl above
	Total Capital Costs	938.2

Table 1-6: LOM Operating Costs (\$000)

Area	Total LOM	\$/t Milled	\$/lb Mo Produced
Mine Operations	923,178	4.09	2.50
Processing Operations	1,244,879	5.46	3.33
Administration	307,166	1.35	0.82
Total	2,475,223	10.90	6.65

Table 1-7: Annual Operating Costs

Year	Total (\$000)	\$/t Milled	\$/lb Mo Produced
1	71,700	13.58	6.07
2	159,680	11.02	5.16
3	173,068	11.81	4.79
4	175,004	11.99	6.06
5	169,392	11.59	6.94
6	163,987	11.22	5.84
7	167,644	11.48	6.03
8	169,913	11.64	7.09
9	170,812	11.68	8.37
10	168,037	11.49	7.73
11	159,311	10.91	7.18
12	159,721	10.94	7.35

Year	Total (\$000)	\$/t Milled	\$/lb Mo Produced
13	153,344	10.49	6.76
14	143,833	9.84	6.32
15	126,814	8.69	7.57
16	111,426	7.63	10.20
17	31,536	8.24	11.02
Total/Average	2,475,223	10.90	6.65

1.25 Financial Analysis

The results of the economic analysis represent forward-looking information that is subject to a number of known and unknown risks, uncertainties and other factors that may cause actual results to differ materially from those presented here. Forward-looking statements in this Report include, but are not limited to, statements with respect to future metal prices and forward sales contracts, the estimation of Mineral Reserves and Mineral Resources, the realization of Mineral Reserve estimates, the timing and amount of estimated future production, costs of production, capital expenditures, costs and timing of the development of new ore zones, success of exploration activities, permitting time lines, currency exchange rate fluctuations, requirements for additional capital, government regulation of mining operations, environmental risks, unanticipated reclamation expenses, title disputes or claims and limitations on insurance coverage.

The project has been evaluated using a discounted cash flow (DCF) analysis. Cash inflows consist of annual revenue projections for the mine. Cash outflows such as capital, including the two years of preproduction costs, operating costs, taxes, and royalties are subtracted from the inflows to arrive at the annual cash flow projections.

To reflect the time value of money, annual net cash flow (NCF) projections are discounted back to the project valuation date using several discount rates. The discount rate appropriate to a specific project depends on many factors, including the type of commodity; and the level of project risks, such as market risk, technical risk and political risk. The discounted, present values of the cash flows are summed to arrive at the project's net present value (NPV).

In addition to NPV, internal rate of return (IRR) and payback period are also calculated. The IRR is defined as the discount rate that results in an NPV equal to zero. Cash flows are taken to occur at the end of each period. Capital cost estimates have been prepared for initial development and construction of the project, and ongoing operations (sustaining capital).

The resulting net annual cash flows are discounted back to the date of valuation end-of-year 2012 dollars, and totalled to determine NPVs at the selected discount rates. The IRR is calculated as the discount rate that yields a zero NPV. The payback period is calculated as the time needed after the start up of operations to recover the initial capital spent.

The after-tax NPV at an 8% discount rate over the estimated mine life is CAD\$433 million. The after-tax IRR is 16.6%. Payback of the initial capital investment is estimated to occur in 4.3 years after the start of production.

A summary of the financial analysis in US\$ is presented as Table 1-8. The same data, using Canadian dollars, are shown in Table 1-9.

1.26 Sensitivity Analysis

Sensitivity analysis was performed on the base case net cash flow and examined sensitivity to metal price, operating costs, capital costs and exchange rates. Figure 1-1 summarizes the sensitivities in the after-tax scenario. The project is most sensitive to changes in metal prices and exchange rates, less sensitive to changes in capital costs, and least sensitive to operating cost changes. Table 1-10 summarizes the sensitivity to Mo price fluctuations.

1.27 Conclusions and Interpretations

In the opinion of the QPs, the Project that is outlined in this Report has met its objectives in that mineralization has been identified that can support estimation of Mineral Resources and Mineral Reserves, and there was sufficient additional scientific and technical information to allow the completion of a more detailed study at feasibility level to support potential mine development. A decision to proceed with development will require appropriate permits, and approval by both relevant statutory authorities and Avanti's board.

The key Project risks are the sensitivity of the Project to fluctuations in the molybdenum price, and US:Canadian dollar exchange rate variations.

There is upside opportunity for the Project if the Inferred Mineral Resources that are identified within the LOM production plan can be upgraded to higher confidence Mineral Resource categories.

Table 1-8: Financial Analysis Results, US\$

Commodity		
Molybdenum	US\$	Variable
Pre-Tax		
IRR	%	20.2%
CNCF	US\$000	1,877
NPV 8%	US\$000	671
NPV 10%	US\$000	501
Payback	Years	4.1
After Tax		
IRR	%	16.6%
CNCF	US\$000	1,271
NPV 6%	US\$000	555
NPV 8%	US\$000	403
NPV 10%	US\$000	278
NPV 12%	US\$000	175
Payback	Years	4.3

Table 1-9: Financial Analysis Results, Canadian \$

Commodity		
Molybdenum	CAD\$	Variable
Pre-Tax		
IRR	%	20.2%
CNCF	C\$000	2,018
NPV 8%	C\$000	721
NPV 10%	C\$000	539
Payback	Years	4.1
After Tax		
IRR	%	16.6%
CNCF	C\$000	1,367
NPV 6%	C\$000	597
NPV 8%	C\$000	433
NPV 10%	C\$000	299
NPV 12%	C\$000	189
Payback	Years	4.3

Figure 1-1: Sensitivity of After-Tax NPV at 8% Discount Rate




Table 1-10: Sensitivity of the Financial Analysis to Changes in Mo Price (base case is highlighted)

Moly Price (US\$/lb)	CNCF (Undisc.) (CDN \$M)	NPV @ 6% (CDN \$M)	NPV @ 8% (CDN \$M)	NPV @ 10% (CDN \$M)	IRR %	Payback (Years)
12.50	913	302	173	67	11.5%	5.6
14.50	1,367	597	433	299	16.6%	4.3
15.00	1,482	669	497	355	17.8%	4.0
17.50	2,058	1,032	814	635	23.4%	3.2

1.28 Recommendations

AMEC has restricted work recommendations to a two-phase work program that is designed to provide support for detailed engineering for mine construction and permitting activities. The two phases can be conducted concurrently and results of one phase are not dependent on the outcomes of the other phase. The program estimates total \$7.075 M to \$8.275 M.

2.0 INTRODUCTION

AMEC Americas Limited (AMEC) was commissioned by Avanti Mining Inc. (Avanti) to prepare an independent Qualified Person's Review and NI 43-101 Technical Report (the Report) for the wholly-owned Kitsault molybdenum project (the Project), located in British Columbia (Figure 2-1 and Figure 2-2).

2.1 Terms of Reference

The Report will be used in support of Avanti's press release dated 6 February 2012, entitled "Avanti Mining Updates Kitsault Feasibility Study".

Avanti holds the Kitsault Project through a wholly-owned subsidiary, Avanti Kitsault Mines Ltd. For the purposes of this Report, the name "Avanti" is used for both the parent and subsidiary companies.

All measurement units used in this Report are metric, and currency is expressed in US dollars unless stated otherwise. The Report uses Canadian English.

2.2 Qualified Persons

The following people served as the Qualified Persons (QPs) as defined in National Instrument 43-101, *Standards of Disclosure for Mineral Projects*, and in compliance with Form 43-101F1:

- Gary Christie, P.Eng., Project Manager, AMEC
- David G. Thomas, P.Geo., Associate, AMEC
- Ramon Mendoza Reyes, P.Eng., Principal Mining Engineer, AMEC
- Ignacy (Tony) Lipiec, P.Eng., Manager, Process Engineering, AMEC

Figure 2-1: Project Location Map





Figure 2-2: Mineral Titles Online



2.3 Site Visits and Scope of Personal Inspection

Site visits were performed as follows.

- Gary Christie: 15 October 2009
- David G. Thomas: 23 and 24 September, 2011
- Ramon Mendoza Reyes: no site visit
- Ignacy (Tony) Lipiec: no site visit

During his site visit, Mr. Christie viewed the proposed locations of the site facilities and inspected the proposed location of the open pit.

Mr. Thomas observed outcrops of molybdenum mineralization at the Bell Moly and Roundy Creek deposits, conducted a hand-held GPS survey of drill collars, inspected drill core and examined sections and plan views through the Roundy Creek deposit and viewed the Kitsault deposit.

AMEC considers that although undertaken in 2011, Mr Thomas's site visit is still current as he visited the site after the completion of the 2011 drill program, which remains the latest drilling program at the Project.

2.4 Effective Dates

The report has a number of effective dates, as follows:

- Effective date of the supply of the last information on environmental permitting: 19 March 2013.
- Effective date of the mineral claims table in Appendix A; 21 March 2013
- Effective date of the Kitsault Mineral Resource estimate: 17 April 2012
- Effective date of the Bell Moly and Roundy Creek Mineral Resource estimates: 1 May 2012
- Effective date of the Mineral Reserve estimate: 4 February 2013
- Effective date of the financial analysis that supports Mineral Reserves: 4 February 2013

The Report effective date is taken to be 4 February 2013, and is based on the key information pertaining to the updated feasibility study outcomes, being the Mineral Reserve estimate update and the updated financial analysis.

2.5 Information Sources and References

Reports and documents listed in Section 3 and Section 27 of this Report were used to support preparation of the Report. The key reference document was the 2010 Feasibility Study. Additional information was provided by Avanti personnel as requested.

2.6 Previous Technical Reports

Avanti has previously filed the following technical reports on the Project:

- Christie, G., Kulla, G., Ulansky, R., Lipiec, T., Healey, P., Levy, M. And Borntraeger, B., 2011: Kitsault Molybdenum Project, British Columbia, Canada, NI 43-101 Technical Report on Feasibility Study: unpublished technical report prepared by AMEC Americas Inc., effective date 15 December, 2010.
- Grills, F., De Ruijter, M.A., Vicentijevic, M., Volk, J., Levy, M., Healey, P., Day, S., Royle, M., Brouwer, K.J., Schmitt, H.R., and Malhotra, D., 2009: NI 43-101 Pre-Feasibility Study – Avanti Mining Inc. Kitsault Molybdenum Property British Columbia, Canada: unpublished technical report prepared by Wardrop Engineering Ltd for Avanti Mining, Inc., effective date 15 December 2009.
- Volk, J., Healey, P., Levy, M., Steininger, R., Collins, S., Greenaway, G., Dew, H., Schmitt, R., 2008: NI 43-101 Preliminary Economic Assessment Avanti Mining, Inc., Kitsault Molybdenum Property, British Columbia, Canada: unpublished technical report prepared by SRK Consulting Ltd for Avanti Mining, Inc., effective date 3 November 2008.
- Volk, J., and Steininger, R., 2008: NI 43-101 Technical Report on Resources, Avanti Mining, Inc., Kitsault Molybdenum Property, British Columbia, Canada: unpublished technical report prepared by SRK Consulting Ltd for Avanti Mining, Inc., effective date 16 July 2008.

3.0 RELIANCE ON OTHER EXPERTS

The QPs, as authors of this Report, have relied on, and believe there is a reasonable basis for this reliance, upon the following Other Expert reports as noted below.

3.1 Mineral Tenure

The QPs have fully relied upon and disclaim information relating to the tenure status for the Project through the following documents:

- Blake, Cassels & Graydon, 2010: Avanti Kitsault Mine: legal opinion prepared by Blake, Cassels & Graydon LLP for Avanti Mining Inc. and AMEC Americas Limited, 7 December 2010.
- Nelsen, C., 2011: AMEC Questions re Title Opinion: Information supplied by Craig J. Nelson, President and CEO Avanti Mining Inc., to AMEC Americas Limited, 25 January 2011; email from Craig Nelsen to Gary Christie, AMEC Kitsault Project Manager.
- Blake, Cassels & Graydon, 2013: Avanti Kitsault Mine: legal opinion prepared by Blake, Cassels & Graydon LLP for Avanti Mining Inc. and AMEC Americas Limited, 28 February, 2013, specifically Schedule B and Schedule C of the opinion.

This information is used in Section 4.3.2 of the Report.

3.2 Surface Rights

The QPs have fully relied upon and disclaim information relating to the surface rights status for the Project through the following documents:

- Blake, Cassels & Graydon, 2010: Avanti Kitsault Mine: legal opinion prepared by Blake, Cassels & Graydon LLP for Avanti Mining Inc. and AMEC Americas Limited, 7 December 2010.
- Nelsen, C., 2011: AMEC Questions re Title Opinion: Information supplied by Craig J. Nelson, President and CEO Avanti Mining Inc., to AMEC Americas Limited, 25 January 2011; email from Craig Nelsen to Gary Christie, AMEC Kitsault Project Manager.
- Blake, Cassels & Graydon, 2013: Avanti Kitsault Mine: legal opinion prepared by Blake, Cassels & Graydon LLP for Avanti Mining Inc. and AMEC Americas Limited, 28 February 2013.

- This information is used in Section 4.4 of the Report.

3.3 Royalties

The QPs have fully relied upon and disclaim information relating to encumbrances on the mineral tenure for the Project through the following documents:

- Blake, Cassels & Graydon, 2010: Avanti Kitsault Mine: legal opinion prepared by Blake, Cassels & Graydon LLP for AMEC Americas Limited, 7 December 2010; specifically Schedule I of the opinion, and supporting Appendices C, D, E, F, and G.
- Blake, Cassels & Graydon, 2013: Avanti Kitsault Mine: legal opinion prepared by Blake, Cassels & Graydon LLP for Avanti Mining Inc. and AMEC Americas Limited, 28 February, 2013

This information is used in Section 4.5 of the Report.

3.4 Agreements and Encumbrances

The QPs have fully relied upon and disclaim information relating to agreements and encumbrances on the mineral tenure for the Project through the following documents:

- Blake, Cassels & Graydon, 2010: Avanti Kitsault Mine: legal opinion prepared by Blake, Cassels & Graydon LLP for AMEC Americas Limited, 7 December 2010; specifically Schedule H of the opinion.
- Nelsen, C., 2011: AMEC Questions re Title Opinion: Information supplied by Craig J. Nelson, President and CEO Avanti Mining Inc., to AMEC Americas Limited, 25 January 2011; email from Craig Nelsen to Gary Christie, AMEC Kitsault Project Manager.
- Blake, Cassels & Graydon, 2013: Avanti Kitsault Mine: legal opinion prepared by Blake, Cassels & Graydon LLP for Avanti Mining Inc. and AMEC Americas Limited, 28 February, 2013; specifically Schedule D and Schedule F of the opinion
- Blake, Cassels & Graydon, 2013: Liens text: email from Blake, Cassels & Graydon LLP to Avanti Mining Inc. confirming discharge of liens.

This information is used in Section 4.6 of the Report.

3.5 Permitting

The QPs have fully relied upon and disclaim information relating to the status of permitting applications for the Project through the following documents:

Premo, M., and Ali, A.J.: Information Confirmation: information supplied by Avanti Mining to Gary Christie, AMEC, 22 March 2013.

3.6 Environmental

The QPs have fully relied upon and disclaim information relating to the status of environmental permitting applications for the Project through the following documents:

Premo, M., and Ali, A.J.: Information Confirmation: information supplied by Avanti Mining to Gary Christie, AMEC, 22 March 2013.

3.7 Social and Community Impacts

The QPs have fully relied upon and disclaim information relating to the status of community consultations for the Project through the following documents:

Premo, M., and Ali, A.J.: Information Confirmation: information supplied by Avanti Mining to Gary Christie, AMEC, 22 March 2013.

3.8 Taxation

The QPs have fully relied upon and disclaim information relating to the taxation data for the Project through the following document:

Premo, M., and Ali, A.J.: Information Confirmation: information supplied by Avanti Mining to Gary Christie, AMEC, 22 March 2013.

4.0 PROPERTY DESCRIPTION AND LOCATION

4.1 Location

The Kitsault Project is situated about 140 km north of Prince Rupert, and south of the head of Alice Arm, an inlet of the Pacific Ocean, within British Columbia (BC). The approximate Project centroids are latitude 55°25'19"N and longitude 129°25'10"E.

The Project contains the closed Kitsault open pit molybdenum mine, and the Roundy Creek and Bell Moly deposits.

4.2 Project Acquisition

On 19 June 2008 Avanti signed a Kitsault Purchase and Sale Agreement with Aluminerie Lauralco, Inc. (ALI), a wholly owned subsidiary of Alcoa, Inc., to purchase the Kitsault Property. The Kitsault Purchase and Sale Agreement required Avanti to pay US\$20 million to ALI for a direct 100% interest in the Kitsault Property.

The acquisition of the Kitsault Property was funded through a US\$20 million secured convertible bridge loan from Resource Capital Fund IV L.P. (RCF), and termed the "RCF loan" under the terms of the RCF loan agreement. The RCF loan had a maturity date of 15 July 2009 and an interest rate of 15% per annum. Interest is payable at the end of each calendar quarter in cash or in Avanti common shares. As part of the consideration for the RCF loan, Avanti issued 3,000,000 common shares to RCF on the closing date of the RCF loan. As security for the RCF loan, Avanti granted to RCF a security interest in the Kitsault Property and a pledge of securities in a subsidiary and guarantees.

The acquisition was completed on 17 October 2008. On the closing of the Kitsault Property acquisition, a finder's fee of 2,000,000 common shares was paid to a third party and a success fee of 500,000 common shares was paid to a financial advisor.

ALI was able to elect (within 90 days of Avanti delivering a feasibility study) to receive either:

- (a) US\$10,000,000 in cash at commercial production or in common shares of Avanti within 30 days of election; or
- (b) retain a 1% net smelter royalty (NSR) on future production.

ALI retained the NSR royalty.

As security for the payment of the royalty, Avanti granted to ALI a security interest in the Kitsault Property and a pledge of securities in a subsidiary. The security granted to ALI is subordinate to the security provided to RCF for the RCF loan.

On 15 January 2009, in accordance with the terms of the RCF loan agreement, Avanti made an interest payment of US\$750,000 on the bridge loan by issuing RCF with 9,248,353 common shares. At the same time, also under the terms of the RCF loan agreement, RCF was issued an additional 1,000,000 common shares because Avanti did not obtain a listing on the Toronto Stock Exchange or TSX-V prior to 15 December, 2008.

The original RCF loan agreement was amended and restated on 2 October 2009, 6 December, 2011, and again on 29 June 2012, when the \$20 M bridge loan was granted for a one-year term. US\$9,839,500 of the proceeds was used to repay existing loans from RCF. The US\$5 million convertible portion of those loans would have required issuance of 25,829,114 shares and 12,914,557 four-year warrants, which are no longer an obligation of Avanti. The arrangement fees and all interest under this bridge loan are required to be paid in cash instead of settling by issuance of shares as was required under the prior loans from RCF

4.3 Mineral Tenure

4.3.1 Mineral Title in British Columbia

Mineral claims in British Columbia are of two types. Cell mineral claims are established by electronically selecting the desired land on government claim maps, where the available land is displayed as a grid pattern of open cells, each of approximately 450–500 hectares. Payment of the required recording fees is also conducted electronically. This process for claim staking has been in effect since January, 2005, and is now the only way to stake claims in British Columbia. Prior to January, 2005, claims were staked by walking the perimeter of the desired ground and erecting and marking posts at prescribed intervals. Claims staked before January, 2005, remain valid and may be converted into cell claims.

Cell mineral claims may be kept in good standing by incurring assessment work or by paying cash-in-lieu of assessment work in the amount of CDN\$4.00 per hectare per year during the first three years following the location of the mineral claims. This amount is increased to CDN\$8.00 per hectare in the fourth and succeeding years. Claims staked before January, 2005 may be kept in good standing by incurring assessment work or by paying cash-in-lieu of assessment work in the amount of CDN\$100 per mineral claim unit per year during the first three years following the

location of the mineral claim. This amount increases to CDN\$200 per mineral claim unit in the fourth and succeeding years.

Mineral leases (mining leases) are granted over mineral claims on request, and upon payment of prescribed fees. Survey of the lease boundary may be requested, and if such a request is made, the survey must be undertaken by a British Columbia land surveyor and have the survey approved by the Surveyor General. Mining leases are granted for an initial term of not more than 30 years. If the lease was granted prior to 1 December 1995, it can be renewed for additional 30-year terms.

4.3.2 Project Mineral Tenure

Avanti holds 35 mining leases and 198 mineral claims, covering an area of 39,138 ha (Figure 4-1). Claim details (as at 21 March 2013) and detailed location plans (as at 11 September 2012) are included as Appendix A.

The claims are held in the name of the wholly-owned Avanti subsidiary, Avanti Kitsault Mine Ltd.

Electronically acquired claims (cell claims) are legally defined by the BC mining titles online (MTO) grid. For claims located prior to 12 January 2005 (legacy claims), a new section was enacted in the Mineral Tenure Act under Section 24.1 (5) on 1 January 2008, which confirms the mapped position of legacy claims as being the prevailing position. As such, the mapped locations of legacy claims are confirmed, making MTO maps the authoritative source for defining the ground location of mineral and placer claims. Mineral claims within the Project are defined by the MTO grid. The mining leases were surveyed by a professional surveyor.


Expiry dates are listed in Appendix A, and are variable. Mining lease expiry dates range from 2020 to 2022. The claims and leases that were current as at the Report effective date are as indicated in Appendix A.

4.4 Surface Rights

In British Columbia, surface rights are granted under the mineral leases from the Crown. Mineral claims surface rights are obtained through the process of converting claims to leases.

Information on surface rights in this sub-section is taken from the Avanti 2011 Annual Information Form (AIF), and is supported by written confirmation provided by Avanti to AMEC.

Figure 4-1: Tenure Location Plan



Note: Figure courtesy Avanti. Claim details shown on Figure were current as of 11 September 2012.

The majority of the leases and claims are located under Provincial Crown lands. Four claims are located under privately-owned lands at the former Kitsault town site that is situated on the Alice Arm.

Surface rights held by Avanti, which overlap the non-Crown portions of the mineral leases and claims include three land parcels, totalling 14.497 ha, and a statutory right-of-way (Statutory Right of Way No. BX201679) for access through Kitsault town site privately-owned lands:

- Parcel Identifier 015-583-031, District Lot 2656 Cassiar District (2.34 ha)
- Parcel Identifier 015-562-531, Block A District Lot 35 Cassiar District (12.1 ha)
- Parcel Identifier 015-562-611, Block B District Lot 35 Cassiar District (0.057 ha)
- Right of Way over:
 - District Lot 2757 Cassiar District
 - Block B (Plan 9849) District Lot 63 Cassiar District
 - Block A District Lot 63 Cassiar District
 - Block B District Lot 63 Cassiar District
 - Block A District Lot 64 Cassiar District Except Plan 6531
 - District Lot 6930 Cassiar District
 - District Lot 6931 Cassiar District
 - Lot 1 District Lot 64 Cassiar District Plan 6531.

The site power line is owned by BC Hydro, and the power line easement is in the name of BC Hydro.

Forestry road access and special use permits are discussed in Section 4.7.1.

4.5 Royalties

Information on royalties in this sub-section is taken from the Avanti 2011 Annual Information Form (AIF), and is supported by legal opinion provided to AMEC.

4.5.1 1975–1976 Royalty Agreement

A royalty is payable by the Climax Molybdenum Company of British Columbia (CMC) to Bell Molybdenum Mines Limited (Bell) under an agreement dated 17 February 1976 (the 1975–1976 Royalty Agreement) on each tonne of ore mined and removed from claims 250340, 250341, 250342, 250343, 250344, 250345, 250346, 250347, 250390, and 250391, covering the Bell Moly deposit only. No Mineral Reserves are currently estimated within the Bell Moly claims. The royalty is as follows:

US\$0.10/t of ore mined from the above-listed claims and treated thereon or shipped to Climax's molybdenum concentration mill at Kitsault, BC or another place of treatment, provided that for each US\$0.25 that the base price per pound, as defined therein, of molybdenum contained in concentrate increases above or decreases below US\$2.50, the royalty shall in like manner increase or decrease by US\$0.01.

AMEC was supplied with legal opinion that indicates the current ownership of this royalty is in question, as the corporation with the apparent rights has been dissolved.

4.5.2 1984 Royalty Agreement

A royalty purchase agreement, dated 31 December 1984 (the 1984 Royalty Agreement) between Amax of Canada Ltd and Amax Zinc (Newfoundland) Limited (Amax Zinc), gave Amax Zinc a 9.22% net cash flow interest over the entire Kitsault Project, described in the 1984 Royalty Agreement as comprising mining leases numbered M157 to M191 inclusive, corresponding to 35 mining leases (refer to Appendix A).

This royalty is considered in the cashflow analysis in Section 22, where it is termed the "Pre-Tax Cash Royalty". The royalty amounts to about \$189 million over the planned life-of-mine with payment starting in the third year after the capital and operating costs on a cumulative basis are exceeded by the cash flow from net revenues.

4.5.3 ALI Agreement

Under a Purchase and Sale Agreement (the ALI Agreement) dated 19 June 2008, ALI has a 1% NSR on future production. Leases subject to the royalty are indicated in Appendix A. The 1% NSR figure was used in the cashflow analysis in Section 22, where it is termed the "NSR Royalty". The royalty amounts to approximately \$58 M over the life of the planned mine.

4.5.4 TA Agreement

On January 13 2010, Avanti entered into a purchase and sale agreement with TA Mineral Resources Ltd. (TA) and Quadra Coastal Resources Ltd. (Quadra) to purchase a 100% interest in 102 mineral tenements (the TA claims) adjacent to the ALI tenure package. The acquisition was closed on 28 January 2010. Considerations for the deal comprised two cash payments, of \$100,000, and \$285,000, and issuing of two sets of Avanti units, of 1,500,000 units and 4,000,000 units respectively. An Avanti unit was defined as one common share and one-half of a share purchase

warrant exercisable at \$0.30 per common share until 28 January 2012. TA and Quadra retain 1.5% net smelter royalty (NSR) on 100 of the mineral tenements.

Two tenements, 517367 and 517364, are not included in the NSR. No Mineral Reserves are currently estimated within these claims.

4.5.5 NC Agreement

On 21 April 2010, Avanti signed a definitive agreement with Mr. Nicholas Carter to purchase a 100% interest in the two NC claims that are internal to the Project. Consideration for the purchase was CDN\$100,000 in cash and issuance of 250,000 Avanti Mining common shares over a four-year period. A 2% net smelter royalty was retained on the claims; however, Avanti may purchase 1% of the net smelter royalty at any time by paying the vendor \$1,000,000, thus reducing the royalty burden to 1%.

No Mineral Reserves are currently estimated within these claims.

4.6 Encumbrances

Information on encumbrances in this sub-section is based on legal opinion provided to AMEC.

In a "Wrap Up Agreement" dated 29 September 2005 between CMC and ALI and Alumax Inc., ALI covenanted and agreed with CMC that it would not dispose of any of the leases, claims, or lands required for or associated with the completion of the work program, as defined in the Wrap Up Agreement, until the completion of the pit remediation and reclamation work program. This program was completed in 2006.

Liens formerly held in respect of the following 11 leases: 254543, 254544, 254545, 254546, 254547, 254548, 254563, 254569, 254571, 254573, and 254576 have been discharged.

There is also a trust indenture between Bell and The Canada Trust Company (Canada Trust) dated 1 July 1980. The trust indenture is a charge over the rights of Bell to receive the royalty payable by CMC to Bell on the Bell Moly claims. Legal opinion provided to AMEC indicates that Canada Trust can enforce the charge on Bell by default, and includes corporate dissolution. Additional information would be required to determine whether the charge has expired, been satisfied, or enforced.

The leases and claims in Appendix A are subject to the following four encumbrances:

- RCF June 2012 Debenture: RCA IV GP LLC, as the general partner of and for the partners of RCF, holds a security interest over 206 claims and 35 leases, including rights, titles, and interests acquired afterwards by Avanti
- RCF and Avanti Mining Inc. General Security Agreement: RCF holds a security interest in all presently existing, and after-acquired, tangible and intangible personal property and assets of Avanti Mining Inc, including a floating charge on Avanti Mining Inc's real property, and all minerals and mineral rights associated
- RCF and Avanti Kitsault Mine Ltd General Security Agreement: RCF holds a security interest in all presently existing, and after-acquired, tangible and intangible personal property and assets of Avanti Kitsault Mine Ltd, including a floating charge on Avanti Kitsault Mine Ltd's real property, and all minerals and mineral rights associated
- RCF Release: a release and discharge filed in respect of the 2008, 2011 and April 2012 Supplementary Debentures.

4.7 Permits

Mining projects in British Columbia require numerous Provincial and Federal permits, approvals, licenses, and authorizations. Avanti holds some permits, related to previous mining activities, and will need to apply for additional permits prior to any mining recommencement.

Permitting for the Project is discussed in detail in Section 20.

4.8 Environment

The environmental permitting path for the Project is outlined in Section 20.

4.9 Social Issues

Community and social relations with other surface rights holders and First Nations peoples are discussed in Section 20.

4.10 Comment on Section 4

In the opinion of the QPs, the information discussed in this section supports the declaration of Mineral Resources and Mineral Reserves, based on the following:

- Legal opinion provided to AMEC indicated that Avanti holds 100% of the Project
- Information from legal experts supports that the mining tenure held is valid and is sufficient to support declaration of Mineral Resources and Mineral Reserves
- Avanti advised AMEC that Avanti holds sufficient surface rights in the Project area to support the mining operations, including access and power line easements
- Three permits were acquired with the Project from ALI, a remediation permit, a forest roads access permit, and a special usage permit. These support reclamation monitoring activities. Reclamation of the 1980s mining operation was completed in 2006
- Avanti will need to apply for additional permits as appropriate under local, Provincial, and Federal laws to allow mining operations
- A conditional Environmental Assessment certificate was granted the Project on 19 March 2013
- At the effective date of this Report, the major environmental liabilities from previous activities consist of monitoring activities related to the completed site remediation of the Kitsault mine
- All Avanti drill sites are reclaimed on completion of the drill hole
- Closure provisions for the planned mining operation are considered in the mine plan and are preliminary in nature.
- To the extent known, there are no other significant factors and risks that may affect access, title, or the right or ability to perform work on the property.

5.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, AND PHYSIOGRAPHY

5.1 Access

A series of Forest Service roads and a private gravel road connect the proposed mine site to Nass Camp, on the Nisga'a Highway, 120 km north of Terrace, BC. This road is approximately 83 km long and parallels the power line from the BC Hydro New Aiyansh substation. Avanti owns Special Use Permit (SUP) 09228 for the private section of this road and has road use permits for the public sections. The feasibility study envisages that the road will be upgraded and maintained regularly for use as the main access road to site.

The Project is also accessed by floatplane or boat from Prince Rupert, BC, to the former Kitsault town site, a distance of about 140 km. From the town site, a gravel road is traversed to the Project site.

The road access from the Kitsault town site is covered by a statutory right of way held by Avanti, which allows the company to use the roads within the town of Kitsault for mine-related activities. Litigation that was launched on 16 September, 2008 by the owner of the town of Kitsault, Kitsault Resort Ltd. (KRL), in relation to the right-of-way was resolved in favour of Avanti on 24 August 2010. KRL have subsequently appealed this decision.

Access to the Bell Moly portion of the property is by all-terrain vehicle over primitive trails. Access to Roundy Creek is by gravel road to within a few hundred metres of the adits and then by foot.

The mine site will also need a network of general vehicle access roads around facilities, service roads to remote structures, and haul roads.

The existing barge facilities both within the Kitsault town site and adjacent to it will be used during the construction phase of the Project. Facilities for offloading equipment, aggregate, and other supplies were constructed during previous mining developments. No new barge-loading facilities are currently planned

5.2 Climate

The Kitsault Project is in a temperate coastal area. January is the coldest month, with an average minimum temperature of -2.1°C; the warmest month is August with an average maximum temperature of 16.7°C. Combined rainfall and snowfall on average is about 2 m.

Although exploration activities can be curtailed by snowfall, the former mining operations ran year round. The projected mining operation is also expected to be able to be conducted on a year-round basis with appropriate management and control of high-snowfall events.

5.3 Local Resources and Infrastructure

The closest towns to the Project are the town of Kitsault, the hamlet of Alice Arm, on the opposite side of the inlet from Kitsault, and Prince Rupert. The Project is relatively close to the town of Terrace, which can provide most services. Most of the necessary external infrastructure is already in place.

Part of the workforce will come from surrounding communities and the rest will commute weekly or bi-monthly from outside the immediate area.

The Kitsault mine site includes the Kitsault open pit, reclaimed mill foundations, and several mine dumps. During the most recent production period, CMC maintained the Kitsault town site for its employees. The town site was subsequently sold to a third-party and is not available to Avanti.

Additional information on Project infrastructure is discussed in Section 18.

5.4 Physiography

The Project is situated in hilly, plateau country that is dominated by thick stands of timber interspersed with small lakes, meadows, and swamps. Vegetation at the lower elevations consists of spruce and pine trees along with juniper bushes. At higher elevations, the property is essentially barren of vegetation.

The topography rises rapidly from the ocean at Alice Arm to an elevation of 600 m to 800 m at the plateau. The Kitsault and Bell Moly sites are on the plateau and the Roundy Creek site is midway up the elevation change from oceanfront to the plateau known as Widdzech Mountain, where the new plant site is proposed to be located.

The dominant topographic features are a series of eroded basaltic lava flows that commonly form cliffs up to 100 m high. Bedrock is generally blanketed by a few metres of glacial till and is commonly overlain by a layer of peat bog up to 1 m thick. Outcrop in this area, except for the basalt cliffs, averages less than 1%.

The mine site is drained by Patsy and Lime creeks. Patsy Creek flows into Lime Creek in the vicinity of the former mill site, then runs steeply toward the Kitsault Townsite, entering the ocean just to the southwest. Regional hydrology data indicate

an annual hydrograph with a maximum monthly discharge in May, caused by snowmelt, declining average flows to August, and a secondary peak in October in response to rainfall.

5.5 Seismicity

The Kitsault Project site is situated in a region of low seismic hazard. To provide seismic ground motion parameters for the project site a probabilistic seismic hazard analysis has been carried out using the database of Natural Resources Canada (NRC). For dam structures it is recommended that the mean peak ground acceleration be used for design (CDA Dam Safety Guidelines, 2007). The mean peak ground acceleration is typically approximately 15% to 20% greater than the median value. For a return period of 475 years (10% probability of exceedance in 50 years), the corresponding peak acceleration is only 0.08 g, confirming a low seismic hazard for the site.

5.6 Comment on Section 5

In the opinion of the QPs:

- There is sufficient suitable land available within the mineral tenure held by Avanti for any future tailings disposal, mine waste disposal, and installations such as a process plant and related mine infrastructure.
- A review of the existing and likely power and water sources, manpower availability, and transport options indicate that there are reasonable expectations that sufficient labour and infrastructure is available or under construction to support declaration of Mineral Resources, Mineral Reserves, and the proposed mine plan.

6.0 HISTORY

The first recorded mining or exploration activity in the Project area was in 1911, when exposures of silver-bearing polymetallic veins were staked southeast of the Kitsault molybdenum deposit. The first recognition of molybdenite-bearing exposures in the Project was in 1916, along Lime Creek (Woodcock and Carter, 1976; Turnbull, 1916).

A small quantity of molybdenite was produced from the Alice Arm area during World War I; however these excavations are outside the Project area.

In 1956, Kennco Explorations (Western) Ltd. (KEL) evaluated the Lime Creek molybdenum deposit (now the Kitsault molybdenum deposit), and optioned the property in 1957. Drilling commenced in 1959, and a first-time mineral resource estimate was prepared in 1964. Open pit mining commenced in 1968 under the KEL subsidiary company B.C. Molybdenum (BC Moly), and continued to 1972, when low molybdenum prices forced closure. During that period, about 9.3 Mt of ore was produced, with about 22.9 Mlb of molybdenum recovered (Hodgson, 1995).

Climax Molybdenum Company of British Columbia (CMC) purchased the deposit from KEL in 1973. Additional drilling was completed, and mineral resources updated. In 1979, the property title was transferred to Amax of Canada Limited (Amax). Amax conducted engineering studies, and constructed the town of Kitsault. Production recommenced in April 1981, but due to low metal prices, was suspended in November 1982. During this second production period, about 4.08 Mt of ore and stockpile material were processed and 8.99 Mlb of saleable molybdenum were recovered (Amax, 1982; 1983).

The Bell Moly deposit was discovered in 1965 when Mastodon Highland Bell Mines, Ltd. and Leitch Gold Mines identified anomalous molybdenum values from geochemical sampling. Staking followed, and subsequent exploration funding requirements saw the two companies amalgamate as Bell Molybdenum Mines, Ltd. (Bell). Work completed by the end of 1975 comprised drilling and mineral resource estimation (Carter, 1967; Steininger and Card, 1979). CMC optioned the deposit area in 1975, and conducted drilling programs from 1976 to 1977, which supported an updated mineral resource estimate (Steininger and Card, 1979).

Molybdenite was first identified at Roundy Creek in the early 1900s. The principal exploration program was in the period 1965 to 1971 when Sileurian Chieftain Mining Company Limited (SCMCL) undertook core drilling, underground development, and a mineral resource estimate. CMC subsequently acquired the property in 1975.

The three properties were transferred to the Alumax aluminum division of Amax. In late 1993, Amax merged with Cyprus Minerals, and as part of the merger the Alumax division was spun off to the Amax shareholders. The Kitsault molybdenum deposits were included in the Alumax divestment (Alumax, 1996). Alcoa, Inc. (Alcoa) purchased Alumax in 1998, and transferred the Kitsault molybdenum deposits to its subsidiary, Aluminerie Lauralco, Inc. (ALI).

From closure in 1982 to 1995, Amax, its subsequent successor, Phelps Dodge Corporation (Phelps Dodge) and CMC managed maintenance of the town site and reclamation under a joint management agreement. Mine reclamation commenced in 1996 and was completed in 2006, at which point the project title was transferred 100% to ALI. The Kitsault town site was purchased by a third-party, Kitsault Resort Ltd., in 2006.

Avanti acquired the Project in 2008. Since that date, work has comprised drilling, including confirmation and condemnation drill holes, evaluation and interpretation of legacy data, engineering and metallurgical studies, mineral resource and mineral reserve estimates. A preliminary assessment was completed in 2008; the results indicated that more detailed studies were supported. In 2009, a pre-feasibility study (PFS) that envisaged a conventional open pit mining operation and process route, producing molybdenum concentrates. Under the assumptions reported in the PFS, the project showed positive economics, and a feasibility study was commissioned.

The initial feasibility study (2010 Feasibility Study) was completed in late 2010. The study envisaged a conventional truck and shovel open pit mining operation, with ore treated through a conventional crush-float circuit to produce molybdenum concentrate that would be roasted off-site. Under the assumptions in the 2010 Feasibility Study, the project continued to show positive economics.

In 2012, as a result of escalating capital and operating costs for projects globally, an update to the 2010 Feasibility Study was commissioned, the results of which are reported in the remaining sections of this Report.

In addition to the study update, Mineral Resource estimates for the Roundy Creek and Bell Moly deposits were updated. These are discussed in Section 14 of the Report.

7.0 GEOLOGICAL SETTING AND MINERALIZATION

7.1 Regional Geology

Information on the regional geological setting of the Project is primarily based on work by Carter (1981).


The deposits are hosted within the Intermontane Tectonic Belt of the Canadian Cordillera along its contact with the Coast Range Crystalline Complex. The Intermontane Tectonic Belt is an assemblage of accreted sedimentary and island arc terranes that docked against the North American craton in the Early to Middle Jurassic. The Coast Range Crystalline Complex intrusive rocks range in composition from granodiorite to quartz monzonite and have an age span from Late Jurassic to early Tertiary. Overlying both the Intermontane Tectonic Belt and the Coast Range Crystalline Complex are the eroded remnants of more recent plateau-type lava flows. Figure 7-1 presents an overview of the geology of the general area, adapted from Carter (1964).

In the general Project area, the primary sedimentary lithologies within the Intermontane Tectonic Belt are the Lower to Middle Jurassic Hazelton Formation and Upper Jurassic Bowser Lake Group. The Hazelton Formation consists of volcanic breccias, tuff, conglomerate, volcanoclastic sedimentary rocks, and andesite flows, all metamorphosed to greenschist facies. The Bowser Lake Group consists of interbedded greywacke and argillite with minor conglomerate and limestone metamorphosed to greenschist facies.

The Coast Range Crystalline Complex is represented by 50 Ma to 55 Ma granodiorite to quartz monzonite stocks in the Project area; this suite is informally referred to as the "Alice Arm intrusives". Many of the Alice Arm intrusive bodies are loci for molybdenum mineralization, including at Kitsault, Roundy Creek, Bell Moly, Tidewater, and Ajax.

Following the emplacement of the Alice Arm intrusive suite and related molybdenum mineralization, a swarm of c. 34–36 Ma, northeast-striking, lamprophyre dikes was intruded into the Bowser Lake Group and Alice Arm Intrusives. The youngest igneous event comprises c. 0.62–1.6 Ma basaltic plateau-type flows and related vesicular basaltic dikes. The entire area was exposed to glaciation, the majority of which occurred after the last igneous event.

Figure 7-1: General Project Geology Plan



Note: Figure courtesy Avanti, 2010.

7.2 Project Geology

The Bowser Lake Group in the Project area consists of regionally- and thermally-metamorphosed interbedded argillite and greywacke. These lithologies were intruded by the Early Tertiary Lime Creek Intrusive Complex, the Clary Creek stock, and the Roundy Creek intrusive complex.

Intrusive rocks associated with molybdenum mineralization at Kitsault, Bell Moly, and Roundy Creek are multiphase diorite, quartz monzonite, and younger felsic units. Surrounding the intrusive rocks are hornfels aureoles. Cross-cutting relationships within the intrusive suites indicate that molybdenum mineralization at all three deposits is the result of multiple mineralizing events.

Away from the Kitsault open pit and the adits at Roundy Creek, surface rock exposures are limited, as the area is covered by soil, swamp, glacial till, and in places basalt flows. The primary source of geological data is drill core.

The regional metamorphism reached greenschist facies. Superimposed on this is the hornfels from the Alice Arm intrusions. Avanti and earlier workers have concluded that the absence of any well-developed skarn in the hornfels indicates that no significant calcareous units were present in the Bowser Lake Group sediments adjacent to the Kitsault deposit.

7.3 Deposits

7.3.1 Kitsault

Lithologies

Originally, the stocks in the Kitsault mine area, from oldest to youngest intrusive phase, had been defined as (Woodcock, 1964; Carter, 1964; Steininger, 1978, 1985):

- East Lobe: the oldest intrusive phase; poorly exposed. Now covered by mine dumps
- Border Stock: medium-grained and equigranular quartz diorite or diorite. Locally displays a distinct foliation defined by the alignment of abundant biotite
- Southern Stock: quartz monzonite. The probable contact of the Central and Southern Stocks, at the surface south of Patsy Creek, is marked by extensive development of secondary K-feldspar alteration

- Central Stock: A variably porphyritic quartz monzonite porphyry that hosts the bulk of the molybdenum mineralization
- Northeast Porphyry: quartz monzonite porphyry
- Intramineral porphyry dikes: possibly related to the Northeast Porphyry intrusion.

The molybdenum mineralization was interpreted to form a hollow, steeply dipping, annular, cylindrical shape that is well-developed on three sides of the margins of the central Lime Creek Intrusive Complex (Figure 7-2).

The exterior of this annulus was localized within, along, and slightly exterior to, the contact with the hornfelsed Bowser Lake Group sediments. Interior to the annular and cylindrical molybdenite mineralization, a barren core was interpreted. The south side of the intrusive complex was in contact with another, largely unmapped, intrusive body, and in this area, the exterior boundary of the annular and hollow cylinder was less well constrained by drilling and may have extended across the intrusive contact.

The interpretations have subsequently been refined, based on the additional drilling completed by Avanti.

Figure 7-3 shows a surface projection of the geological interpretation for the former CMC open pit, based on a combination of a 1970 bench mapping exercise, and drill core from 2008–2011. Figure 7-4 shows the geological interpretation at the 450 m elevation by comparison.

The host units to the intrusions are argillites and greywackes of the Bower Lake Group. In the CMC pit area, the sediments have a general N25°–45°E strike and northwesternly dip angles of 20°–60°. These trends indicate that the Lime Creek Intrusive Complex is largely discordant to bedding in the sediments.

Regional metamorphism comprises chlorite–sericite–epidote–albite greenschist facies metamorphism. Sediments are thermally altered for distances of as much as 750 m from the intrusive contacts, producing hornfels aureoles. The hornfels zones typically display an outer, weakly-developed albite–epidote facies, a central, pale-brown, biotite zone, and an inner, brown, biotite zone (Kamilli, 1977). The biotite hornfels zones locally contain small veinlets of epidote and clots of andradite garnet.

The largest intrusive stock, and the main mineralization host, is the Central Stock, located north of Patsy Creek. It is a variably porphyritic and seriate quartz monzonite, primarily composed of feldspar, quartz, and biotite. It has been divided into three major phases, these are, from oldest to youngest, quartz diorite, QMP-I, and QMP-II.

Figure 7-2: Early Geological Interpretation of the Kitsault Deposit, after Carter (1964)




Figure courtesy Avanti, 2013

[illegible]

Project No.: 171424
March 2013

Figure 7-4: Geological Plan, 450 m Elevation




Figure courtesy Avanti, 2013

Quartz diorite is the oldest intrusive unit of the Lime Creek Intrusive Complex, and forms the western intrusive–hornfels contact. Contacts between the QMP-I and quartz diorite are typically obscured by alteration and mineralization, but at core scale, inclusions of quartz diorite were observed by Avanti within QMP-I. It is unclear from the core whether the quartz diorite is an early phase of the QMP-I or a distinctly separate intrusive phase; geological interpretations used for estimation purposes have treated the unit, however, as an earlier intrusive event. In this interpretation, the quartz diorite has been cut by the central QMP-I intrusive leaving screens or major inclusions within, and a rind of quartz diorite around, the main stock of QMP-I.

The QMP-I intrusion is pre- or syn-mineralization in age, and is generally equivalent to the well-mineralized Central Intrusive body identified by KEL and CMC. The stock is approximately 500 m wide at surface and on the 450 m level plan, and displays a plug-like morphology. The stock has steeply outward-dipping contacts with the enclosing, hornfelsed, Bowser Lake Group sediments at near-surface elevations. The flanking quartz diorite rim to the QMP-I skirts the hornfels contact along the west and north sides of the QMP-I stock; Avanti notes that it is more abundant in the subsurface along the eastern and southeastern contact than its surface distribution would suggest. The vertical extent of the QMP-I body is unknown. Historic drilling has generally tested this plug down to the 200 m elevation, and two drill holes have intersected mineralization within QMP-I to the 0 m elevation.

The QMP-II intrusion postdates all economic molybdenum mineralization and in part includes the historic Northeast Porphyry body. Where it carries >75 ppm Mo values, the mineralization is either due to the presence of late quartz–carbonate veins, or to very rare, isolated quartz–molybdenite veinlets. The QMP-II unit has a more obvious porphyritic appearance than QMP-I. QMP-II reaches the surface as a narrow, circular plug within the barren core, and broadens with depth towards the north and northeast.

The contact between QMP-I and QMP-II is almost always obscured by strong silicification in core specimens. Avanti staff have noted that differentiation between the QMP-I and QMP-II contacts in drill holes within the central area is more difficult to determine than in drill holes in the northeastern and northern parts of the complex.

Three dike phases are recognized by Avanti in addition to the porphyry phases:

- Aplite dikes: typically display 15–75 m, northerly trending strike lengths, and moderate widths of 3–15 m, forming sheeted zones of dikes, sometimes with cumulative widths of 10 m or more. Aplite dikes commonly show gradations from a typical sugrosic texture to micro-pegmatitic textures and are generally spatially associated with the margins of the QMP_I stock. They cross-cut all rock types except for QMP-II and have little spatial continuity. Aplite dikes can contain

abundant disseminated molybdenite and pockets of high-grade clots of molybdenite as well as irregular quartz–molybdenite veinlets, which visually appear to originate from within the aplite bodies.

- Intramineral porphyry dikes: cut QMP-I. Radial dikes mapped by KEL on the open pit benches in 1970 may be the wider, high-level equivalents of the narrow intramineral porphyry dikes observed at depth in 2008–2011 drill core.
- Lamprophyre porphyry dikes: typically 1 m to 10 m wide, generally have a northerly or easterly strike direction and steeply dipping. Lamprophyre porphyry dikes are non-mineralized, are considered volumetrically insignificant, and tend to display poor continuity along strike and down dip.

Widespread structural breaks, generally marked by gouge-bearing fault zones from centimetres to less than a metre in width, are commonly observed in many of the 2008 drill holes. However, these fault zones are difficult to correlate between sections. Mapping in 2008 of the exposed pit walls indicated no major fault zones within the pit area.


Geological sections through the Kitsault deposit showing examples of the different lithological units are presented in Figure 7-5, Figure 7-6, and Figure 7-7.

Metamorphism and Alteration

Four main alteration phases related to the plutonism and subsequent mineralization were recognized by KEL and Avanti staff. These are:


- Silica and potassium feldspar alteration: consists of 1–4 cm wide barren, grey to white quartz stockwork veins and associated pink K-feldspar stockwork veins and disseminations; cross-cut by molybdenite-bearing quartz veins.
- Phyllic alteration: extends outwards as a circular halo of pervasive quartz–sericite–pyrite alteration from the molybdenite stockwork zone to the contacts of QMP-I with the enclosing, hornfelsed, Bowser Lake Group sediments; occasional and poorly-developed envelopes of sericite can surround quartz–molybdenite–pyrite veins and veinlets.
- Pyrite alteration: erratically developed, and at the present land surface is missing from the east and north sides of the intrusive complex, but is moderately well developed within the QMP-I along the south side of the deposit where it is coincident with the inner annulus of the mineralized zone; pyrite alteration is best developed at the surface in the hornfelsed sediments along the west and northwest sides of the molybdenum mineralization where it overlies and is immediately outboard of the intrusive-sedimentary contact

Figure 7-5: Kitsault Geological Section 6141850N (looking north)




Note: Figure courtesy Avanti, 2013

Figure 7-6: Kitsault Geological Section 6141900N (looking north)



Note: Figure courtesy Avanti, 2013

Figure 7-7: Kitsault Geological Section 473350E (looking west)



Note: Figure courtesy Avanti, 2013

- Argillic alteration: forms a superimposed, roughly circular pattern, extending from the outer boundary of the deposit core to the contact of the QMP-I and/or quartz diorite intrusive rocks with the hornfelsed sediments; where well developed, kaolinite–illite completely replaces the primary plagioclase as well as some of the primary potassium feldspars.
- Calcic alteration: consists of pervasive, finely disseminated calcite and dolomite within the intrusive rocks.

Mineralization

Kitsault is a cylindrical deposit, dipping steeply to the north. Approximate dimensions are 700 m on the x-axis, and 600 m on the y-axis, with the “sides” of the cylinder ranging from 100 – 300 m wide; the z-axis has been defined to depths of 500 m below surface. The deposit remains open at depth. The southern margin and other local arcs such as the north and northwestern areas of the deposit require additional infill drilling.

A number of vein phases have been identified at the Kitsault deposit:

- 0.25 cm to 1.50 cm wide quartz–molybdenite veins and veinlets forming stockworks
- More widely-spaced, sub-parallel, 3–20 cm wide, sheeted, milky quartz veins containing fine-grained molybdenite. Veins have been termed “ribbon banded” quartz–molybdenite veins. These irregularly-developed, sheeted vein zones are best developed in close proximity to the aplite dikes. Where these veins are less than 1.5 cm wide, molybdenite is confined to vein borders. Where the veins are wider, there are multiple epitaxial bands of molybdenite within the quartz vein as well as on its margin.
- 0.50 to 2.0 cm pyrite veins containing subordinate molybdenite and trace amounts of quartz. The molybdenum contribution of this vein type, which is largely confined to the hornfels, is negligible
- Steeply-dipping, 4 cm to 1 m or more in width, quartz–carbonate veins that contain sphalerite, galena, chalcopyrite, a variety of Pb–Bi sulphosalt minerals (akinite, cosalite, and neyite) and occasional trace amounts of molybdenite. Best developed on the south side of the molybdenite zone. The quartz–carbonate veins that contain the Pb–Bi mineralization post-date the QMP-II intrusive. A few very rare and isolated quartz–molybdenite veinlets have been observed in the deeply-buried QMP-II intrusive.
- Rare to minor, violet-coloured, late-stage, anhydrite-bearing veins.

Molybdenum mineralization hosted in the stockwork and sheeted veins defines a hollow, cylindrical, and annular-shaped mineralized body, which follows the approximate contacts of the QMP-I and quartz diorite intrusions with the surrounding hornfelsed sediments. The body has widths from 100 m to 150 m on the east, west, and north sides, and a less well defined zone to the south, where it is at least 300 m wide and may extend to nearly the southern limits of drilling (refer to Figure 7-4).

In cross-section, the mineralized annulus displays variable widths at a 0.05% Mo grade cut-off and extends to at least the 200 m elevation (refer to Figure 7-5, Figure 7-6 and Figure 7-7). The carrot-shaped limbs of the cylindrical mineralization show a more or less vertical inclination in east–west view (refer to Figure 7-5 and Figure 7-6). The width of the eastern limb, at grades above 0.05% Mo, is about 175 m near the surface but thins substantially below the 400 m level. The width of the western limb is about 130 m and it persists at that width at depth.

Annular mineralization along the north side has a -70° northward dip in north–south view, and is confined largely within the intrusive complex (refer to Figure 7-7). In contrast, the southern limb is much wider and dips north at about -40° near the surface, steepening with depth (refer to Figure 7-7). Avanti has suggested that the steeply inclined northward dip of the annular cylinder on the north–south section may reflect the deposit being tilted to the north during post-mineralization deformation.

Disseminated, crystalline, fine-grained molybdenite is sporadically distributed within the groundmass of all pre-mineral rock types, but typically is most abundant in the aplite dikes.


Systematic multi-element analyses show that background copper levels, outside of zones with abundant quartz-carbonate veins, are in the 20 to 50 ppm Cu range. Copper values in drill core, where late quartz-carbonate veining is abundant, are typically in the 50 to 250 ppm Cu range, with very rare instances where values exceed 1,000 ppm Cu.

7.3.2 Bell Moly

Lithologies

The Bell Moly deposit consists of molybdenum mineralization developed in two intrusive phases, the Southwest Zone intrusive, and the Clary Creek stock. A simplified version of the deposit geology is illustrated in plan view in Figure 7-8, while a detailed geological map created by Maynard (2010) is shown in Figure 7-8a.

Figure 7-8: Simplified Geological Plan, Bell Moly Deposit (after Steininger, 1985)



Note: Figure courtesy Avanti, 2013.

[illegible]

Project No.: 171424
March 2013

The host unit to the intrusions is a massive to micro-greywacke, interbedded with minor black slate and argillaceous mudstone, which is ascribed to the Bower Lake Group. Intrusive activity produced extensive hornfelsing of the sedimentary rocks. Two separate zones of hornfels are known: one is closely associated with the Southwest Zone intrusion; the second, and larger, zone is associated with the Clary Creek stock. This hornfels extends significantly northwest of the Clary Creek stock, suggesting that additional intrusive rocks may be present at depth to the northwest.

The Clary Creek stock consists of at least five separate intrusive phases of generally quartz monzonitic composition, whereas the Southwest Zone is primarily a dike swarm apparently centered on a small stock, also of quartz monzonitic composition.

The Clary Creek stock is an east–west-elongated, elliptical mass, with surface dimensions of approximately 700 m x 300 m. There is a prominent hornfels roof pendant in the center of the stock.

Intrusive phases, from oldest to youngest, are:

- Quartz monzonite porphyry: displays a mafic-rich border approaching granodiorite in composition
- Alaskite dikes: intrude the center of the quartz monzonite porphyry
- Quartz-eye porphyry (first generation): primarily found in the southwestern part of the complex; dikes related to the body cross-cut both the alaskite dikes and the quartz monzonite porphyry
- Quartz-eye porphyry (second generation): dikes cut all of the older phases, but no central intrusive body related to these dikes has been identified to date
- Crowded porphyry: found in the southwestern part of the complex, and appears to postdate molybdenum mineralization.

The Southwest Zone is located about 1 km southwest of the Clary Creek stock. All of the intrusive units intersected by drilling are dikes, with the possible exception of a small stock encountered in one drill hole. Although these dikes have similar compositions, the varying age relationships with respect to mineralization suggest a continuum of intrusions throughout development of the molybdenum mineralization. All of the dikes are sufficiently altered to preclude determination of original composition, but appear to be similar to the rhyolitic quartz-eye porphyries of the Clary Creek stock.

Numerous mafic dikes intersected by core drilling are probably related to the regional but very young basaltic intrusive event. Core drilling indicates that lacustrine and

glacial deposits lie below many of these basaltic flows, but on top of the Tertiary or Cretaceous bedrock.

Carter (1967) defined two ages of regional folding, the older with a north to northwest axis and the younger with an east–northeast axis. Faults, some hosting mafic dikes, are commonly oriented along the trend of the younger fold direction. In the immediate area of the Clary Creek stock and Southwest Zone, faults with north–northwest trends are widespread.

Metamorphism and Alteration

A biotite hornfels zone has been mapped to a distance of 365–400 m outward of the Clary Creek stock within the surrounding siltstones and greywackes. The hornfels zone can display minor pale green chlorite–sericite alteration marginal to fractures and quartz veinlets in the sediments, producing a bleached appearance in the rock. A poorly-developed zone of propylitic alteration is superimposed on the hornfels surrounding the molybdenum deposit.

There is a silicified zone underlying the molybdenum zone in the Clary Creek stock that grades upward into a zone of secondary potassic feldspar, which is more or less coincident with the molybdenum mineralization. In this area, the primary plagioclase has typically been altered to sericite and carbonate, and much of the secondary feldspar can only be observed at the microscopic scale. The original biotite has commonly been altered to sericite and chlorite.

Argillization is common outward from the molybdenum zone in areas where veining is less dense. It is more common in fault zones, together with chlorite-coated slip surfaces.

Mineralization and alteration associated with intrusive activity in the Southwest Zone are similar to those near the Clary Creek stock but less well understood.

Mineralization

The mineralization at Bell Moly is elongated in a northeast southwest direction and has approximate dimensions of 600 m in an northeast-southwest direction, 450 m in a northwest-southeast direction and 500 m vertically

Two zones of molybdenum mineralization are documented at the Bell Moly property, one closely associated with the Clary Creek stock, and the second associated with the Southwest Zone intrusion (refer to Figure 7-8).

Molybdenum occurs most commonly in quartz veinlets, which are up to 0.5 cm wide, and less commonly as disseminated grains in the intrusive rocks. Within quartz veins, molybdenite occurs in the following, in decreasing order of abundance:

- As selvages along vein borders
- In sub-parallel bands throughout the veins
- As finely divided crystals throughout the veins
- As hairline quartz–molybdenite veinlets
- As fracture coatings.

Wider-spaced, sheeted quartz–molybdenite veinlets are the most prevalent form of mineralization, with stockworks of quartz–molybdenum veinlets being less common. High-grade veins are abundant in the drill core in orientations that are sub-parallel to the core axis. Quartz–molybdenite vein distribution is erratic and results in assay values in drill core to vary from 0.03% Mo to 0.29% Mo in adjoining 3 m assay intervals.

There are at least four stages of quartz–molybdenite veinlets, from oldest to youngest:

- Up to 5 cm wide quartz–molybdenite veinlets, with bands and clots of pyrrhotite, pyrite, chalcopyrite, and minor molybdenite.
- Narrow veinlets with finely divided molybdenite grains. Stockworks and preferred orientations to the veinlets are common, and these veinlets are probably related to the first intrusive phase of the Clary Creek stock.
- Banded veinlets up to 1 cm wide. Older quartz-eye porphyry appears to have been the source for the third stage of quartz–molybdenite veinlets. These veinlets are commonly banded and up to 1 cm wide. The abundance of molybdenite in veinlets decrease with depth, and the veins converge into a silicified zone.
- Narrow quartz–molybdenite veins that cross-cut all of the earlier vein sets

Base metal sulphide-bearing quartz veinlets which cut molybdenum mineralization make up the last stage of mineralization.

Scheelite occurs in quartz veinlets that generally cross-cut molybdenite-bearing veinlets. Pyrrhotite is the most widespread and abundant sulphide in the deposit, occurring most commonly within hornfels surrounding the molybdenum zone. Pyrite is commonly associated with pyrrhotite, but has a reverse relationship, increasing in abundance toward the center of the molybdenum zone, while the pyrrhotite decreases in abundance in the same direction.

Disseminated pyrrhotite appears to have formed during hornfels alteration of the sediments. The oldest hydrothermal mineralization is related to quartz–albite–pyrrhotite veinlets that cross-cut and alter hornfels, but are in turn clearly cut by quartz–molybdenite veinlets.

7.3.3 Roundy Creek

Lithologies

Molybdenum mineralization at the Roundy Creek deposit is associated with a small composite quartz monzonite stock that is disrupted by faulting. The deposit geology as understood pre-Avanti is illustrated in Figure 7-9. Further mapping was undertaken in 2010 and 2011 (Maynard, 2010; 2011) resulting in the geological map shown in Figure 7-10. A detailed higher grade portion of the deposit is included in Figure 7-11 based on the same mapping program.

The host sediments are interpreted to be similar to those hosting the Kitsault deposit. They have been hornfelsed for a distance of about 60 m. The central intrusive phase has been mapped and logged as a leucocratic quartz phenocryst-bearing quartz monzonite porphyry, which is locally brecciated. Three intrusive phases to the porphyry have been recognised:

- A feldspar and biotite rich phase
- A quartz phenocryst rich phase (“crowded” quartz porphyry) with minor feldspar
- Uni-directional solidification (UST) textured (or “banded”) phase


Other units, such as monzonite and diorite, have been reported, but are not known to form large, continuous bodies. Alaskite dikes cut all of the quartz monzonite bodies and in turn are cut by narrow dikes of light gray biotite–quartz monzonite. The last intrusive stage are a series of lamprophyre dikes with a general northeasterly strike, which cross-cut all other intrusive phases.

Metamorphism and Alteration

Sedimentary rocks have been metamorphosed in a zone, about 60 m wide, surrounding the intrusion.


Alteration of the intrusive rocks consists of a potassic zone, best developed within and marginal to the better zones of molybdenum mineralization, and a zone of secondary biotite.

Figure 7-9: Geological Plan, Roundy Creek Deposit (after Woodcock and Carter, 1976)




Note: Figure courtesy Avanti, 2013

Figure 7-10: Geological Map, Roundy Creek Deposit



Note: Figure from Maynard, 2011

Figure 7-11: Sunshine Creek, High Grade Zone



Note: Figure from Maynard, 2011

Servage or pervasive silica alteration is common in zones of intense quartz veining. The potassic alteration occurs as fracture-coated planes, with abundant sericite and lesser biotite. The secondary biotite forms within fractures, and is primarily found peripheral to the main molybdenum-mineralized zones.

Mineralization

Three zones of molybdenum mineralization are observed at Roundy Creek (refer to Figure 7-9), developed in an eastern zone and two higher-grade zones in the western part of the intrusive complex (Carter, 1981). Most of the mineralization in the three zones is closely associated with the introduction of secondary potassium feldspar or biotite alteration.

The eastern, Roundy Zone, approximately 150 m x 150 m in plan, consists of quartz–molybdenite veins that commonly have random orientations and molybdenite paint on fracture surfaces, resulting in a more continuous but lower-grade mineralization than found in the other two zones. The eastern zone is defined by limited drilling and appears to be open at depth.

There are two higher-grade molybdenum zones in the western portion of the complex. The Sunlight Zone is roughly flat-lying and approximately 200 m (x) by 150 m (y). Higher-grade mineralization has been encountered to depths of approximately 100 m. Constraints on the deposit are poor to the north, south, west, and locally at depth. The Sunshine Zone as shown in Figure 7-11, is approximately 80 m (x) by 100 m (y) in plan, with the depth extent not well defined. Molybdenite in these zones occurs in the alaskite phase of the intrusive complex (Woodcock and Carter, 1976).

The eastern Sunshine Zone has been drilled and exposed in two adits at the 260 m and 320 m elevations. The deposit as outlined by the 0.06% Mo grade contour has a podiform shape and a continuous internal zone of 0.12% Mo.

Stockwork quartz–molybdenite mineralization forms the bulk of the Sunshine Zone, but there are two other notable styles of mineralization that result in several local high-grade (>0.5% Mo) zones that can attain widths of several metres within the deposit. Massive molybdenite pods or beds that are several centimetres in width, interspaced with layers of pure feldspar, have been found at surface and intersected in drill core. Unidirectional solidification textures composed of layers of quartz and heavily disseminated molybdenite, alternating with feldspar-rich layers, have been intersected by drill holes and the adit at 320 m elevation.

The western Sunlight Zone is smaller than the eastern Sunshine Zone, and is a lens-shaped zone, as defined by the 0.06% Mo contour. Within this contour are higher-grade intervals that can be as much as 3 m in thickness.

7.4 Comment on Section 7

In the opinion of the QPs, the knowledge of the deposit settings, lithologies, and structural and alteration controls on mineralization are sufficient to support Mineral Resource and Mineral Reserve estimation for the Kitsault deposit and can support mine planning.

Knowledge of the deposit settings, lithologies, and structural and alteration controls on mineralization are sufficient to support Mineral Resource estimation at the Bell Moly and Roundy Creek deposits.

8.0 DEPOSIT TYPES

The deposit model discussed below is based on research notes prepared by the United States Geological Survey (Ludington et al., 2009) and the BC government Mineral Deposits #L05 Profile for low fluorine porphyry molybdenum deposits (Sinclair, 1995).

The Alice Arm intrusive-hosted molybdenum deposits are part of a suite of porphyry molybdenum deposits in the North American cordillera that are classed as low-fluorine stockwork molybdenite deposits. Such deposits are closely related to porphyry copper deposits, having a similar tectonic setting (continental volcanic arc) and the petrology (calc-alkaline) of associated igneous rock types.

To date, the only confirmed deposit examples are found in western Canada and the northwestern United States. The reason for the limited distribution is currently not well understood: it may be a function of the major exploration efforts to date being concentrated in those localities.

Low-fluorine stockwork molybdenite deposits are defined as containing negligible copper (<100 ppm Cu in ore) and are not related to evolved, high-fluorine granites. Such deposits do not form in the same regions or tectonic environments as Climax-type porphyry molybdenite deposits, but form in the same regions and at the same times as subduction-related porphyry copper deposits.

Most deposits are either of Late Cretaceous (about 100–70 Ma) or early Tertiary (about 60–50 Ma) age, and were emplaced in continental magmatic arcs. Deposits are all post-accretionary and are not conspicuously aligned along upper crustal structures. Source plutons range from granodiorite to granite in composition; quartz monzonite is the most common, and is often porphyritic. Trace-element compositions, where determined, are consistent with plutons derived from typical, subduction-related, calc-alkaline rocks. Deposits commonly develop near the margins of the source plutons.

Although deposits typically do not form clusters, the Alice Arm deposits (Ajax, Tidewater, Bell, Kitsault, and Roundy Creek) are an important exception. Host rocks do not appear to be a primary mineralization control: deposits can develop in volcanic rocks associated with the primary plutonic activity or in much older country rocks.

Ore zones can be elliptical, circular, crescent-shaped, or annular in cross-section, and in vertical section, can be cylindrical, tabular, or irregular. Deposits can extend for several hundred metres in both lateral and vertical extent.

The primary sulphide mineral is molybdenite. Molybdenite-bearing quartz veinlets can contain small amounts of pyrite, and may also contain trace amounts of magnetite, scheelite, wolframite, galena, or sphalerite; chalcopyrite is rare. The veins may also contain K-feldspar \pm biotite \pm sericite \pm clay minerals \pm calcite \pm anhydrite as gangue minerals. It is typical for such deposits to display contemporaneous formation of all the major ore and gangue minerals.

Peripheral polymetallic Ag–Pb–Zn veins are present at some deposits, but zonation within a single set of veins is not documented at any of the deposits. In addition to stockwork veinlet systems, larger veins, sets of veins, and ore-bearing breccias are sometimes present.

Alteration assemblages are similar to those found in porphyry copper deposits. In a typical deposit, a central zone of potassic (and sometimes silicic) alteration is characterized by quartz \pm K-feldspar \pm biotite \pm anhydrite. Distal to the potassic zone, phyllic alteration can be present. The phyllic mineral assemblage is primarily quartz \pm sericite \pm carbonate minerals. Surrounding this may be a large propylitic zone of epidote + chlorite, which can extend for hundreds of metres, although this alteration can sometimes be difficult to distinguish from regional metamorphic assemblages. Argillic alteration, consisting of clay minerals such as kaolinite and montmorillonite, whereas not common, may also be present, most typically as an irregularly distributed overprint on earlier alteration zones.

Areas of potassic alteration closely mimic the ore zones, whereas the phyllic alteration zone may be somewhat larger, extending hundreds of metres away from ore. Almost all the known deposits cropped out on surface; as a result very little is known about the upper parts of the alteration systems. The propylitic zone may be much larger, perhaps kilometres in extent. Potassic alteration appears to occur in vein envelopes and becomes pervasive only where veins are closely spaced. Phyllic alteration, whereas still vein-controlled, may be more pervasive, as the alteration envelopes are generally wider.

8.1 Comment on Section 8

In the opinion of the QPs, features that classify the Kitsault, Roundy Creek and Bell Moly deposits as low-fluorine stockwork molybdenite deposits are:

- Location in the western Canadian cordillera
- Early Tertiary age

- Hosted in porphyritic quartz monzonite intrusions that are associated with a continental magmatic arc, and partly hosted in hornfelsed Bowser Basin sediments that are in contact with the intrusions
- Mineralization has a steeply-dipping, annular, cylindrical shape
- Mineralization primarily consists of quartz–molybdenite stockworks and lesser sheeted quartz–molybdenite veins
- Alteration associations typical of porphyry copper deposits, but very low-tenor copper values from drill core analyses
- Late-stage associated polymetallic base metal mineralization.

9.0 EXPLORATION

Exploration activities such as geological mapping and sampling have primarily been performed by predecessor companies to Avanti.

In 2010 and 2011 geological mapping programs were undertaken by S.R. Maynard on behalf of Avanti. The mapping programs included the Roundy Creek deposit, and Sunshine Creek zone at Roundy Creek.

KEL and CMC developed an extensive geological and geochemical database. With the exception of some historical digital assay and drill hole geologic data compiled by CMC in 1973 to 1979 and recovered by Avanti in 2008 from the Mintec consultants in Tucson, AZ, very little of the hard copy data relating to the Kitsault deposit has been recovered. Much of the original Kennecott data may reside in the KEL (now Rio Tinto) archives in Vancouver, BC.

Bell Moly and Roundy Creek data recovery is also limited to the records of SCMCL, Amax and CMC.

As a result, the key data for the Project are from published geological reports, and drill data. Avanti has completed an evaluation of the acquired legacy data, and has performed core drilling to provide additional lithological data and confirmation of historic analytical data. Re-sampling of drill core from Bell Moly that was completed in 2010 has been used to confirm historical data.

9.1 Grids and Surveys

Legacy exploration was undertaken on a mine grid utilising imperial units. All work by Avanti has been using NAD83 UTM Zone 9 metric coordinate system. The calculation for conversion to UTM is outlined in section 11.7.

9.2 Geological Mapping

In September 2010 and July 2011, geological mapping was undertaken over the Roundy Creek deposit and included the Sunshine Creek zone. Geological maps were produced by Maynard on behalf of Avanti as seen in Figure 7-10 and 7-11. The first geological map of the Roundy Creek exploration area was produced by Hodder on behalf of AMAX in 1960, with further mapping undertaken by Kennecott Exploration in 1971.

9.3 Geochemical Sampling

To complement the 2010-2011 Roundy Creek geological mapping programs, geochemical samples were taken and sent for multi-element ICP analysis. 71 rock samples were taken in 2010, with a further 116 in 2011.

The first geochemical survey of the Roundy Creek exploration area was undertaken by Alrae Engineering on behalf of Sileurian Chieftan in 1966. Sileurian Chieftan conducted their own soil geochemical survey within the area in 1968.

9.4 Geophysics

In 1967 Bethex Exploration undertook an Inverse Polarization (IP) survey at Roundy Creek. There are no additional surveys currently known.

9.5 Pits and Trenches

Minor trenching was undertaken by G. Fiva at Roundy Creek between 1961 and 1964. There are no remaining data on these trenches.

9.6 Petrology, Mineralogy, and Research Studies

Mineralogical studies in support of understanding of deposit mineralogy have been completed at Roundy Creek.

9.7 Geotechnical and Hydrological Studies

Geotechnical information available for the Project is discussed in Sections 16 and 18.

9.8 Metallurgical Studies

Metallurgical studies performed in support of Project development activities are included in Section 13.

9.9 Exploration Potential

9.9.1 Kitsault

The general lateral and vertical extents of the Kitsault deposit were largely but not completely defined by the 2008–2011 drill programs, and the potential exists to expand

the deposit. Drill hole coverage remains sparse in parts of the western and northern margins of the deposit, and further drilling is required to determine the full extent of mineralization in these areas.

9.9.2 Patsy Creek

Several primary dispersion geochemical studies were completed at Kitsault; the most significant of these were reported on by Woodcock (1964).

The 1960s studies were based on a large collection of outcrop samples and core samples from the top of the bedrock surface in areas where there was heavy surficial cover. The samples were taken from within and at some distance from the 0.75 km² area covered by the Lime Creek Intrusive Complex. Many samples were also taken along traverses up to 1.75 km outward, in orthogonal directions, from the margin of the intrusive complex. Such surface samples, nearly all of which were reported to contain fresh sulphide minerals where mineralization or alteration was present, were analyzed by the Salt Lake City laboratory of Kennecott Exploration Services.

Analyses were done by either emission spectrography, X-ray fluorescence (XRF), or wet chemical methods.

Evaluation of the analytical results showed that molybdenum values outboard to the north, east, and west of the intrusive–hornfels contact generally fell to 150–200 ppm Mo, within 50 m to 75 m of the contact. Strongly anomalous Mo values, however, were noted on the south side of the intrusive–hornfels contact, coinciding with the Patsy Creek drainage. On the south side, the QMP-I intrusion is in contact with the quartz monzonite of the South Stock.

SRK (2008) performed an analysis of the Kennecott multi-element data and concluded:

- Hornfelsed sediments, where present, tightly constrain all hydrothermally-introduced elements of possible interest, particularly Mo, to within 50 to 75 m or less of the Lime Creek Intrusive Complex
- Ag, Ba, and F, in addition to Mo, are well developed at anomalous levels within the Mo deposit
- Anomalous Bi, Pb, and Zn are distributed along and to the south of the contact between the central QMP-I stock and the South intrusive, south of the main molybdenum deposit

- Multi-element Pb, Zn, Bi, Ag, F, Ba anomalies are coincident with scattered high Mo values around and to the south of the southernmost KEL drill holes, south of Patsy Creek.

A total of 14 holes were drilled in 2011 on the Patsy Creek target, which appears to be a steeply north-dipping continuous southern arc of the Kitsault deposit. Drill hole coverage remains limited in the area, and there is significant potential for expanding the extent of known mineralization.

9.9.3 Bell Moly

Hornfels alteration extends well northwest of the Clary Creek stock, suggesting that there may be a buried intrusive at depth, which could be mineralized. An induced polarization ground geophysical survey is recommended to identify potential sulphide zones that could become targets for drill testing.

9.9.4 Roundy Creek

The Sunlight, Sunshine and Roundy Zones have not been fully delineated by drilling and remain open along strike and at depth. Re-evaluation of the geological setting of the deposit is recommended, to determine if the near-surface expression of mineralization is related to a deeper mineralized body of significant size. Opportunities exist to potentially expand and connect high-grade (>0.5% Mo) zones that were intersected in several 2011 and earlier diamond drill holes. Additional drilling may also be able to demonstrate a possible connection between the Sunshine and Sunlight zones.

9.10 Comments on Section 9

In the opinion of the QPs, while the majority of the exploration on the Project was completed prior to Avanti's ownership, the work undertaken was appropriate to the style of the deposits. The exploration activities identified three deposits, and additional exploration of the Project area is warranted.

10.0 DRILLING

A total of 76,118 m was drilled in 490 drill holes on the Kitsault Project between 1959 and 2011 by KEL, BC Moly, CMC, SCMCL, Bell and Avanti (Table 10-1).

For the purpose of this review of the drilling on the Kitsault Project, the drilling is divided into the pre-Avanti drilling, conducted prior to 2008, and the Avanti drilling which encompasses all the drilling since 2008. These divisions relate to the availability of information for these two periods.

10.1 Kitsault

Several core drilling campaigns were undertaken to define the Kitsault deposit, with a cumulative total of 51,682 m drilled. Drilling is summarized in Table 10-2.

Wire line drilling was the preferred method. The pre-Avanti drilling at Kitsault was primarily NX diameter (54.7 mm). A small number of deeper holes were collared with NX diameter and reduced to BX (42mm) when warranted. The pre-Avanti drill core was stored at the Kitsault town site, but was destroyed in 2007.

The drill holes delineating the mineralization were drilled parallel to two main grids, an east–west grid and a north–south grid, with 29 drill holes oblique to both grids (Figure 10-1).

Vertical and sub-vertical holes were drilled. The majority of sub-vertical holes were drilled from the center of the annular shaped mineralized body towards the outer edges of mineralization. The cylindrical annular mineralization is open-ended at depth.

A total of 15,753 individual core samples were collected during exploration and delineation drilling. The average drill hole spacing is 50 m. Sampling is from a combination of vertical and inclined holes occasionally drilled from common collar locations. This results in a drill hole or sample spacing which increases with depth. Samples were collected from an area approximately 1,000 m by 800 m, and from surface to a depth of 769 m.

Table 10-1: Summary of Core Drilling on the Kitsault Project


Deposit	Operator	Period	No. of Holes	Metres
Kitsault	KEL & BC Moly	1960–1969	99	18,373
	CMC	1974–1982	40	9,279
	Avanti	2008	33	10,599
	Avanti	2009	22	1,887
	Avanti	2010	28	1,548
	Avanti	2011	32	9,996
Subtotal		1969–2011	254	51,682
Bell Moly	Bell and Predecessor	1966-1967	36	5,462
	CMC	1976–1977	17	5,519
Subtotal		1975–1977	53	10,981
Roundy Creek *	Southwest Potash Corporation	1960	6	767
	SCMCL	1965-1971	145	8,973
	Avanti	2010	6	912
	Avanti	2011	26	2,803
Subtotal		1960-2011	183	13,455
Total		1960–2011	490	76,118
Pre-Avanti		Prior to 2008	343	48373
Avanti		2008 onward	147	27745

* Roundy Creek drilling was reported to be 9,300 m by Woodstock and Carter in 1976, but data recovered from Mintec indicates 9,556 m drilled.

Table 10-2: Summary of Core Drilling on the Kitsault Deposit

Operator	Drilling Company	Period	No. of Drill Holes	Length	Core Diameter
KEL	Mutch Drilling	1959	10	311.20	XRAY
KEL	Unknown	1960-1967	56	12,841.64	NX, AX BX,NW
BC Moly	Boyles Bros.	1967	22	1,474.91	NX
BC Moly	Connors Drilling	1968	10	2,982.48	Unknown
BC Moly	Connors Drilling	1968	1	762.30	NX
CMC	Tonto	1974-1977	18	4,205.97	BQ
CMC	Coates Drilling	1976	2	708.05	BQ
CMC	Cameron McCutcheon	1978	2	1,073.20	NQ
Kitsault Mine	Connors Drilling	1980-1981	6	1,384.10	NQ
CMC	JT Thomas	1982	12	1,907.20	NQ
Avanti	Driftwood Drilling Co	2008	33	10,599.36	HQ & NQ
Avanti	Driftwood Drilling Co	2009	22	1,887.33	HQ & NQ
Avanti	Geotech Drilling Services Ltd. and Radius Drilling Corp.	2010	28	1,548.30	HQ & NQ?
Avanti	Geotech Drilling Services Ltd. and Full Force Diamond Drilling Ltd.	2011	32	9,995.30	HQ & NQ
Total			254	51,681.79	

Figure 10-1: 400 m Elevation Geology Plan with Drill Hole Location Map for the Kitsault Deposit, Illustrating the Relationship between Drilling and Mineralization



Note: Grid scale shown on plan is 100 m x 100 m. QD = quartz diorite, QMPI = QMP-I, QMPII = QMP=II.

Drill hole orientations are such that drilled intercepts are generally longer than the true thickness of the mineralization. The relationship between true thickness and drilled intercepts is shown in Figure 10-2 and Figure 10-3. The composite grades for the intercepts are shown in Table 10-3.

The deepest mineralized sample was collected at 769 m below surface in drill hole DH68001.

The mean length-weighted grades of all KEL (0.058% Mo) and CMC (0.053% Mo) drilling compare well with each other. The Avanti mean length weighted grade (0.091% Mo) is higher relative to KEL and CMC. However, as the Avanti infill drilling concentrated on the area of known mineralization, a higher mean grade would be expected.

10.1.1 Legacy Drilling


During the KEL exploration, the first 10 core holes were drilled by Mutch Drilling as “Xray” diameter core. The Xray diameter corresponds to either XRT (18.7 mm) or EX (21.5 mm) diameter core. The remaining 89 core holes drilled on behalf of KEL and BC Moly was undertaken at AX (30.1 mm), BX (42 mm) and NW and NX (54.7 mm) diameters.

CMC and Kitsault Mine drilled 40 holes to delineate the near-surface mineralization on the western flank of the deposit. Of these, three holes were drilled in the area of a proposed tunnel outside of the proposed mine site and were not intended to intersect the deposit. CMC drilled BQ (36.4 mm) and NQ (47.6 mm) core diameters. Kitsault Mine drilled NQ size core.

10.1.2 Avanti Drilling


Avanti drilled 33 confirmation holes in 2008, 22 geotechnical drill holes in 2009, 28 geotechnical and hydrological drill holes in 2010, and 32 drill holes in 2011, which included 28 confirmation holes and four exploration holes.

Figure 10-2: Drill Section 1 Illustrates the Relationship between Drilled Thickness and True Thickness of Mineralization for the Kitsault Deposit, Section 6141900N



Note: Grid scale shown on plan is 100 m x 100 m. QD = quartz diorite, QMPI = QMP-I, QMPII = QMP-II.

Figure 10-3: Drill Section 2 shows the Relationship between Drilled Thickness and True Thickness of Mineralization for the Kitsault Deposit Section 473350E, looking N



Note: Grid scale shown on plan is 100 m x 100 m. QD = quartz diorite, QMPI = QMP-I, QMPII = QMP-II.

Table 10-3: Representative Mineralized Intercepts of the Kitsault Deposit

Drill Hole	Operator	Easting	Northing	RL	Azimuth	Dip	Depth From (m)	Depth To (m)	Drilled Length (m)	Mo %	Section
10	KEL	473319	6142027	622	112	-40	0.0	30.78	30.78	0.12	473300 E
19	KEL	473498	6141599	591	270	-46	0.0	295.96	295.96	0.09	473300 E
44	KEL	473285	6142115	671	191	-45	51.21	154.43	103.22	0.09	473300 E
55	KEL	473318	6141639	596	0	-90	2.47	158.8	156.33	0.09	473300 E
56	KEL	473318	6141638	595	180	-60	0.38	209.06	208.68	0.10	473300 E
67004	KEL	473292	6142028	659	0	-90	0.0	61.87	61.87	0.14	473300 E
67005	KEL	473324	6142000	652	32	-45	0.0	63.4	63.4	0.14	473300 E
69002	KEL	473318	6141728	624	174	-55	118.18	222.18	104	0.09	473300 E
69009	KEL	473327	6141561	550	191	-5	0.0	59.84	59.84	0.07	473300 E
82002	CMC	473289	6141678	581	180	-45	18.48	160.39	141.91	0.08	473300 E
K08-12	Avanti	473301	6141976	594	0	-45	11.54	225.11	213.57	0.14	473300 E
K11-31	Avanti	473298	6141495	607	3	-65	0.0	225.55	225.55	0.07	473300 E
K11-34	Avanti	473298	6141495	606	333	-89	0.0	179.83	179.83	0.06	473300 E
25	KEL	473622	6141906	679	270	-55	24.35	276.98	252.63	0.16	6141900 N
39	KEL	473672	6141877	688	270	-55	65.32	278.93	213.61	0.09	6141900 N
40	KEL	473651	6141955	687	249	-60	93.32	300.72	207.4	0.12	6141900 N
46	KEL	473125	6141883	634	310	-45	3.41	204.81	201.4	0.08	6141900 N
761	KEL	473518	6141905	680	0	-90	0.25	162.14	161.89	0.15	6141900 N
67001	KEL	473047	6141922	639	0	-90	0.0	60.96	60.96	0.13	6141900 N
67030	KEL	473473	6141912	656	224	-45	10.48	39.32	28.84	0.05	6141900 N
74007	CMC	473046	6141908	583	271	-37	0.0	88.4	88.4	0.12	6141900 N
74008	CMC	473048	6141908	583	273	-61	0.0	181.33	181.33	0.12	6141900 N
81003	CMC	473079	6141968	605	180	-70	184.97	203.2	18.23	0.06	6141900 N
81003	CMC	473079	6141968	605	180	-70	243.76	299.29	55.53	0.05	6141900 N
K08-21	Avanti	473561	6141899	599	90	-85	0.0	197.58	197.58	0.18	6141900 N
K08-26	Avanti	473002	6141824	571	0	-50	0.0	249.92	249.92	0.11	6141900 N
K11-01	Avanti	472826	6141890	598	88	-59	0.0	490.72	490.72	0.04	6141900 N
K11-02	Avanti	472826	6141890	598	88	-46	0.0	374.89	374.89	0.05	6141900 N
K11-06	Avanti	472884	6141940	606	93.5	-44	256.37	302.96	46.59	0.03	6141900 N
K11-13	Avanti	473000	6142059	618	180	-65	158.01	512.06	354.05	0.10	6141900 N
K11-18	Avanti	473000	6142059	618	180	-45	112.65	271.26	158.61	0.10	6141900 N
K11-19	Avanti	472950	6141702	562	5	-46	13.40	606.51	593.11	0.08	6141900 N

The purpose of the 2008 drilling was to support a higher-confidence mineral resource classification from Inferred to Indicated, as well as to conduct exploration in previously unexplored areas. The Kitsault 2008 conformation drilling, conducted by Driftwood Diamond Drilling Ltd., was infill drilling along north–south and east–west section lines in all known areas of mineralization of the Kitsault deposit. The 2008 drill program included three 25 m metallurgical test holes which do not support the mineral resource estimate. Three geotechnical drill holes were included for geological interpretation purposes.

The 2011 drill program included 28 holes to support potential conversion of mineralization that was classified as Inferred Mineral Resources to the Indicated category. An additional four exploration holes were drilled to the south of Patsy Creek to test for possible extensions to the Kitsault deposit.

Avanti typically drilled HQ (63.5 mm) core, reducing to NQ size core at depth.

10.1.3 Geological Logging

There is limited information on legacy drill logging procedures. Logs were typically performed using standard paper logging sheets, although some of the legacy drill logging was done in field books.

Geological logging during Avanti drill programs was performed using paper logging sheets that were later transcribed to digital files. Logging recorded lithology, alteration, mineralization, weathering, veining, textures, grain size and content, and structure, using pre-set codes. Drill logs also had provision for comments, and a graphic log.

Geological logs also recorded some structural/geomechanical data, including core recovery, lengths of core sections, rock quality designation (RQD), presence and frequency of fractures, and structures to core axis. Geotechnical logging typically recorded recovery information, rock type, rock mass rating (RMR) data with unconfined compressive strength (UCS), number of joints, joint condition, and water rating by drill run.

Core photographs are taken after sample intervals are marked on the core in red crayon and prior to core cutting.

10.1.4 Collar Surveys

The collar survey methods for the Kitsault deposit varied over time, and there is little information on the methods used. The different methods are summarised in Table 10-4.

Table 10-4: Summary of Collar and Down Hole Survey Methods Used For Drilling at the Kitsault Deposit

Operator	Period	No. of Drill Holes	Collar Surveyor	Collar Survey Method	Down Hole Survey Method
KEL	1959	10	Unknown	Stadia Compass	None
KEL	1960-1967	56	RI McNiell, Mine Personnel	Unknown	Dip test, Pajari
BC Moly	1967	22	Mine Personnel	Unknown	Unknown
BC Moly	1968	11	Mine Personnel	Unknown	Pajari
CMC	1974-1977	18	Unknown	Transit	Eastman
CMC	1976-1978	4	Unknown	Unknown	Unknown
CMC	1978	2	Unknown	Unknown	Unknown
Kitsault Mine	1980-1981	6	Mine Personnel	Geodimeter	Dip Test
CMC	1982	12	Mine Personnel	Geodimeter	Unknown
Avanti	2008-2009	55	McElhanney	GPS	Reflex
Avanti	2010-2011	60	McElhanney	GPS	Reflex
Total		256			

The original KEL collar surveys were completed by R.I. McNiell on a local imperial grid. The BC Moly collar surveys were conducted by mine personnel, but the method is unknown. Some of the collar surveys by CMC conducted between 1974 and 1977 were completed using a transit method by unknown surveyors. The surveyor and method used for the remainder of the holes during this period is unknown. The collar surveys for Kitsault Mine and CMC holes drilled in 1981 and 1982 were completed by mine personnel using a Geodimeter total station.

All the survey information prior to the CMC drilling was converted to an AMAX grid, which was used by CMC and the Kitsault Mine.

The collar survey coordinates of the AMAX grid were later converted to NAD83 UTM Zone 9 metric coordinates.

Collar surveys for the Avanti programs completed between 2008 and 2011 were conducted by McElhanney Consulting Services Ltd using Leica 1200(GX1230) dual frequency GPS receivers. Collars were surveyed using the NAD83 UTM Zone 9 metric coordinate system.

10.1.5 Down-hole Surveys

Several different methods were used to determine the deflection of the core drill holes (refer to Table 10-4).

Sixty percent of the total length drilled is supported by down-hole surveys; with the remainder not surveyed, or surveyed by acid-etch methods for dip deflection only.

Legacy drill holes without down-hole surveys have an average length of 123 m and are shallow enough that the possible deflection of these holes is considered minimal. The 36 pre-Avanti drill holes which are partially supported by acid-etch dip tests have an average length of 228 m. Possible deflection in azimuth of these holes is also considered minimal. The down-hole survey readings prior to 1969 were taken at irregular intervals ranging from 15.24 m (50 feet) to 152.4 m (500 feet). Down-hole survey intervals for the period 1974–1982 were conducted at regular 15.24 m (50 feet) intervals.

The Avanti drill holes were surveyed with the Reflex EZ Shot at 50 m intervals.

A Reflex ACT core orientation tool was employed in six of the 22 drill holes selected for geotechnical testing, and was supervised by SRK geotechnical personnel. The remainder were surveyed with a Reflex EZ Shot down-hole instrument.

10.1.6 Core Recovery

Core recovery for KEL drill holes DH038 to DH67030 was reviewed using documentation at the Rio Tinto offices in Vancouver. The average core recovery is reported at 89% for DH038 to DH058, and at 88% for DH67001 to DH67030. The only other pre-Avanti core recovery data available is for the 1981 drilling where RQD and core recovery was measured. For this period, the average measured core recovery was 90%.

For the 2008 drilling, core recovery was measured in all drill holes. The average measured core recovery was 95%. During the 2009 drill program, the recovery was 95%, and in 2011, core recovery averaged 97%.

10.2 Bell Moly

In the period from 1966 to 1967, Bell Molybdenum Mines Ltd. drilled 36 (12 NQ diameter and 24 BQ diameter) core holes on a 400 ft (122 m) spacing in the area of the Clary stock. In the period from 1976 to 1977, Climax completed 17 BQ diameter core holes; 10 of these holes were located in the Southwest Zone of the property.

Avanti have not completed any drilling at Bell Moly.

There is no record of drill methodology that has been located to date.

Drill hole collar locations are shown in Figure 10-4. The same collars are shown on the plan view of the May 1st 2012 resource block model in Figure 10-5. A section through the same model is shown in Figure 10-6 and the location of the section is also illustrated on the plan. Table 10-5 summarises representative drill hole intercepts as shown in the section.

10.2.1 Geological Logging

All 53 Bell Moly core holes were originally geologically logged by companies prior to Avanti's Project interest. There is limited information on pre-Avanti drill logging procedures. Logs were typically performed using standard paper logging sheets, although some of the drill logging was done in field books.

Legacy Bell Moly core was originally poorly stored at the Tonto campsite, in a building that had fallen into disrepair. In 2010, Avanti recovered over two-thirds of the core which was re-boxed in core trays, moved, and stored in semi-permanent wooden core racks at Kitsault mine. The recovered core was re-logged by Avanti personnel using the same methodology as employed at the Kitsault deposit (refer to Section 10.1.3).

10.2.2 Collar Surveys

Avanti have surveyed collars from Bell Moly using a hand-held GPS unit. In 2010, 36 of the 53 legacy holes were located in this manner as part of a 2010 data verification study.

For future mineral resource estimates, AMEC recommends that Avanti survey all historical drill hole collars that can be located using a more accurate differential GPS unit.


10.2.3 Down-hole Surveys

The 17 holes drilled for CMC between 1976 and 1977 were down-hole surveyed using an Eastman, single-shot camera.

The previous 36 holes drilled between 1966 and 1967 and in 1968 were down-hole surveyed using a combination of Diptest and Pajari downhole survey methods. Recorded information of methodology used for the legacy drilling is not complete.

Generally drill holes at Bell Moly were >250 m total depth and deviation is expected to be minimal.

Figure 10-4: Drill Location Plan, Bell Moly



Note: Figure courtesy Avanti, 2010

Figure 10-5: Drill Hole Plan, at Elevation 602 m, Bell Moly, (blocks illustrated from May 1st 2012 block model)




Figure 10-6: Drill Section, Bell Moly 478850 E, Looking West (blocks illustrated from May 1st 2012 block model)




Table 10-5: Representative Mineralized Intercepts of the Bell Moly Deposit

Drill Hole	Easting (x)	Northing (y)	RL (z)	Azimuth	Dip	Depth From (m)	Depth To (m)	Drilled Length (m)	Mo %	Section
76-08	478853	6145872	690	184	-45	51.8	279.8	228.0	0.06	478850 E
S-11	478884	6146170	702	207	-45	0.0	96.9	96.9	0.05	478850 E
S-13	478844	6146112	720	0	-90	0.0	429.8	429.8	0.05	478850 E
S-15	478835	6146231	693	0	-90	0.0	305.1	305.1	0.05	478850 E
S-17	478847	6145995	725	0	-90	0.0	215.8	215.8	0.05	478850 E
S-20	478840	6145872	715	0	-90	0.0	153.6	153.6	0.04	478850 E

10.2.4 Recovery

Recovery percentages at Bell Moly are not known as there is no record of this information in the current dataset.

10.3 Roundy Creek

Several core drilling campaigns were undertaken to define the Roundy Creek deposits, with a cumulative total of 13,455 m drilled in 183 drill holes.

Drilling is summarized in Table 10-2. Hole collar locations are shown in Figure 10-7. Figure 10-8 is a more detailed collar location plan of the Roundy Zone, while Figure 10-9 is a more detailed collar location plan of the Sunshine Zone.

Wire line drilling was the preferred method. The pre-Avanti drilling at Roundy Creek was primarily AX and EX diameter (21.5 mm). The pre-Avanti drill core was stored at the Kitsault town site, but was destroyed in 2007.

The drill holes delineating the mineralization were drilled parallel to north-south section lines spaced 20 m apart, with two drill holes completed oblique to the section lines (refer to Figure 10-7).

Within the Sunlight Zone of the Roundy Creek deposits, a total of 1,205 individual core samples were collected during exploration and delineation drilling. Average sample spacing is 25 m. Sampling is from a combination of vertical and inclined holes occasionally drilled from common collar locations. This results in a drill hole or sample spacing which increases with depth. Samples were collected from an area approximately 100 m by 100 m, and from surface to a depth of 215 m.

Drill hole orientations are such that drilled intercepts are generally longer than the true thickness of the mineralization. The relationship between true thickness and drilled

intercepts is shown in Figure 10-10 through to 10-12. The composite grades for the intercepts are shown in Table 10-6.

10.3.1 Legacy Drilling

In 1960, Southwest Potash Corporation drilled three AX core holes to test the Roundy Zone. Three holes AX core holes tested the Sunlight Zone (BC601 to BC606). The core diameter was AX. Hole depths varied from 23 m to 228 m.

In the period from 1965 to 1971, SCMCL drilled 145 core holes. A total of 23 of the holes were completed in the Roundy Zone and 122 of the holes were completed in the Sunlight and Sunshine Zones. Core diameters were EX, AX, and BQ. Hole depths ranged from 4 m to 194 m.

10.3.2 Avanti Drilling

In 2010, Avanti drilled 6 holes in the Sunlight Zone to confirm the presence of mineralization. A further 26 holes were completed in the Sunlight Zone in 2011 to more fully delineate the Sunlight zone and to support a mineral resource estimate. The drilling contractor was Midpoint Drilling Ltd.

Avanti typically drilled HQ (63.5 mm) core, reducing to NQ size core at depth

10.3.3 Geological Logging

There is limited information on pre-Avanti drill logging procedures. Logs were typically performed using standard paper logging sheets, although some of the drill logging was done in field books

The Avanti logging procedure for the drilling completed by Avanti at Roundy Creek used the methodology outlined in Section 10.1.3 for Kitsault. The written procedure for the Roundy Creek holes required that core was cut post geotechnical logging but prior to geological logging to reveal a higher level of detail for the logger; however, this was not done in practice.

Figure 10-7: Drill Location Plan, Roundy Creek Deposit




Figure 10-8: Drill Plan at 150 M Elevation, Roundy Zone (blocks illustrated are from May 1st, 2012 block model)




Figure 10-9: Drill Plan at 300 m Elevation, Sunshine Zone, (blocks illustrated from May 1st, 2012 block model)




Figure 10-10: Drill Section 6142250N, Sunlight–Sunshine Zone, (illustrated blocks from resource May 1st, 2012 block model)




Figure is Section A–B on Figure 10-7

Figure 10-11: Drill Section 6142451N, Roundy Zone (blocks illustrated from May 1st, 2012 block model)




Figure is Section C–D on Figure 10-7

[illegible]

amec

Table 10-6: Representative Mineralized Intercepts of the Roundy Creek Deposit

Drill Hole	Easting (x)	Northing (y)	RL (z)	Azimuth	Dip	Depth From (m)	Depth To (m)	Drilled Length (m)	Mo %	Section
S020	468526	6142266	338	0	-90	0.0	27.1	27.1	0.11	478520 E
S026	468503	6142272	339	93	-60	0.0	67.1	67.1	0.28	478520 E
S017B	468514	6142273	338	0	-90	0.0	50.3	50.3	0.97	478520 E
RC10-05	468517	6142224	364	4	-72	0.0	111.0	111.0	0.07	478520 E
RC10-06	468516	6142223	364	142	-89	0.0	129.4	129.4	0.04	478520 E
RC11-23	468514	6142271	338	180	-60	0.0	72.0	72.0	0.20	478520 E
S056	468365	6142283	412	185	-90	0.0	12.2	12.2	0.33	6142250 N
S059	468352	6142283	419	0	-90	0.0	21.3	21.3	0.10	6142250 N
S065	468337	6142283	426	0	-90	0.0	24.4	24.4	0.07	6142250 N
R008	468776	6142403	153	63	0	0.0	145.7	145.7	0.06	6142450 N
R011	468815	6142434	184	93	-48	0.0	164.3	164.3	0.05	6142450 N
R022	468898	6142461	266	0	-90	0.0	17.1	17.1	0.02	6142450 N
S7101	468765	6142500	137	116	-6	0.0	163.4	163.4	0.07	6142450 N

10.3.4 Collar Surveys

All drill hole collars from the 2011 Roundy Creek drill campaign were field surveyed by McElhanney Consulting Services Ltd using Leica 1200(GX1230) dual frequency GPS receivers. Collars were surveyed using the NAD83 UTM Zone 9 metric coordinate system.

A total of 39 of the legacy drill hole collars found at Roundy Creek were resurveyed utilising the same company and methodology. This represented approximately 30% of the legacy holes.

10.3.5 Down Hole Surveys

Legacy drill holes were down-hole surveyed utilising a combination of Diptest and Pajari methodologies. Recorded information of methodology used for the legacy drilling is not complete.

Avanti drill holes were down-hole surveyed using a Reflex EZ-shot at 50 m intervals, including a collar shot.

10.3.6 Recovery

Core recovery for the 2010 drill programs at the Roundy Creek deposit was 95%. The 2011 drill program core recovery percentage was 93%.

10.4 Comments on Section 10

10.4.1 Kitsault

In the opinion of the QP, the quantity and quality of the lithological, geotechnical, collar and down-hole survey data collected in the exploration and infill drill programs are sufficient to support Mineral Resource and Mineral Reserve estimation at the Kitsault deposit as follows:

- Core logging meets industry standards for molybdenum exploration
- Collar surveys have been performed using industry-standard instrumentation
- Down-hole surveys were performed using industry-standard instrumentation
- Recovery data from core drill programs are acceptable
- Geotechnical logging of drill core meets industry standards for planned open pit operations
- Drill hole spacing is appropriate for porphyry-hosted molybdenum mineralization.
- Depending on the dip of the drill hole, and the dip of the mineralization, drill intercept widths are typically greater than true widths
- Drill orientations are generally appropriate for the mineralization style, and have been drilled at orientations that are optimal for the orientation of mineralization for the bulk of the deposit area
- Figures 7-5 to 7-7 display typical drill hole orientations for the Kitsault deposit, show summary assay values using colour ranges for assay intervals that include areas of non-mineralized and very low grade mineralization, and outline areas where higher-grade intercepts can be identified within lower-grade sections. The sections confirm that sampling is representative of the molybdenum grades in the deposits, reflecting areas of higher and lower grades
- Drill hole intercepts as summarized in Table 10-3 and shown schematically on Figures 10-2 to 10-3 appropriately reflect the nature of the molybdenum mineralization
- The drill core diameter that was used is suitable for the style of mineralization with the exception of the first 10 X-ray diameter drill holes. The X-ray diameter is

considered too small to allow for representative sampling. AMEC recommended that the analyses of these holes be excluded for resource estimation process and the drill holes do not support the estimates in Section 14 of this Report.

10.4.2 Bell Moly

In the opinion of the QP, the quantity and quality of the lithological, geotechnical, collar and down-hole survey data collected in the exploration and infill drill programs are sufficient to support Mineral Resource estimation at the Inferred confidence category at the Bell Moly deposit as follows:

- Core logging meets industry standards for molybdenum exploration
- Collar surveys have been performed using to an acceptable standard for an Inferred Mineral Resource estimate. AMEC notes the survey data available for the drill collars that could be located are based on a hand-held GPS unit, and recommends that Avanti survey all known historical drill hole collars using a more accurate differential GPS unit
- Down-hole surveys were performed using an acceptable standard for an Inferred Mineral Resource estimate
- As recovery data are unavailable for the Bell Moly core drill programs, recovery is considered likely to have been acceptable for an Inferred Mineral Resource estimate, because there has been no significant core loss encountered on the Roundy Creek and Kitsault deposits, which are analogous and part of the same mineralizing event
- Drill hole spacing is appropriate for porphyry-hosted molybdenum mineralization.
- Depending on the dip of the drill hole, and the dip of the mineralization, drill intercept widths are typically greater than true widths
- Drill orientations are generally appropriate for the mineralization style, and have been drilled at orientations that are optimal for the orientation of mineralization for the bulk of the deposit area
- Figures 10-5 to 10-6 display typical drill hole orientations for the Bell Moly deposit, show summary assay values using colour ranges for assay intervals that include areas of non-mineralized and very low grade mineralization, and outline areas where higher-grade intercepts can be identified within lower-grade sections. The sections confirm that sampling is representative of the molybdenum grades in the deposits, reflecting areas of higher and lower grades

- Drill hole intercepts as summarized in Table 10-5 and shown schematically on Figures 10-5 to 10-6 appropriately reflect the nature of the molybdenum mineralization

10.4.3 Roundy Creek

In the opinion of the QP, the quantity and quality of the lithological, geotechnical, collar and down-hole survey data collected in the exploration and infill drill programs are sufficient to support Mineral Resource estimation at the Roundy Creek deposit as follows:

- Core logging meets industry standards for molybdenum exploration
- Collar surveys have been performed using industry-standard instrumentation
- Down-hole surveys were performed using industry-standard instrumentation
- Recovery data from Avanti's core drill programs are acceptable
- There are sufficient Avanti drill holes to provide a meaningful comparison with the logging and survey information from legacy data
- Geotechnical logging of drill core meets industry standards for planned open pit operations
- Drill hole spacing is appropriate for porphyry-hosted molybdenum mineralization.
- Depending on the dip of the drill hole, and the dip of the mineralization, drill intercept widths are typically greater than true widths
- Drill orientations are generally appropriate for the mineralization style, and have been drilled at orientations that are optimal for the orientation of mineralization for the bulk of the deposit area
- Figures 10-10 to 10-12 display typical drill hole orientations for the Roundy Creek deposit, show summary assay values using colour ranges for assay intervals that include areas of non-mineralized and very low grade mineralization, and outline areas where higher-grade intercepts can be identified within lower-grade sections. The sections confirm that sampling is representative of the molybdenum grades in the deposits, reflecting areas of higher and lower grades
- Drill hole intercepts as summarized in Table 10-6 and shown schematically on Figures 10-10 to 10-12 appropriately reflect the nature of the molybdenum mineralization

11.0 SAMPLE PREPARATION, ANALYSES, AND SECURITY

Since Avanti acquired the Project in 2008, Project staff employed by Avanti were responsible for the following:

- Sample collection
- Core splitting
- Preparation of samples for submission to the analytical laboratory
- Sample storage
- Sample security.

There is limited remaining information on staff involvement of the operator at the time for the KEL, BC Moly, and CMC legacy drill program sample collection, sample preparation and analysis, and sample security. Discussion and conclusions presented in this section are based on a review of available pre-Avanti drill logs, the drill-hole database, and interviews with former employees of past-producer CMC conducted in 2010 by Greg Kulla, P.Geo., Principal Geologist with AMEC.

11.1 Sampling Methods

11.1.1 Kitsault

Legacy

There is no remaining information available on the sampling method and approach for legacy exploration-stage sampling such as geochemical, trench and adit sampling.

Kitsault Core Sampling

The sampling procedure comprises:

- All the sampling is from core drilling
- The entire length of the drill hole below alluvium is sampled
- After logging, samples are marked in 10 ft or 3 m lengths
- The geological contacts are generally ignored
- Where molybdenite paint occurs on fracture surfaces, care is taken to mark and split the core to include an equal distribution of the molybdenite paint in both portions

- Sample intervals are assigned a unique sample number
- The entire core is split on site. Pre-Avanti core was split with a core splitter. Avanti core was sawn.
- Half the split core is bagged and sent for analyses. Sample tags with sample ID, hole number and interval are stapled to the core box at the end of every interval. Duplicate sample tags remain in a sample book for reference.
- Half of Avanti core is stored in trays in semi-permanent wooden core racks at Kitsault mine. The pre-Avanti core archive for the Kitsault deposit was destroyed in 2007.

11.1.2 Bell Moly

All sampling at Bell Moly is legacy, pre-Avanti, and there is no remaining information available on the sampling method and approach.

11.1.3 Roundy Creek

As with Kitsault and Bell Moly, there is no remaining information available on the sampling method and approach taken for the legacy drilling.

A similar procedure was used at Roundy Creek as documented in Section 11.1.1 for Kitsault for sampling, with samples taken as 3 m half-core sawn lengths, irrespective of geological contacts.

11.2 Density Determinations

11.2.1 Kitsault

The Kitsault deposit database includes 133 density determinations performed using a wax seal method on drill core from the 2008 Avanti drilling.

Table 11-1 shows the average specific gravity (SG) values calculated by Wardrop in 2009.

Density values were assigned to blocks based upon the lithological codes.

There are limited density data for a project at feasibility level and additional core measurements are recommended. AMEC notes, however, that most of the rock is unweathered, and only small variations in SG should occur due to weathering or depth.

Table 11-1: SG Determinations, Kitsault

Rock Type	Number of Determinations	Average SG
Quartz Diorite	26	2.66
Hornfels	39	2.70
Quartz Monzonite Porphyries	68	2.63

11.2.2 Bell Moly

Based on the lack of measured density information, a global density of 2.63 g/cm³ was assigned to all blocks in the model. This density is the same as the density of quartz monzonitic rocks as measured at Kitsault. Quartz monzonite is the primary lithology of the mineralised zones at Bell Moly.

The weighted average of all SG determinations at Roundy Creek undertaken in 2010-2011 was 2.63, as discussed in Section 11.3.3, which supports the use of the Kitsault average value.

11.2.3 Roundy Creek

A total of 153 density determinations were completed at the Sunshine zone within the Roundy Creek deposit. SG measurements were performed using the wax seal method on drill core taken from Avanti 2010-2011 drilling. AMEC subdivided the SG measurements by lithology, with only the (volumetrically minor) feldspar porphyry displaying a significant difference (7.5%) compared to the average SG. The average SG values are shown in Table 11-2.

11.3 Analytical and Test Laboratories

Several different laboratories were used by the various operators for primary analyses and are listed in Table 11-3. The laboratory accreditations prior to Avanti's involvement in the project are unknown.

For the Avanti drill programs at the Kitsault and Roundy Creek deposits from 2008–2011, ALS Chemex of Vancouver, BC was the primary analytical laboratory. Acme Analytical Laboratories Ltd. (Acme), of Vancouver, BC was used as a secondary laboratory for check assays. Both ALS Chemex and Acme are ISO 9001:2000 certified. ALS Chemex Vancouver received ISO/IEC 17025:2005 accreditations in May 2005, while Acme received this accreditation in October 2011.

Table 11-2: SG Determinations, Roundy Creek

Rock Type	Number of Measurements	Average SG (g/cm ³)
Aplite	14	2.58
Aplite/QFBP	1	2.63
Biotite Granite	4	2.63
Feldspar Porphyry	8	2.43
Hornfels	29	2.68
Lamprophyre	4	2.65
Quartz Feldspar Biotite Porphyry	92	2.63
QFBP/Aplite	1	2.55
All (weighted average)	153	2.63

Table 11-3: Primary Laboratories used for Kitsault Samples

Period	Operator	Laboratory
1959 to 1963	KEL and BC Moly	Elderidge and Co.
1967	KEL and BC Moly	Kennco Explorations Ltd- Vancouver
1968 to 1969	KEL and BC Moly	BC Molybdenum Ltd.
1974	CMC	Skyline-Colorado and FLOOX SPEC Lab- Colorado
1976	CMC	Skyline- Colorado
1977	CMC	Unknown
1978	CMC	Skyline, Colorado
1980 to 1982	CMC	Rosebacker Lab- Burnaby
2008 to 2011	Avanti	ALS Chemex- Vancouver

11.4 Sample Preparation and Analysis

11.4.1 Kitsault

KEL and BC Moly (1959–1969)

There is no information available about sampling preparation, analytical methods, and any quality assurance and quality control (QA/QC) procedures used by KEL and BC Moly for the Kitsault deposit. The KEL Mo values were reported as MoS₂.

CMC (1974–1982)

Sampling procedures involved core splitting and sampling, with one half of the core retained and the other placed in a canvas bag and shipped to a sampling preparation facility in Smithers, BC.

At the Smithers sample preparation facility, the following process was followed:

- Samples were crushed to 100% passing 80 mesh
- The crushed material was split in half using a Jones splitter to produce a sample weighing 2 kg
- The 2 kg sample was split twice using a Jones splitter to reduce it to a 500 g sample
- The 500 g sample was pulverized to 100% passing a -100 mesh, rolled on a mat and 100 g was split
- A series of standards and duplicates were inserted with the sample submission
- The pulps were placed in sealed sample envelopes and sent to the laboratory
- The reject material was stored for future reference.

All samples were analysed for Mo and reported as MoS₂.

Lead was included in the analysis only after 1978. Skyline used the Climax Molybdenum assay procedure which is a three-acid digestion of the pulp, titration of the aliquot, with analyses by mass spectrometer. Lead analytical procedures used are unknown.

There is no information available for the Rossbacker laboratory procedures or QA/QC.

Avanti Drilling Sample Preparation and Analysis

Sample Preparation

During the 2008 drilling program, all the work on the core was conducted by geologists supplied by APEX Geoscience Ltd. of Edmonton, Alberta. In subsequent programs, work was done by APEC Geoscience Ltd. and contract geologists hired by Avanti. All work was conducted under the direct supervision of an Avanti project geologist.

At the sample preparation facility, the following process was followed:

- After sample intervals were marked, the core was transported to the core cutting facility along with bags containing standards
- Core was cut randomly, except where molybdenum occurred as molybdenite paint on fracture and joint surfaces
- A core inventory system was maintained
- Samples were split and unique laboratory-generated tags were inserted
- QA/QC samples and blanks were inserted by sampling staff
- Samples were shipped at the end of each working day

- Samples bags were tied to make them tamper-proof
- The chain of custody form was passed on to the laboratory.

Samples were received at the ALS Chemex facilities in Terrace, BC. The ALS sample preparation procedure (Prep-33) is as follows:

- Core samples in their canvas bags were dried at 60°C
- Samples were crushed to 85% passing 10 mesh (2 mm)
- Crushed material was split in a Jones splitter to obtain a 500 g split
- Coarse rejects were kept for future reference
- The 500 g split was pulverized in a ring-and-puck pulveriser to 95% passing 150 mesh (65 µm).

The ALS sample preparation procedure (Prep-33) has remained the same for all Avanti drilling.

Sample Analyses

Pulps prepared at the ALS Chemex sample preparation facility in Terrace are sent to ALS Chemex in North Vancouver for analyses. An ICP atomic emission spectrometry ICP61 (four acid) method is used for a 33-element analysis. In addition, sulphide sulphur was determined using the sodium carbonate dissolution of sulphate, Leco furnace and infrared spectroscopy (SIR07) method. Sulphate sulphur was determined by carbonate leach, and gravimetric analyses (S-GRA06).

For 2011 drill program assaying, sulphide sulphur was determined using the sodium carbonate dissolution of sulphate, Leco furnace and infrared spectroscopy (SIR08) method. Inorganic carbon was analyzed by C-GAS05 method.

The check samples at Acme were analysed using a four-acid digestion followed by ICP mass spectrometry.

11.4.2 Bell Moly

There is no information available about sampling preparation, analytical methods, and any quality assurance and quality control (QA/QC) procedures used by Bell and predecessor companies for the Bell Moly deposit.

When the Project was owned by CMC it is expected that the sample preparation and analyses were Project-wide. AMEC assumes that the sample preparation and

analyses procedures outlined in Section 11.5.1 as practiced by CMC at the Kitsault deposit are valid for Bell Moly.

For the 2010 core re-sampling data verification program the Avanti sample preparation and analyses methodology was used.

11.4.3 Roundy Creek

There is no information available about sampling preparation, analytical methods, and any quality assurance and quality control (QA/QC) procedures used by Southwest Potash Corporation and SCMCL at the Roundy Creek deposit.

For the 2010 and 2011 drilling campaigns, the Avanti sample preparation and analyses methodology was used as outlined above for Kitsault in 11.5.1.

11.5 Quality Assurance and Quality Control

11.5.1 Legacy Drill Programs

There is no information available as to any quality assurance or quality control (QA/QC) methods used in the legacy drill programs. Typically QA/QC programs were not routinely used until the 1990s.

11.5.2 Avanti Drill Programs

The Avanti quality control on the assay data-set includes blanks, coarse duplicates, pulp duplicates, three Mo certified reference materials and check assays. The actual insertion rates of the different QA/QC samples for the 2008–2009 and 2011 programs are shown in Table 11-4 and Table 11-5 respectively.

The procedure used on site (Kitsault Mine: 2011 Core Handling and Logging Procedures), outlines the QA/QC sample insertion methodology. A molybdenum standard and a silver standard is inserted approximately every 25 samples. A blank is inserted approximately every 50 samples. Core and standard material for insertion grades are matched as much as possible. There are low, medium and high grade standards for both molybdenum and silver. Roundy Creek sample submissions included a very high grade molybdenum standard to grade-match the core being sampled.

Standards and blanks are given a sample number that is in sequence with the sample numbers for the drill hole. Duplicate samples are also taken, with a coarse duplicate split and a pulp re-assay taken approximately every 30 samples.

Table 11-4: Insertion Rates of QA/QC Samples for the 2008–2009 Avanti Drilling Program

Standard	No of Samples	No of QA/QC Samples	Insertion Rate (%)
Blanks	3,324	97	3
Coarse Reject Duplicates	3,324	92	3
Pulp Duplicate	3,324	93	3
CRM AV-1	3,324	60	2
CRM AV-2	3,324	65	2
CRM AV-3	3,324	50	2
Check Assays	3,324	36	1
Check Assays 2010	3,234	321	10
Cumulative Insertion Rate			26

Table 11-5: Insertion Rates of QA/QC Samples for the 2011 Avanti Drilling Program

Standard	No of Samples	No of QA/QC Samples	Insertion Rate (%)
Blanks	3,945	91	2.3%
Coarse Reject Duplicates	3,945	154	3.9%
Pulp Duplicate	3,945	150	3.8%
CRM AV-1	3,945	69	1.7%
CRM AV-2	3,945	65	1.6%
CRM AV-3	3,945	44	1.1%
CRM VHM0	3,945	6	0.2%

11.6 Databases

Avanti uses Excel spreadsheets to store data in the field and office. Field information is generally transcribed into Excel by the individual who recorded it. Geological logs and collar survey data are directly transcribed. All Avanti holes have a standard paper logging sheet, with information archived on site.

Where down-hole surveys were conducted with Reflex tools, survey information was downloaded from the instrument in a delimited text format and copied and pasted into Excel.

Assay information is copied and pasted from .csv files received from the assay laboratory, ALS. Errors or inconsistencies are spotted and fixed by those utilising the data.

Avanti received historical data as exports of previous databases. The legacy drilling database originates from an older database that was recovered from the taped archives located at Mintec offices in Tucson, Arizona. Scanned historical drill hole logs have been used on occasion to locate missing information and transcribe directly into Excel. Avanti personnel converted the legacy data in the following ways:

- Data was in imperial units and converted to metric
- MoS2 assay results were converted to a Mo% value using the formula
 $\text{MoS2}/1.668 = \text{Mo}\%$.
- Co-ordinates were in a mine grid that used imperial units and were converted to metric UTM NAD83 Zone 9 using the formulae:
 - $X \text{ UTM} = 478,015 - ((10,000 - X \text{ GRID}) \times 0.3048)$
 - $Y \text{ UTM} = 6,145,310 - ((10,000 - Y \text{ GRID}) \times 0.3048)$
 - $Z \text{ UTM} = \text{NA1}$

11.7 Sample Security

11.7.1 Kitsault

Details of sample security are unknown for legacy work. As noted earlier, core that was drilled prior to 2007 was stored at the former Kitsault town site, but was destroyed in 2007.

Sample security at the Kitsault Project during the Avanti drilling programs relied upon the remote nature of the site, and the fact that the samples were always attended or locked at the sample dispatch facility. Sample collection and transportation have always been undertaken by company or laboratory personnel using company vehicles.

For the Avanti drilling programs, core was collected by the drilling company and dispatched to the core logging and sample preparation facility in Terrace, BC. After logging, core was marked for cutting, sampled, bagged in tamper-proof bags and transported by Avanti personnel in company trucks to the sampling preparation facility in Terrace BC, with accompanying sample submission sheets.

Chain of custody procedures consisted of filling out sample submittal forms that were sent to the laboratory with sample shipments to make certain that all samples were

received by the laboratory. ALS Chemex checked the samples received against sample submission forms, and checked for any evidence of tampering.

After sampling, the remaining Avanti core was returned to the original core boxes and stored in semi-permanent core racks at the Kitsault campsite.

Sample pulps are retained by ALS Chemex preparation laboratory in Terrace, BC. Pulp rejects are initially stored at the ALS Chemex preparation laboratory, and later moved back and stored by Avanti in their Terrace sample preparation facility.

11.7.2 Bell Moly

Details of sample security are largely unknown for Bell Moly. Core was stored at the former Bell Moly camp and survived core disposals that occurred in 2007 at Kitsault townsite. Storage of the core was poor and the former camp had fallen into disrepair by the time Avanti took ownership of the project. In 2010 a significant volume was recovered, re-boxed, and moved to the Kitsault campsite for storage in semi-permanent core racks.

11.7.3 Roundy Creek

Legacy core for Roundy Creek was stored with the Kitsault drill core, and was destroyed together with the Kitsault legacy core in 2007.

The Avanti drill core from the 2011 drill program is stored with the Avanti Kitsault core in the manner described in Section 11.7.3. Similar procedures for pulp storage are maintained for Roundy Creek samples as for Kitsault.

11.8 Comments on Section 11

In the opinion of the QPs, the sampling methods are acceptable, meet industry-standard practice, and are adequate for Mineral Resource estimation purposes to declare Mineral Resources for Mo and Ag. Based on the fact that only legacy core and legacy data are available, AMEC has restricted the Mineral Resource classification at Bell Moly to Inferred. Sampling data are sufficient to support Indicated and Inferred classifications at Kitsault and Roundy Creek.

12.0 DATA VERIFICATION

Two previous independent data checks were performed by SRK Consulting Ltd (SRK) and Wardrop Engineering Inc. (Wardrop), in support of preliminary assessment and pre-feasibility studies respectively, on the Project. No significant issues were noted in these reviews.

AMEC performed an independent verification of the data and database to support Mineral Resources estimated in 2010 for Kitsault and additional reviews in 2011 and in 2012 on the Bell Moly and Roundy Creek data.

12.1 AMEC, 2010 (Kitsault)

AMEC performed quality control checks and data verification procedures on the database that consists of legacy and Avanti drilling. The legacy drilling database originates from an older database that was recovered from the taped archives located at Mintec offices in Tucson, Arizona. The legacy data-set was used for previous reserve statements, submitted to the US Securities and Exchange Commission (SEC) by Amax Inc. for the period 1980 through 1985. The Avanti drilling dataset was generated to capture the data from the 2008–2010 drilling campaigns and is available in CSV format.

AMEC normally completes a 5% data entry error check as a means of assessing the reliability of a mineral resource database. During the data entry verification check, the data values in the source documentation are checked against the corresponding records in the resource database. AMEC also checks the reasonableness and for extremes of the recorded database values.

In addition to these typical verification procedures, AMEC also collected testimonials from former employees of CMC to help support the confidence in the reliability of the legacy drill hole results.

12.1.1 Pre-Avanti (Legacy) Drilling

Most of the original source documentation of the legacy drilling was destroyed when the mine was rehabilitated in 2007. AMEC was granted access by Rio Tinto, the owner of the Kennco Exploration Company records, which covered activities by Kennco during the period 1959 to 1967. The records were inspected by AMEC staff at the Rio Tinto offices in Vancouver in June 2010. For holes drilled after 1967, source documentation consisted of hand-written copies of collar information and down-hole survey information, with the exception of the drill collar surveys for holes drilled in 1976 and 1978. These data were accompanied by an Amax memo, with the same data set

tabulated for input into MineSight®. AMEC also located copies of drill core log sheets with annotated MoS₂ values for the 1980 to 1982 drilling.

Collar Coordinate Check

AMEC checked the collar in the database against available source documentation for 125 drill holes. All the legacy drill collar coordinates had been converted from a local mine grid to the NAD 83 Zone 9 coordinate system. AMEC found an error in the conversion factor and the collar coordinates were correctly converted to the NAD 83 Zone 9 coordinate system using the correct factor.

Drill hole collars plots prepared by AMEC using the archived database records compared well with original sections and plans.

After a correction, the collar coordinate database was deemed to be sufficiently error free to support mineral resource estimation.

Drill Hole Collar Elevation Check

Drill hole collar elevations reported in the database were compared to the elevation at the drill hole collar location on a current topography surface. The topographic surface is based on a LiDAR survey that was completed in May 2009. The large majority of the legacy drill hole collar elevations did not match the topography due to excavation and earth moving activities that post-date the drilling activity, so no meaningful conclusion could be made.

Down Hole Orientation Checks

The down-hole survey data for legacy drill holes was retrieved from the archived MineSight® project. Comparison of this data with available original records showed inconsistencies. AMEC re-entered the available original recorded results and visually compared resulting drill hole trajectories with drill hole trajectories using archived database records. No significant differences were noted. The final down-hole database is a combination of the archived MineSight® records and records re-entered from original records.

AMEC checked the magnetic declinations that were applied to the down hole surveys that relied on a magnetic measurement down-hole survey instrument and found them to be acceptable for the legacy drilling campaigns.

AMEC checked the drill hole trajectories for excessive deviation using an AMEC software program that calculates deviation between consecutive down-hole survey measurements and compares to an allowable tolerance set by the QP. Three holes with large deviation were found. These results are not considered material to the resource estimate due to the style of a large, disseminated porphyry mineralized system. The down-hole survey records are considered suitable to support mineral resource estimation.

Assay Data Checks

AMEC checked the assay values in the database against the graphical logs, printed log sheets and composited values on log sheets for the KEL drill holes between 1959 and 1969. Two assay data entry errors were found. Two entries were switched, and five composite values had differences within 0.003% Mo; the frequency of errors is not considered material to the estimate.

AMEC used data entry checks on 5% of the available original assay values records for the 1981 and 1982 drilling. The measured error rate of 0.74% is considered acceptable for supporting resource estimation.

12.1.2 Avanti Drilling

Collar Co-ordinate Checks

All of the collar coordinates of the database were checked against the original collar survey certificates. No errors were noted and the data is considered suitably error free.

Drill Hole Collar Elevation Checks

AMEC compared the position of the 2008 drill-hole collars (33 drill holes) to the LiDAR topographic survey. Four drill holes (K08-09, K08-28, K0819 and K08-15) have elevation differences of more than 5 m (half the current bench height) with K08-09 indicating the largest difference of 6.51 m. The average of the deviation is 2.41 m, which is considered acceptable for resource estimation for this style of deposit.

Down Hole Orientation Checks

AMEC performed a data entry check on 15 randomly selected down-hole survey records, representing 6% of all the down-hole survey records, and found them to be error free. The magnetic declination used by Avanti for all of their down-hole surveys

was checked against the Geological Survey of Canada's magnetic declination for the area and was found to be correct. AMEC checked for excessive down-hole deviation and found all the drill hole deviations to be reasonable.

Assay Data Checks

AMEC performed a data entry check on 168 of the assay intervals, representing 5% of the values, inclusive of the re-assays for Mo, Ag, and Pb. A single error was detected for Mo values resulting in an error rate of 0.6% for Mo, which is acceptable for resource estimation. The Pb and Ag assay values checked are error free and considered suitable to be used for resource estimation.

Blanks

AMEC reviewed the 2008–2009 data for Mo, Pb and Ag. The 3% insertion rate of blanks is slightly low, but acceptable. Avanti conducted a more comprehensive check assay program in 2010 and included CRMs with the check assays to test the secondary laboratory accuracy for Mo, Zn, and Pb.

There is evidence of minor contamination when comparing the grades of blank assay with preceding sample values; however, the 1% contamination rate is within acceptable limit of 5%.

Coarse Duplicates

AMEC compared the performance of coarse duplicates of Mo, Pb, and Ag for 92 data pairs. None of the Mo sample pairs exceed an error limit of 10%. Only 2.2% of the Pb sample pairs and 1.1% of the Ag sample pairs exceeded the error limit. The performance of the coarse duplicate assays indicate that the sub-sampling processes at the preparation facility is under control and do not introduce any bias to assay results.

Pulp Duplicates

The database contains 93 pairs of pulp duplicates that were prepared by making a second split of the pulverized material. Only 3.2% of the Mo and Pb duplicate pairs exceed the error limit imposed of 10%. The error limit for Ag is exceeded by only 2.2% of the duplicate pairs. The performance of the pulp duplicate assays indicates that the precision of the analytical methods at ALS is under control and do not introduce any significant error or bias to the assay results.

Certified Reference Materials

CRMs certified by Smee & Associates Consulting Ltd were routinely inserted into each batch submitted to ALS Chemex. Of the 174 samples, one CRM had a value that was significantly different from the expected values and was likely a sample mix up. A bias between the expected value and the assayed value of a CRM that is less than $\pm 5\%$ indicates reasonable accuracy; all of the relative biases returned from the examination were less than $\pm 2.3\%$. The performance of the CRMs indicates that the accuracy of the analytical methods at ALS is under control.

Check Assays at Acme

Avanti selected as single batch of 36 samples that had a failure of one of the Mo CRMs, and submitted them as check samples to Acme. The Acme check assays were submitted with the three Mo CRMs, but did not include independent Pb and Ag CRMs. A check assay that is conducted on the results of a single batch is not considered representative of the assay campaign.

AMEC considers a bias less than 5% to show acceptable accuracy. A bias between 5% and 10% is considered to show questionable accuracy. A bias higher than 10% is considered to show unacceptable accuracy. The check assay results indicate that there are questionable biases for Mo (7%) and Pb (-5%). There is an unacceptable 22.8% bias for Ag.

Based on these check assay results, Avanti re-submitted the pulps at ALS Chemex with the three Mo CRMs which this time returned acceptable results. This second set of ALS Chemex assay results was then included in the final database.

Check Assays at ALS Chemex

To assess ALS Chemex laboratory accuracy, particularly for Pb and Ag, Avanti resubmitted a second set of pulp samples to ALS Chemex for check assays. Even though the check assays are submitted to the primary laboratory, these are considered check assays because different analytical procedures were used than for the original analyses.

For the Mo check assays at ALS Chemex, a four-acid, near total digestion method was used followed by the AA61 analytical technique. For the Ag check assays, the ME-MS61 method used a four acid "near total" digestion, with both ICP-MS and ICP-AES analysis. For the Pb check assays, an aqua regia digestion method was used followed by an AA45 analytical technique.

To ensure blind analyses, the original pulps were re-packaged and re-numbered at Acme before submission to ALS Chemex. The samples included the three Mo CRMs as well as three additional CRMs to test for accuracy for Pb and Ag at low, medium, and high grades. Blanks and duplicates were also included.

The results of the Ag CRMs show the ALS Chemex silver assays to be under control.

Mo assays have a bias of less than 5% which is not considered to be significant as it is within the analytical precision of the assay methods used. Ag has a similar trend.

AMEC noted a bias with the Pb results. This bias is not considered to be significant enough to warrant an adjustment for Pb, but care should be taken in future drill assay programs, to include CRM material suitable to measure the accuracy and precision for Pb. The Pb grade is not considered an economic contributor to the resource estimate, but may be important to mineral processing.

12.2 AMEC, 2011

During the 2011 site visit, AMEC reviewed new drill core from the Kitsault and Roundy Creek deposits. Based upon AMEC's examination of the drill core, AMEC concluded that:

- Core recoveries during the 2011 drill campaign were high.
- Avanti's logging of drill core has been conducted in a manner appropriate to the style of mineralization present on the Project.
- Sufficient drill hole data has been collected at Roundy Creek to support mineral resource estimation.
- The western portion of the mineral resource at Roundy Creek will rely heavily on legacy drill hole information and hence have a lower confidence. Therefore, limitations may be put on the resource classification in this portion of the deposit.
- No new drilling has been completed at Bell Moly. The mineral resource classification will be restricted to the Inferred category until Avanti collects sufficient data to support a higher resource classification category

12.3 BD Resource Consulting Incorporated, 2011

In November 2011, BD Resource Consulting Incorporated (BD) reviewed the QC data from all holes drilled during the 2011 campaign at Kitsault and Roundy Creek. Conclusions were that:

“Results from SRM that indicate potential errors are being checked. Blank results show that there is no significant contamination in the preparation or assay process. The coarse reject duplicate assay work shows the sample preparation process is well controlled.

The 2011 Patsy and Roundy Creek sampling and assaying program produced sample assay information that meets industry standards for molybdenum and silver accuracy and reliability. The assay results are sufficiently accurate and precise for use in resource estimation and the release of drill hole results on a hole by hole basis.”

12.4 AMEC 2012

During the estimation of Mineral Resources at Bell Moly and Roundy Creek, review of legacy versus Avanti assays was undertaken.

At Roundy Creek, a comparison of twinned Avanti and historical assays falling within 5 ms of each other shows that there is a -5.7% bias in the mean of the legacy assays when data above 0.3% Mo are removed.

At Bell Moly, a comparison of Avanti assays (with supporting QAQC data) from re-sampling of drill core intervals with historical assays shows that there is a -5.3% bias in the mean of the legacy assays when data above 0.16% Mo are removed.

AMEC has accepted the use of legacy assays but has restricted their support such that legacy assays can only support Inferred Mineral Resources.

AMEC also reviewed the QA/QC data from the 2011 Avanti drill program. AMEC's results were similar to those presented by BD Consulting. AMEC concluded that the assay results are suitable to support Mineral Resource estimation.

12.5 Comments on Section 12

In the opinion of the QPs:

- The data verification performed on the Avanti and legacy drilling at the Kitsault deposit supports the use of the drill and sampling data in Mineral Resource estimation without confidence class restrictions.
- The data verification performed on the Bell Moly data was restricted to evaluation of relogging and resampling undertaken by Avanti on legacy core and assessing the Avanti results against the original legacy data. AMEC has restricted the confidence category of the Bell Moly estimate to the Inferred category.

- The data verification performed on the Avanti and legacy drilling at the Roundy Creek deposit supports the use of the drill and sampling data in Mineral Resource estimation in the Inferred and Indicated categories.

13.0 MINERAL PROCESSING AND METALLURGICAL TESTING

13.1 Metallurgical Testwork

Over the project history, a number of metallurgical testwork campaigns have been undertaken. These are summarized in Table 13-1.

Table 13-1: Metallurgical Testwork Summary Table

Year	Laboratory	Testwork Performed
1962 to 1963	Lakefield Research	Mineralogy, flotation and grindability tests
1963 to 1964	Canadian Department of Mines and Technical Surveys	Mineralogy
1964	Britton Engineers, Vancouver, BC,	Open cycle rougher flotation recovery and grindability tests, cleaning tests, specific gravity determinations, reagent and flocculant testing
1964	Western Mining Division Research Department of Kennecott Copper Corporation	Independent amenability tests
1967 to 1974	BC Molybdenum	Plant operation
1978	Allis-Chalmers	Grindability tests
1978 to 1982	Amax Metallurgical Laboratory, Golden, Colorado	Metallurgical testwork: Optimization of reagent consumptions, recovery of silver, tungsten, lead and heavy metals as by-products, removal of lead from the molybdenum concentrate, and removal of soluble lead, zinc, cadmium and heavy metals from the concentrator tailings. Addition of a hot acid lead leach circuit was recommended and implemented in late 1981.
1981 to 1982	AMAX	Plant operation. Studies indicated the possibility of by-product recovery of tungsten, lead, and silver, but due to space constraints in the mill building, this was not undertaken
1983	SGS Lakefield, Canada	Pilot plant operation to develop a flowsheet and reagent scheme what would produce an acceptable molybdenite concentrate grade and recovery.
2008 to 2010	SGS Vancouver, Canada	Flotation process optimization tests
2008 to 2010	Hazen Research, Colorado, USA	Grindability evaluation testwork
2008 to 2010	Resource Development Inc (RDi), Colorado, USA	Flowsheet development
2009 to 2010	Contract Support Services Inc., Red Bluff, California	Project data review
2010	SGS Lakefield	Spatial comminution tests
2011	RDi, Colorado, USA	Locked cycle testwork
2011	RDi, Colorado, USA	Lead Leaching from Molybdenite Concentrate
2011	RDi, Colorado, USA	Silver Recovery from Molybdenite Tailings

In its two operating periods from 1967 to 1972 and 1981 to 1982, the Kitsault concentrator processed approximately 13.4 Mt of mineable ore for the production of

approximately 31 million pounds of Mo. After closure in 1982, the Kitsault concentrator was completely disassembled, salvaged, and sold.

13.1.1 Testwork Samples

Sample selection for the 2008–2009 testwork was based on the three major rock types:

- Quartz monzonite (55%)
- Diorite (25%)
- Hornfels (20%).

The grade of an individual sample used for preparing the rock type in the composite had to meet or exceed a 0.036% Mo cut-off grade.

Four composites were created for the flotation testwork in 2010, one for each of the major ore types—quartz monzonite, hornfels, diorite—and a master composite (55% quartz monzonite, 25% diorite, 20% hornfels). A further four composites, based on the same ore types, also including a master composite, were also produced for the 2011 work. The specifics of sample source are identified within the description of each annual metallurgical program.

For the FS phase work, samples were obtained from specified intervals of drill holes and shipped to SGS Vancouver testing laboratory in sealed drums. There the material was inventoried and checked against the shipping documents. The material was then composited into samples under the direction of consultants and geologists working for Avanti Mining. Portions of the samples were then prepared to the quantities required for the relevant testwork. Upon the completion of testwork at SGS Vancouver, the sample was re-inventoried and shipped to RDi located in Wheat Ridge, Colorado. There the material was composited to form new composites of the required samples.

13.1.2 Testwork Procedures

All testwork was performed on identified process samples which were either composited to create samples for process definition or were point composites created to generate spatial information on metallurgical response within the deposit.

Grinding testwork was performed according to industry standard procedures (drop weight tests, SMC tests, Bond Rod and Ball Mill Work Index testing) to support the models used for sizing. Abrasion testwork was using the Bond Abrasion Index testing. Flotation testwork was carried out in either Denver or Agitair laboratory flotation cells.

Size fraction analysis was carried out utilizing screen sieve analysis on grinding and flotation products. Settling and filtration testwork was preliminary, primarily due to the small size of intermediate and final product samples produced. This has been compensated for by using conservative benchmarking in the design of the settling, filtration and acid leaching facilities in the design.

The assay procedures utilized for the testwork were appropriate for the products being assayed and were performed by recognized creditable laboratories. These laboratories included SGS Vancouver supporting the SGS work and Hazen Research supporting the RDi testwork.

The metallurgical testing labs used were visited during the running of the programs by AMEC staff responsible for the interpretation of the metallurgy.

13.1.3 2009 Metallurgical Program

The 2009 testwork program was designed to further the understanding of the treatment characteristics of the Kitsault ore, to confirm a process flowsheet that would produce a marketable grade molybdenite concentrate, and to develop design criteria for the pre-feasibility study. The work was undertaken on samples from the 2008 drilling program, based on three major rock types expected to be encountered over the life of the mine: quartz monzonite (55%), diorite (25%), and hornfels (20%). The following testwork was performed:

- Grindability studies at the Hazen laboratory in Colorado, USA
- Flowsheet development studies by SGS Vancouver in B.C., Canada.
- Flowsheet development studies by Resource Development Inc (RDi) in Colorado, USA

The grindability work performed in 2009 showed that the diorite and the quartz monzonite were moderately hard while the hornfels could be considered very hard. Modelling of this work showed that while a semi-autogenous grind (SAG) mill would work in this application, a pebble crusher would be necessary to handle the critical-size material generated from the ore.

The flotation work by SGS demonstrated that good rougher recoveries could be obtained using a diesel fuel collector for the molybdenite while employing Nokes' reagent to suppress the flotation of other sulphides into the final concentrate.

A wide variety of batch tests were performed, including grind/recovery, rougher kinetics, first cleaner flotation, regrind, and open-cycle flotation tests, to show ore

response to these factors and to generate flotation criteria for the locked-cycle testwork and a standard recipe for the variability tests.

The resulting two locked-cycle tests in the 2009 testwork did not yield a combination of good recovery and high concentrate grade due to procedural difficulties. Analysis of this work, the open cleaner and regrind testwork all emphasized the requirement to tightly control mass pulls and regrind sizes in the cleaning circuit to achieve the target concentrate grades and recovery levels. Work was subsequently performed in the 2010 program to address these issues.

For the variability work, rougher flotation tests, using a standard test protocol, were performed on a number of discrete samples selected from a variety of locations in the deposit. The results of this variability work showed good rougher recovery response throughout the deposit. At a feed grade of approximately 0.11% Mo and an average primary grind of 80% passing size (P_{80}) of 266 μm , a rougher recovery of 93.3% could be achieved. It should be noted that because a constant grinding time was employed, a wide range of sizes was produced and it was shown that although, as expected, the grind size affected the results, the recovery was quite good over the entire range.

Figure 13-1 indicates the locations of the 2009 variability samples within the pit shell developed in the 2010 feasibility study. The selection of the samples took into account that the deposit is annular and the need for the samples to represent a wide distribution within the deposit.


13.2 2010 Metallurgical Program

The primary objectives of the 2010 testwork were to confirm the process flowsheet developed in 2009, to optimize conditions for the production of a marketable-grade molybdenite concentrate, and to develop design criteria for the feasibility study.

The following testwork was performed:

- Grindability studies at SGS-Lakefield
- Flowsheet development by RDi in Colorado, USA
- Flowsheet development studies by SGS Vancouver in B.C., Canada.

Figure 13-1: Distribution of Samples Used for 2009 Variability Work



Note: Figure courtesy Avanti, 2010. Geology and pit outline illustrated on this plan is at the 435 m elevation.

For this 2010 work, comminution testing was undertaken on distinct samples from each of the three major rock types. Selection of the samples within the deposit was chosen to reflect the weighting of the ore types, and a wide distribution across the deposit which was biased to emphasize early year production, which is an important factor. In total, a further 15 SMC SAG-mill grindability tests, seven Bond rod mill work index (RWi), and 30 Bond ball mill work index (BWi) tests were performed and added to the database. It was found that the quartz monzonite, the softest material, was found to have the least variance, while both the diorite and hornfels had a moderate degree of variance with regard to both SAG and ball milling characteristics.

In the design of the grinding circuit, the throughput target was to ensure the 85th percentile of all the ore hardness samples taken was used for determining the SAG and ball milling characteristics. This selection of conditions was to ensure that the grinding power arrived at would allow for the achievement of the nominal tonnage for mixtures of the ore which would include even higher levels of the hornfels than typically expected.

The SGS Vancouver flowsheet development studies conducted in 2010 included a variety of work including locked-cycle testwork on the three ore types. Six tests, two for each of the main rock types, were conducted (all at approximately a P80 of 200 µm), all of which had difficulty achieving the expected combination of high recovery and high concentrate grade. The results are shown in Table 13-2.

Table 13-2: Results of Locked-Cycle Testwork on Three Composites

Test	Ore Type	Mo			Concentrate	
		% Rec	% Bulk Tails	% Clnr-Scav Tails	% Mo	% Pb
LCT-1	Diorite	92.3	5.8	1.9	41.6	0.15
LCT-4	Diorite	85.2	10.8	4.0	56.1	0.11
LCT-2	Hornfels	90.5	7.2	2.3	32.4	0.12
LCT-5	Hornfels	87.9	8.4	3.7	41.5	0.11
LCT-3	Quartz—Monzonite	93.6	4.7	1.7	35.3	0.12
LCT-6	Quartz—Monzonite	88.3	8.4	3.3	48.5	0.14

Problems in achieving the performance desired were determined by subsequent analysis and review, to be related to problems in controlling regrind size, reagent addition, and reagent control. These problems led to lower selectivity and unstable circulating loads at the laboratory scale. The shortfall in results was similar in nature to the issues encountered in the 2009 testwork.

However although LCT-4 did not give the expected results, it was performed to the correct procedures and regrind levels. When the analysis of the test streams was

performed these showed that if cleaning was done only to the 4th stage, both recovery and concentrate molybdenum grade would be achieved. In operations, performing this diversion of material to final product would be simple to accomplish. Rather than a recovery of 85.2% Mo and a concentrate grade at 56.1% Mo, a recovery of 92.6% would have occurred while still maintaining a concentrate grade over 54.9%.

Difficulties with these locked cycle tests indicate there is the potential for performance risk in achieving the recovery and final concentrate grade targets. While good rougher recovery is typically seen in all the composites, care is required to achieve acceptable concentrate grade and overall recovery to the final product.

Although the results were not optimal in confirming circuit performance, there was no indication of serious problems in the metallurgical characteristics of the material. Proper control should be possible with the use of particle size and on-stream analyzers in the cleaning circuit and would alleviate the risk in achieving concentrate grade. The past operational history of the Project, successful batch testwork and understanding the problems encountered in the locked cycle testwork does support the proposition that a commercial concentrate with good molybdenite recovery and grade can be produced. However it was decided that more testwork was required. This follow-up testwork was done subsequent to the issue of the original feasibility study and took place in 2011.

One particular benefit of the 2010 locked cycle testwork was the success in controlling the deportment of lead to the molybdenum concentrate. The lead level of the concentrate from the 2010 work was 0.15% or less due to the use of sodium dithiophosphate as a lead depressant in the rougher and scavenger stages. The lead level, however, was still greater than 0.10% Pb in all cases indicating the need to have a leaching circuit to bring these levels down to non-penalty levels. Table 13-3 summarizes the most important assays within the concentrate.

Table 13-3: Concentrate Quality – Locked-Cycle Testwork

Test	Ore Type	% Mo	% Pb	ppm Ag	% Bi
LCT-1	Diorite	41.6	0.15	26.4	0.010
LCT-4	Diorite	56.1	0.11	18.1	0.006
LCT-2	Hornfels	32.4	0.12	33.6	0.006
LCT-5	Hornfels	41.5	0.11	48.7	0.007
LCT-3	Quartz-Monzonite	35.3	0.12	24.3	0.010
LCT-6	Quartz-Monzonite	48.5	0.14	26.8	0.012

The execution problems with the locked-cycle testwork limited the ability to perform leaching tests due to the quantity and quality of leach feed available. Three simple


tests were performed, all with hydrochloric acid, none of which met target. Due to the limitations with this testwork and their preliminary nature, it was decided to rely on the extensive work done during the history of plant operations as a guide to designing the leach circuit. In addition, it was recommended that further work be conducted to allow for the proper optimization of that part of the design and to confirm performance. This work was subsequently performed in 2011.

As in 2009, more variability tests were run in 2010. These tests used a standard reagent formula of 180 g/t of diesel oil, 80 g/t of Nokes' reagent, and MIBC with grinds averaging a 200 µm grind size. The data produced from these tests suggest that the variability in response was due more to fineness of grind than to the varying feed grades. Where the grind was approximately 200 µm or coarser, better flotation characteristics and results were indicated in comparison to the finer grind. Good recoveries were achieved at a 4% to 6% mass pull for the coarser material. Taken together with the 2009 testwork, which was done at a still coarser size, a P_{80} of 230 µm is considered to be a good target for the flotation feed. Figure 13-2 indicates the distribution of the 2009 samples used for the 2010 work within the 2010 pit shell. The samples were selected to reflect the earlier years of production while still maintaining a good spatial distribution.

13.3 2011 Metallurgical Program

Additional sample for the 2011 was derived from sample remaining from the 2010 metallurgical program. Three lithological composites were created in addition to a master composite. The hornfels material was derived from samples across the proposed pit area and with over 60% of the material from the first five years and 36% from Years 5 to 9. Quartz monzonite was derived in a similar manner with 47% from the first five years and 26% from the next four years. Diorite material was well distributed from within the deposit and reflected 66% from the first five years and 29% from the following four years. The master composite was also composed from across the deposit with a similar emphasis on obtaining the sample from the initial payback period of the mine life. For the composite, 54% is from the first five years and 29% is from Years 5 to 9.

Figure 13-2: Distribution of Samples Used for 2010 Variability Work



Note: Figure courtesy Avanti, 2010. Geology and pit outline illustrated on this plan is at the 435 m elevation.

The metallurgical work was completed by RDi during 2011 as per the recommendations in the 2010 Feasibility Study. Five locked cycle tests were performed to confirm the combination of recovery and concentrate quality targets used in the 2010 Feasibility Study. The results support the projection of an overall recovery of 90% of Mo and a 52% minimum Mo grade in concentrate. In addition, lead recoveries to concentrate are at low levels, and after hot acid leaching, the lead content was reduced to less than 0.04% Pb which is the typical penalty level threshold for molybdenum concentrates. The level of lead reduction is similar to the efficiencies achieved by the previous operators of the mine.

A summary table of the locked cycle test flotation results is presented Table 13-4:

Table 13-4: 2011 Locked Cycle Testwork on Lithological & Master Composites

Product Concentrates	Assay			Distribution		
	% Mo	%Pb	g/t Ag	% Mo	% Pb	% Ag
LCT-1 - Diorite Comp	52.0	0.18	124.0	92.4	1.6	6.0
LCT-2 - Hornfels Comp	49.8	0.18	160.0	90.3	1.4	7.9
LCT-3 - Master Comp	56.2	0.10	53.0	88.0	0.5	1.8
LCT-4 - Quartz Monzonite Comp	54.7	0.12	43.0	87.8	0.6	1.2
LCT-5 - Master Comp	57.9	0.09	39.0	90.7	0.6	2.4

RDi also completed de-sulphidization testing of the tailings during these locked cycle tests confirming that de-sulphidization could be accomplished. The quantity of sulfides generated in this testwork were used to complete metallurgical testing of by-product Ag recovery. A final report describing the results was submitted on March 5, 2012. This report describes how minor modifications of the planned sulfide recovery circuit in the 2010 Feasibility Study design together with the incorporation of a cleaning circuit would produce a Pb–Ag concentrate estimated to contain 13% Pb and 2,000 g/t Ag. The report which was provided by RDi, estimates potential Ag recoveries ranging from 30% to 40% resulting in 625,000 to 825,000 oz of Ag per year contained in concentrate. This work was preliminary and does not consider the potentially variable response of silver occurring across the deposit. Further testwork is recommended for 2013 to bring up the level of confidence in the flotation of the by-product silver material from the molybdenum tails.

13.4 Recovery Models

The recovery model used for the mine model utilizes a response curve which was benchmarked against performance of a major molybdenum mine in the United States. This curve was adjusted in order to reflect the results of the 2009 variability work done

at a P₈₀ grind of 266 µm, which looked at rougher recovery, and also to provide a deduction for cleaning performance. The resulting model used in the pit optimization was:

$$\text{Recovery (\%)} = 7.5808 * \ln (\text{Feed Grade \%}) + 108.63 \text{ (Equation 1)}$$

Later variability work performed on the samples produced in 2010 showed that those tests done at a P₈₀ grind of 203 µm would provide a rougher recovery indicated by:

$$\text{Recovery (\%)} = 20.93 * (\text{Feed Grade \%}) + 91.01 \text{ (Equation 2)}$$

This is demonstrated in Figure 13-3. Figure 13-4 is included to further detail the response seen for the 2010 variability testwork.

Figure 13-3: Recovery vs. Feed Grade – Samples with Coarser Grinds





Figure 13-4: Variability Testing – Mass Pull of Coarse Grinds ($P_{80}>190 \mu\text{m}$)



Because Equation 2 is a rougher recovery relationship only, this was converted to a final grade recovery using a deduction of 2.5% for cleaning and to deal with the finer grind size. This results in the formula:

$$\text{Recovery (\%)} = 20.93 * (\text{Feed Grade \%}) + 88.51 \quad (\text{Equation 3})$$

This recovery formula provides similar results to that produced from Equation 1 and supported the use of Equation 1 as a reasonable feed grade recovery equation to use in the mine modelling.

In addition to the variability work, LCT-4 also provides an indication that Equation 1 was a reasonable contribution to the mine model. Limited to four cleaning stages, this test produced a 92.6% overall recovery at a 54.9% Mo concentrate grade with a feed grade of 0.084% Mo. These results were better than what would have been indicated by Equation 1 (used for the model) and Equation 3 (supporting the model).

The results from the locked cycle testwork performed in 2011 provided further confidence in the use of the model for the determination of the Mo content within the model.

13.5 Comment on Section 13

In the opinion of the QPs, the metallurgical test work conducted to date supports the declaration of Mineral Resources and Mineral Reserves based on the following:

- The metallurgical testwork completed on the Project has been appropriate to establish a process route that is applicable to the mineralization types, and the process route proposed uses conventional technology
- Tests were performed on samples that were representative of the mineralization for the purposes of establishing an optimal conceptual process flowsheet
- The testwork performed in 2010 generally supported the work completed in 2009. The level of comminution testwork and the selection of a power target (the 85th percentile of all sample hardness) consistent with the level of the work push the design of the comminution circuit to an appropriate level of confidence. Although grind/recovery work and rougher kinetics showed consistently good performance for bulk flotation, difficulties were encountered in the performance of the locked-cycle and concentrate leaching tests. These concerns were addressed in the 2011 locked cycle work which increased confidence in the circuit performance with respect to recovery and concentrate grade. Additional work on lead leaching in 2011 also gave confidence in the ability of that circuit to reduce the lead to acceptable levels
- The design of the Kitsault process plant is based on plant data obtained from previous operating periods as well as more recent testwork campaigns on samples of quartz monzonite, diorite, and hornfels. These samples originate from the area designated as potential plant feed material indicated in the mine plan to have an ore feed grade of approximately 0.09% Mo
- Past production and current testwork results have shown that saleable molybdenum flotation concentrates can be produced by the use of conventional comminution and flotation processes. The plant feed will be crushed and milled, then subjected to flotation. The resulting concentrate will be leached to remove the lead impurity, thereby producing a high-grade saleable molybdenum concentrate that meets smelter specifications. The final concentrate is expected to contain 52% Mo and <0.04% lead, for an overall molybdenum recovery of 89.9%.

14.0 MINERAL RESOURCE ESTIMATES

14.1 Key Assumptions/Basis of Estimate

14.1.1 Kitsault

There are a total of 207 drill holes for a total of approximately 49,082 m of drilling within the Kitsault project area. During 2011, Avanti completed 32 drill holes totalling 9,995 m. The first 10 holes drilled in the property were not used, as these were small diameter drill holes, and there was too much uncertainty related to their collar location due to the use of compass and stadia survey methods.

AMEC used a topographic surface file produced from the LiDAR survey conducted during the 2008 field season. AMEC compared collars from the Avanti drilling campaigns and the DTM (Digital Terrain Model) created from the LiDAR 5 m spaced contour lines and found good agreement between them. The topography is large enough to cover the block model extents and represent the post-mining and actual surface.

The block model consists of regular blocks of 10 m x 10 m x 10 m and no rotation was used.

14.1.2 Bell Moly

There are a total of 53 drill holes for a total of approximately 10,880 m of drilling within the Bell Moly project area.

The block model consists of regular blocks of 10 m x 10 m x 6 m size, and no rotation was used. AMEC used a topographic surface file produced from the LiDAR survey conducted during the 2008 field season. AMEC compared collars from the Avanti drilling campaigns and the DTM (Digital Terrain Model) created from the LiDAR 5 m spaced contour lines and found good agreement between them. The topography is large enough to cover the block model extents.

14.1.3 Roundy Creek

There are a total of 192 drill holes for a total of approximately 13,255 m of drilling within the Roundy Creek project area. There are 160 historical drill holes with a total of 9,540 m. During 2010 and 2011, Avanti completed 32 drill holes totalling 3,715 m.

The block model consists of regular blocks of 3 m x 3 m x 3 m size with no rotation. AMEC used a topographic surface file produced from the LiDAR survey conducted

during the 2008 field season. AMEC compared collars from the Avanti drilling campaigns and the DTM (Digital Terrain Model) created from the LiDAR 5 m spaced contour lines and found good agreement between them. The topography is large enough to cover the block model extents

14.2 Geological Models

14.2.1 Kitsault

Avanti provided vertical interpretations of lithological units by sections oriented north–south and east–west. AMEC produced bench plans at 20 m intervals from these, and reconciled them to vertical polygons.

A grade-shell was produced based on a molybdenum threshold at a 0.05% indicator (low-grade shell). Within this shell, an inner (barren core) and an outer (high-grade) annulus solid were constructed. The primary reasons for this approach were the apparent annular geometry of the Mo mineralization and the strong geostatistical trends within the deposit from a barren core, to a high-grade zone, to a low-grade zone.

AMEC reviewed the interpretations and created a wireframe grade shell. The grade shell was inspected in section and plan. The grade shell adequately restricts the potential for over-projection of grades into low grade or high grade areas. The grade shell was further validated using nearest-neighbour (NN) models of the grade indicators and by comparison with the previous grade shell used to constrain the 2010 mineral resource estimate.

14.2.2 Bell Moly

For the Bell Moly zone, AMEC constructed a deterministic outer mineralized grade shell using a nominal threshold of 0.02% Mo and constructed a grade shell based on a probability model using an indicator above a 0.02% Mo threshold to remove an included central low-grade zone. The probability grade shell was validated by comparison with a NN model of the grade indicator. The mineralization is elongated in a northeast southwest direction and has approximate dimensions of 600 m in a northeast–southwest direction, 450 m in a northwest–southeast direction and 500 m vertically.

14.2.3 Roundy Creek

For the Sunshine zone, Avanti provided AMEC with vertical sections showing geological interpretations of lithology. AMEC reviewed the interpretations.

Mineralization is observed crossing major lithological boundaries. The mineralization is cross-cut by post-mineral dykes which are oriented at an oblique angle to the section lines along which interpretation was performed. AMEC decided to construct a NN model of the post-mineral dykes with a high anisotropy ratio of 8:1 oriented with a strike of N023°E and vertical dip. AMEC constructed a deterministic grade shell using a nominal threshold of 0.02% Mo and constructed a grade shell based on a probability model using an indicator above a 0.04% Mo threshold. The probability grade shell was validated by comparison with a NN model of the grade indicator.

Higher molybdenum grades (>0.4% Mo) are found along the contact between quartz–feldspar–biotite porphyry and quartz-eye porphyry which plunges 30° to the east. The higher grades form a spatially-cohesive zone which required separate domaining. AMEC therefore constructed an additional high-grade shell using an indicator above a 0.4% Mo threshold. The high-grade shell was also validated using a NN model of the 0.4% Mo indicator. Isolated blocks were manually removed from the high-grade shell. Mineralization has approximate dimensions of 200 m in an east–west direction, 175 m in a north–south direction and 200 m vertically.

At the Roundy zone, AMEC constructed a deterministic grade shell to represent mineralization using a 0.02% Mo threshold. AMEC constructed a 0.04% Mo grade shell based on a probability model using an indicator above a 0.04% Mo threshold. The probability grade shell was validated by comparison with a NN model of the grade indicator. Mineralization has approximate dimensions of 150 m in an east–west direction, 200 m in a north–south direction and 300 m vertically.

AMEC deterministically constructed a single grade shell at the Sunlight zone using a nominal 0.04% Mo cut-off grade. The mineralization is located in a sub-horizontal tabular zone with approximate dimensions of 100 m in an east–west direction, 50 m in a north–south direction and an average thickness of 12 m.

14.3 Exploratory Data Analysis

14.3.1 Kitsault

Summary statistics for non-declustered composites showed low variability of Mo values, but indicated medium to high variability for Ag and Pb assays.

Contact profiles were generated for all elements to analyze the grade behaviour at domain boundaries. Firm boundaries were determined for the grade shell and annulus domains.

14.4 Composites

14.4.1 Kitsault

AMEC regularized the nominal 3 m drill hole intervals into 6 m composites, starting from the drill hole collar and down the hole, with no break by lithological or estimation domains. The 6 m size was selected to avoid splitting of original samples and to accommodate two composites per block, as the likely selective mining unit is 10 m high, and the majority of drill holes are inclined. Composites were coded using the domain and geometric zone solids.

Limited composite sharing was permitted across the grade shell boundaries via a coding of the composites and blocks falling within 20 m of the boundaries of the grade shell. These domains were coded using the codes in Table 14-1, and flagged to blocks and back-flagged to composites and were used as the basis for matching samples and blocks during the estimation process. The composite and block sharing scheme is also provided in Table 14-1.

14.4.2 Bell Moly

AMEC composited the assays into 6 m intervals for grade interpolation and subsequent exploratory data analysis. At Bell Moly, limited composite sharing during grade interpolation was permitted across the grade shell boundaries via a coding of the composites and blocks falling in proximity to the contacts of the 0.02% Mo shell boundary. Blocks were selected using a probability threshold such that there was $\pm 20\%$ change in the number of blocks within the grade shell. The codes assigned are shown in Table 14-2. These domains were used as the basis for matching samples and blocks during the grade estimation process. The composite and block sharing schemes are also indicated in Table 14-2.

14.4.3 Roundy Creek

AMEC composited the assays into 3 m intervals for grade interpolation and subsequent exploratory data analysis. At Sunshine, limited composite sharing during grade interpolation was permitted across the grade shell boundaries via a coding of the composites and blocks falling in proximity to the contacts of the 0.04% Mo shell boundary. Blocks were selected using a probability threshold such that there was $\pm 20\%$ change in the number of blocks within the grade shell. The resulting codes were back-tagged to the composites.

Table 14-1 Composite and Block Sharing, Kitsault

Description	Block Codes	Composite Codes		
0.05% Grade Shell	100	100		
Inner Halo	200	200		
Outer Halo	300	300		
< 20 m Inside Grade Shell (Inner)	150	100	150	185
< 20 m Outside Grade Shell (Inner)	185	150	185	200
< 20 m Inside Grade Shell (Outer)	250	100	250	285
< 20 m Outside Grade Shell (Outer)	285	285	300	250

Table 14-2: Composite and Block Sharing, Bell Moly

Description	Block Codes	Composite Codes		
0.02% Grade Shell	30	30	20	
Inner Halo (Inside Shell)	20	30	20	15
Outer Halo (Outside Shell)	15	20	15	10
Outside Grade Shell	10	10	15	

At the Roundy zone, limited composite sharing during grade interpolation was permitted across the grade shell boundary by coding composites within 3 m of the contact. The codes assigned are shown in Table 14-3 and Table 14-4 for the Sunshine and Roundy models, respectively. These domains were used as the basis for matching samples and blocks during the grade estimation process. The composite and block sharing schemes for are also shown in Table 14-3 and Table 14-4.

At Sunlight, composites falling within the 0.04% Mo grade shell were used to estimate blocks falling within the same grade shell.

14.5 Density Assignment

14.5.1 Kitsault

AMEC used the same average SG values as were used in the 2010 Mineral Resource estimate (refer to Section 11.3.1). Density values were assigned to blocks based upon the lithological codes.

Table 14-3: Composite and Block Sharing, Sunshine Zone

Description	Block Codes	Composite Codes		
0.04% Grade Shell	30	30	20	15
Inner Halo (Inside Shell)	20	30	20	15
Outer Halo (Outside Shell)	15	20	15	10
Outside Grade Shell	10	10	15	20
High Grade Shell (0.4% Threshold)	2	2		
Post-Mineral Dykes	1	1		

Table 14-4: Composite and Block Sharing, Roundy Zone

Description	Block Domain Block		Composite	Composite Domain			Very Low Grade
	Codes	Codes	Codes	Codes			Subdomain
							Composite Codes
0.04% Grade Shell	2	N/A	2	2	3	4	N/A
Outside Grade Shell	1	2	1	1	2	3	2
Non-mineralized	1	1	1	1	2	3	1

14.5.2 Bell Moly

AMEC used a single average SG value of 2.63 to estimate tonnages in the Mineral Resource estimate (refer to Section 11.3.2).

14.5.3 Roundy Creek

AMEC used a single average SG value to estimate tonnages in the mineral resource estimate of 2.63 for the estimate, based on the testwork results discussed in Section 11.3.3.

14.6 Grade Capping/Outlier Restrictions

14.6.1 Kitsault

AMEC completed a capping study for each domain:

- The capping study showed that a minimal amount of capping (<0.2%) is necessary for the grade shell and outer halo domains, therefore no capping or outlier restriction was applied to those domains.

- For the inner halo domain, a capping grade threshold of 0.15% Mo was chosen. There are a total of nine assays above this grade threshold and the estimated amount of metal to remove by capping or outlier restriction is 1.8%.
- For the post mineral intrusive QMP II, a capping threshold of 0.025% Mo was chosen. There are a total of 12 assays above this threshold. The estimated amount of metal to remove by capping or outlier restriction is 21.2%.
- For silver and lead grade capping thresholds of 80 ppm and 4,000 ppm were chosen respectively. For silver there are 40 assays and for lead there are 57 assays above the respective capping threshold. The amounts of metal to remove by capping or outlier restriction are 5.0% and 8.8% respectively.

The amount of metal to be removed by capping is calculated by the following formula:

$$\% \text{ Metal} = \frac{(\text{Mean Uncapped} - \text{Mean Capped})}{\text{Mean Uncapped}}$$

AMEC evaluated the impact of capping by estimating uncapped and capped grade models. Generally the amounts of metal removed by capping in the models are consistent with the amounts calculated during the grade capping study on the assays. Globally, 0.2% of the molybdenum metal and 8.2% of the silver metal were removed from the estimated blocks.

14.6.2 Bell Moly

AMEC completed a capping study on assays for each domain. The capping study showed that a minor amount of capping (representing 2.3% of the metal) is necessary for the domains at Bell Moly. A threshold of 0.16% Mo was selected which resulted in capping 24 assays. The 0.16% capping threshold corresponds to the outlier threshold considered for comparison of historical assays with assays from Avanti's core re-sampling program.

The amount of metal to be removed by capping is calculated by the following formula:

$$\% \text{ Metal} = \frac{(\text{Mean Uncapped} - \text{Mean Capped})}{\text{Mean Uncapped}}$$

AMEC evaluated the impact of capping by estimating uncapped and capped grade models. Generally the amounts of metal removed by capping in the models are consistent with the amounts calculated during the grade capping study on the assays. Globally, 2.4% of the molybdenum metal was removed by capping from the estimated blocks.

14.6.3 Roundy Creek

AMEC completed a capping study for each domain.

The capping study showed that a moderate amount of capping (4–5%) is necessary for the mineralized domains at the Sunshine Zone. The numbers of assays capped in each domain of Sunshine zone are shown in Table 14-5. For the post mineral dykes, a capping threshold of 0.07% Mo was chosen. There are a total of two assays above this threshold. The estimated amount of metal to remove from the post-mineral dykes is 11.6%.

At the Roundy zone, AMEC found it was only necessary to cap the grades within the 0.04% grade shell. A threshold of 0.18% Mo was selected which resulted in capping 16 assays and removing 2.2% of the metal. The results of the capping study at Roundy Zone are shown in Table 14-6.

The amount of metal to be removed by capping is calculated by the following formula:

$$\% \text{ Metal} = \frac{(\text{Mean Uncapped} - \text{Mean Capped})}{\text{Mean Uncapped}}$$

AMEC evaluated the impact of capping by estimating uncapped and capped (outlier restricted model at Roundy) grade models. Generally the amounts of metal removed by capping in the models are consistent with the amounts of metal calculated during the grade capping study on the assays. At Sunshine zone, 6.8% of the molybdenum metal was removed by capping from the estimated blocks. At Roundy, 3.6% of the metal was removed by imposing outlier restriction.

14.7 Variography

14.7.1 Kitsault

AMEC used the commercially available Sage2001 software to construct down-the-hole and directional correlograms for Mo, Ag and Pb. Independent correlograms were created for each of the geometric zones inside the high-grade shell. Two nested spherical models were used to fit the experimental correlograms.

The nugget effect for molybdenum, modelled from the down-the-hole correlograms, is reasonably low for composites inside the high-grade shell. The nugget effect of the down-the-hole correlogram for composites outside the high grade shell is higher, reflecting a larger amount of short-scale variability.

Table 14-5: Capping Thresholds and Metal to Remove, Sunshine Zone

Description	Capping Threshold (Mo%)	Number of Assays Capped	Metal Removed (%)
0.04% Grade Shell	0.4	8	4.6
Outside Grade Shell	0.2	4	4.1
High Grade Shell (0.4% Threshold)	2.5	4	4.7
Post-Mineral Dykes	0.07	2	11.6

Table 14-6: Capping Thresholds and Metal to Remove, Roundy Zone

Description	Capping Threshold (Mo%)	Number of Assays Capped	Metal Removed (%)
0.04% Grade Shell	0.18	16	2.2
Outside Grade Shell	None	None	None
Non-mineralized	None	None	None

Variographic analysis of the silver and lead grades showed a northeast striking trend of the major axis which is consistent with the orientation of the late quartz–carbonate veining (hosting the lead–silver mineralization) mapped within the historical Kitsault open pit. The nugget effect is somewhat higher than the nugget effect for molybdenum.

14.7.2 Bell Moly

Two spherical models were used to fit the experimental correlograms.

AMEC used the commercially available Sage2001 software to construct a down-the-hole and an isotropic correlograms for Mo. Two nested spherical models were used to fit the experimental correlograms.

14.7.3 Roundy Creek

AMEC used the commercially available Sage2001 software to construct down-the-hole and directional correlograms for Mo. Independent correlograms were created for each of the Sunshine and Roundy Zones. Two nested spherical models were used to fit the experimental correlograms. The major axis of the Sunshine correlogram strikes northwest-southeast and is consistent with the general trend of the mineralisation observed in plan. The major axis of the Roundy correlogram is north–south-trending.

14.8 Estimation/Interpolation Methods

AMEC estimated molybdenum, lead and silver grades using ordinary kriging into blocks using multiple estimation passes with incrementally increasing search distances. For molybdenum, search ellipses and variograms were re-oriented to account for the concentric distribution of the mineralization. The search ellipses for lead and silver grade interpolation were oriented with a northeast-striking major axis which is consistent with the orientation of the late quartz-carbonate veining hosting lead and silver mineralization.

AMEC estimated molybdenum, silver and lead by estimation domains using ordinary kriging (OK) interpolation. The grade estimation was completed in three passes. Estimation Passes 1 and 2 used the same ellipse radii.

Pass 1 for molybdenum estimation required a minimum of six composites, and maximum of 16 to estimate a block, with a maximum of three composites permitted from any one drill hole. Pass 2 required a minimum of four composites, and maximum of 16, with a maximum of 3 composites permitted from any one drill hole. In Pass 3 a minimum of two composites was permitted, with a maximum of 16, and a maximum of 3 composites permitted from any one drill hole.

The estimation parameters for silver and lead required a minimum of six, and maximum 24 composites for Pass 1, a minimum of four composites, and maximum of 24 for Pass 2, and for Pass 3, the minimum was two composites, and maximum of 24. In Pass 1, a maximum of six composites were permitted from any one drill hole. In Pass 2, a maximum of four composites were permitted from any one drill hole. In Pass 3, a maximum of two composites were permitted from any one drill hole.

Composite sharing for block estimates is shown in Table 14-1.

The search ellipse orientations, dimensions and other estimation parameters are shown in Table 14-7, Table 14-8 and Table 14-9.

14.8.1 Bell Moly

AMEC estimated molybdenum grades using ordinary kriging into blocks with dimensions of 10 m x 10 m x 6 m using multiple estimation passes with incrementally increasing search distances.

Table 14-7: Search Ellipse Orientation and Dimensions for Molybdenum, Kitsault

Domain	Pass	Search Ellipse						Min. No. Comp	Max. No. Comps	Max. Comp./Hole
		Rotation* (°)			Ranges(m)					
		Z	X	Z	X	Y	Z			
HG – 10,100	1	-10	10	0	150	35	200	6	16	3
	2				150	35	200	4	16	3
	3				200	50	400	2	16	3
HG – 20,100	1	-50	15	0	120	50	200	6	16	3
	2				120	50	200	4	16	3
	3				160	75	400	2	16	3
HG – 30,100	1	-120	-20	0	95	70	200	6	16	3
	2				95	70	200	4	16	3
	3				120	90	400	2	16	3
HG – 40,100	1	-5	20	0	270	75	200	6	16	3
	2				270	75	200	4	16	3
	3				270	75	400	2	16	3
HG – 50,100	1	-70	0	0	120	80	200	6	16	3
	2				120	80	200	4	16	3
	3				140	100	400	2	16	3
HG – 60,100	1	45	0	0	105	25	200	6	16	3
	2				105	25	200	4	16	3
	3				125	80	400	2	16	3
200 – Inner	1	-10	10	0	300	300	300	6	16	3
	2				300	300	300	4	16	3
	3				300	300	300	1	16	3
300 – Outer	1	-10	10	0	60	60	150	6	16	3
	2				180	180	350	4	16	3
	3				180	180	350	1	16	3

* Using Gems® rotation conventions

Table 14-8: Search Ellipse Orientation and Dimensions for Silver, Kitsault

Domain	Pass	Search Ellipse						Min. No. Comp	Max. No. Comp	Max. Comp. /Hole
		Rotation (°)*			Ranges(m)					
		Z	Y	Z	X	Y	Z			
All	1	-60	-70	0	225	300	190	6	24	4
	2				225	300	190	4	24	4
	3				225	300	190	2	24	4

* Using Gems® rotation conventions

Table 14-9: Search Ellipse Orientation and Dimensions for Lead, Kitsault

Domain	Pass	Search Ellipse						Min. No. Comp	Max. No. Comp	Max. Comp. /Hole
		Rotation (°)*			Ranges(m)					
		Z	Y	Z	X	Y	Z			
All	1	-60	-70	0	200	300	100	6	24	4
	2				200	300	100	4	24	4
	3				200	300	100	2	24	4

* Using Gems® rotation conventions

A minimum of four and maximum of 12 composites with a maximum of three composites per drill hole were required to interpolate blocks in passes one and two. In the third pass, a minimum of two and maximum of 12 with a maximum of four composites per drill hole were required to interpolate blocks. The search ellipse rotations and dimensions are shown in Table 14-10.

14.8.2 Roundy Creek

AMEC estimated molybdenum grades using ordinary kriging (at Roundy and Sunshine) and Inverse Distance Weighting (IDW) into blocks with dimensions of 3 m (x-axis) x 3 m (y-axis) x 3 m (vertical) using multiple estimation passes with incrementally increasing search distances. The block size was chosen to coincide with a possible selective mining unit (SMU) size for selective open pit mining.

At Sunshine, a minimum of four and maximum of nine composites with a maximum of three composites per drill hole were required to interpolate blocks in passes one and two. In the third pass, a minimum of one and maximum of 12 with a maximum of three composites per drill hole were required to interpolate blocks.

A quadrant search strategy was used with a minimum of two quadrants with data, a maximum of two empty quadrants and a maximum of three composites in each quadrant. An octant search strategy is necessary to adequately decluster composites from underground drill holes. The search ellipse rotations and dimensions used at Sunshine are shown in Table 14-11.

At Roundy, a minimum of three and maximum of 12 composites with a maximum of two composites per drill hole were required to interpolate blocks in passes one and two. In the third pass, a minimum of two and maximum of 12 with a maximum of four composites per drill hole were required to interpolate blocks. The search ellipse rotations and dimensions used at Roundy model are shown in Table 14-12.

Table 14-10: Search Ellipse Orientation and Dimensions, Bell Moly

Description	Rotations (ZXY)*			Search Ellipse Pass 1 Radius (m)			Search Ellipse Pass 2 Radius (m)			Search Ellipse Pass 3 Radius (m)		
				Y	X	Z	Y	X	Z	Y	X	Z
Domain 10 (Inside Grade Shell)	50	0	0	75	50	75	100	75	100	150	100	150
Domain 30 (Outside Grade Shell)	50	0	0	75	50	75	100	75	100	150	100	150

* Using MineSight® MS-GSLIB Left, Right, Left Convention

Table 14-11: Search Ellipse Parameters, Sunshine Zone

Description	Rotations (ZXY)*			Search Ellipse Pass 1 Radius (m)			Search Ellipse Pass 2 Radius (m)			Search Ellipse Pass 3 Radius (m)		
				Y	X	Z	Y	X	Z	Y	X	Z
Domains 10,15,	-35	0	-60	20	15	10	30	20	15	100	60	50
High Grade Shell (Domain 2)	-70	30	0	20	15	10	30	20	15	100	60	50
Post-Mineral Dykes (Domain)	23	0	0	25	10	25	50	20	50	100	20	100

* Using MineSight® MS-GSLIB Left, Right, Left Convention

Table 14-12: Search Ellipse Parameters, Roundy Zone

Description	Rotations (ZXY)*			Search Ellipse Pass 1 Radius (m)			Search Ellipse Pass 2 Radius (m)			Search Ellipse Pass 3 Radius (m)		
				Y	X	Z	Y	X	Z	Y	X	Z
All Domains	0	0	-30	50	25	25	100	50	50	200	100	100

* Using MineSight® MS-GSLIB Left, Right, Left Convention

A maximum search distance of 12 m was applied to composites with grades above 0.18% Mo in order to restrict their influence on the grade estimates.

At Sunlight, a minimum of four and maximum of 12 composites with a maximum of three composites per drill hole were required to interpolate blocks in passes one and two. In the third pass, a minimum of one and maximum of 12 with a maximum of three composites per drill hole were required to interpolate blocks. The search ellipse rotations and dimensions used at Sunlight are shown in Table 14-13.

Table 14-13: Search Ellipse Parameters, Sunlight Zone

Description	Rotations (ZXY)*			Search Ellipse Pass 1 Radius (m)			Search Ellipse Pass 2 Radius (m)			Search Ellipse Pass 3 Radius (m)		
				Y	X	Z	Y	X	Z	Y	X	Z
All Domains	0	0	0	25	25	10	50	50	25	10 0	100	50

* Using MineSight® MS-GSLIB Left, Right, Left Convention

14.9 Block Model Validation

14.9.1 Kitsault

AMEC completed comparisons of kriged (OK) and nearest neighbour (NN) Mo, Ag, and Pb model global statistics and found no significant global bias in the mean grades of the OK model.

AMEC performed a check for local bias by plotting the Mo, Ag and Pb grades of NN and OK models in swaths oriented along the model northings, eastings and elevations.

AMEC reviewed the swath plots and found no significant discrepancies between the NN and OK model grades.

A change-of-support check for grade smoothing showed that the model selectivity (internal dilution) is appropriate for the mining selectivity anticipated during mining.

14.9.2 Bell Moly

AMEC completed comparisons of kriged (OK) and nearest neighbour (NN) Mo model global statistics and found no significant bias in the mean grades of the OK model.

AMEC performed a check for local bias by plotting the Mo grades of NN and OK models in swaths oriented along the model northings, eastings and elevations.

AMEC reviewed the swath plots and found no significant discrepancies between the NN and OK model grades.

14.9.3 Roundy Creek

AMEC completed comparisons of kriged (OK) and nearest neighbour (NN) Mo model global statistics and found no significant bias in the mean grades of the OK model.

AMEC performed a check for local bias by plotting the Mo grades of NN and OK models in swaths oriented along the model northings, eastings and elevations.

AMEC reviewed the swath plots and found no significant discrepancies between the NN and OK model grades.

At the Sunshine zone, where Indicated Mineral Resources are reported, a change-of-support check for grade smoothing showed that the model selectivity (internal dilution) is appropriate for the mining selectivity anticipated during mining.

14.10 Classification of Mineral Resources

14.10.1 Kitsault

AMEC calculated drill hole spacings for classifying blocks into Measured and Indicated categories based on confidence limits of kriging. AMEC considered confidence limits on molybdenum grades with a production panel representing 12.5 Mt/year:

- AMEC considered blocks to be in the Measured category of mineral resources if a minimum of three drill holes fell within a radius of 150 m and with an average distance of less than 45 m from the block
- Indicated blocks were considered if at least two drill holes fell within a radius of 150 m and with an average distance of less than 45 m or if at least three holes fell within a radius of 150 m with an average distance of less than 90 m.
- Extrapolation of Inferred resource blocks is restricted to a maximum distance of 150 m.

Isotropic distances from block centroids without domain boundaries were used for Mineral Resource classification.

14.10.2 Bell Moly

All 53 of the drill holes used for Mineral Resource estimation are historical and have no supporting QA/QC data to classify Mineral Resources in the higher confidence categories of Measured and Indicated. Core re-sampling by Avanti (with supporting QA/QC data) are sufficient to confirm the general grade of the mineralization. All

blocks falling within the 0.02% molybdenum grade shell were classified as being in the Inferred category.

14.10.3 Roundy Creek

AMEC calculated drill hole spacings for classifying blocks into the Indicated category based on confidence limits of kriging. AMEC considered confidence limits on molybdenum grades (using grade variograms) and estimated mineralized material tonnage (using indicator variograms) with a production panel representing 1.8 Mt/year.

AMEC considered blocks to be in the Indicated category of mineral resources if at least two Avanti drill holes fell within a radius of 31 m. These distances correspond to a drill hole spacing of 40 m. Blocks falling along the contact of the 0.02% molybdenum grade shell were downgraded to the Inferred category.

Extrapolation of Inferred resource blocks is restricted to the extents of the 0.02% molybdenum grade shell. Isotropic distances from block centroids without domain boundaries were used for mineral resource classification.

14.11 Reasonable Prospects of Economic Extraction

14.11.1 Kitsault

AMEC assessed the classified blocks for reasonable prospects of economic extraction by applying preliminary economics for potential open pit mining methods. Mining and process costs, as well as process recoveries used in the Lerchs–Grossmann (LG) pit shell were defined by AMEC. Pit input parameters are summarized in Table 14-4. Only Mo was considered as source of revenue for the open-pit scenario.

The cut-off for reporting mineral resources was calculated based on the Mo price, metallurgical process recoveries and costs, and selling costs. Table 14-15 shows a summary of the input parameters and the final derived Mo cut-off grade for Mineral Resource reporting.

The 2010 Feasibility Study variable slope angles were used to constrain the pit shell. For that study, geotechnical domains and pit slope angles were provided by SRK Consulting (SRK). SRK recommended dividing the future Kitsault pit area into seven slope domains, or sectors. AMEC coded the domains into the resource model, as required for the LG pit optimization and pit phase design. The inter-ramp angles were then flattened to overall slopes, allowing for the haulage ramps that would be included in the pit designs. Slope angle reductions were based on AMEC's ramp configuration, ramp width, the number of times a haulage ramp passes through a domain, the height

of the wall, and the inter-ramp slope assigned for the domain. Overall slopes used in pit optimization ranged from 42° to 48°. Inter-ramp slopes used for pit phase design ranged from 48° to 56°.

Table 14-14: Optimization Parameters for Open Pit Resource Shell, Kitsault

Parameter	Value
Mining Cost (CDN\$/t)	1.49
Incremental Mining Cost (CDN\$/bench)	Not used
Process Cost (CDN\$/t)	5.84
Process Recovery	89%
Mo price (CDN\$/lb)	17.39
Selling cost (CDN\$/lb)	1.24

Table 14-15: Marginal Cut-off Grade Input Parameters and Results for Mineral Resources, Kitsault

Parameters		Value
Processing Cost	CDN\$/t	5.84
Recovery	%	89
Price	CDN\$/lb	17.39
Mining Cost	CDN\$/t	1.49
Selling Cost	CDN\$/lb	1.24
Cut-off Mo	%	0.018

14.11.2 Bell Moly

For constraining the blocks to be reported as Mineral Resources AMEC defined an economic resource pit shell based on the parameters listed in Table 14-12, which are based on costs estimated for Kitsault.

AMEC used a long term molybdenum metal price of CAD\$17.39/lb for Mineral Resources. A constant slope angle of 45° was used to constrain the pit shell.

AMEC defined a cut-off grade of 0.020% Mo for reporting Mineral Resources based on the total of the mineralization-based mining, processing and sales costs evaluated. The mining cost assumption of \$2.09 for mineralized material includes an incremental transport cost of \$0.60/t for trucking of mineralization to the Kitsault processing plant and a mining cost of \$1.49/t for mineralized material (assuming owner-operated mining).

Table 14-16: Optimization Parameters for Resource Pit Shell, Bell Moly

Mining and Processing Costs	Unit	Value
Mining cost	CAD\$/t mineralization	2.09
Process cost	CAD \$/t mineralization	5.84
Total mineralized-material based costs	CAD \$/t milled	7.93
Selling cost	US\$/lb Mo	1.24
Average metallurgical recovery	%	89
Pit slope	Degrees	45

14.11.3 Roundy Creek

For constraining the blocks to be reported as mineral resources AMEC defined an economic resource pit shell based on the parameters listed in Table 14-13. AMEC used a long-term molybdenum metal price of CAD\$17.39/lb for Mineral Resources. A constant slope angle of 45° was used to constrain the pit shell.

AMEC defined a cut-off grade of 0.022% Mo for reporting mineral resources based on the total of the mineralized-material-based mining, processing and sales costs evaluated. The mineralized-material-based mining cost of \$4.10 includes an incremental transport cost of \$1.20 per tonne for trucking of mineralized material to the Kitsault processing plant and a mineralized-material-based mining cost of \$2.90 (assuming contractor mining).

14.12 Mineral Resource Statement

14.12.1 Kitsault

Mineral Resources have an effective date of 17 April 2012 and are classified in accordance with the 2010 CIM Definition Standards for Mineral Resources and Mineral Reserves.

Mineral Resources were estimated using a long-term molybdenum price of CAD\$17.39/lb. Mineral Resources for the Kitsault deposit are reported inclusive of Mineral Reserves and do not include dilution. Mineral Resources that are not Mineral Reserves do not have demonstrated economic viability.

The sensitivity of the estimate to changes in cut-off grade is summarized in Table 14-14, with the base case highlighted. Mineral Resources at the base case of 0.018% Mo are tabulated in Table 14-15.

Table 14-17: Optimization Parameters for Resource Pit Shell, Roundy Creek

Mining and Processing Costs	Unit	Value
Mining cost (mineralization)	CAD\$/t mineralization	4.10
Process cost	CAD \$/t mineralization	5.84
Total mineralized-material based costs	CAD \$/t milled	9.94
Selling cost	US\$/lb Mo	1.24
Average metallurgical recovery	%	89
Pit slope	Degrees	45

Table 14-18: Kitsault Deposit Mineral Resource Sensitivity to Cut-Off Grade; David Thomas P. Geo., Effective Date 17 April 2012 (base case is highlighted)

Measured Cut-Off Grade (Mo%)	Tonnage (Mt)	Mo (%)	Ag (ppm)	Mo (Contained Mlb)	Ag (Contained Moz)	Pb (ppm)
0.015	146.8	0.085	5.0	274.0	23.5	242
0.018	142.7	0.087	5.0	272.6	22.8	243
0.025	134.9	0.090	5.0	268.9	21.7	247
0.030	130.6	0.092	5.0	266.2	21.1	249
0.035	125.7	0.095	5.0	262.7	20.4	250
0.04	121.0	0.097	5.1	258.8	19.6	251
Indicated Cut-Off Grade (Mo%)	Tonnage (Mt)	Mo (%)	Ag (ppm)	Mo (Contained Mlb)	Ag (Contained Moz)	Pb (ppm)
0.015	192.2	0.056	4.6	237.8	28.4	229
0.018	179.1	0.059	4.6	233.0	26.7	231
0.025	149.1	0.067	4.8	218.8	23.1	241
0.030	133.3	0.071	4.9	209.2	21.1	246
0.035	117.1	0.077	4.9	197.7	18.6	250
0.04	102.5	0.082	4.9	185.6	16.2	251
Measured and Indicated Cut-Off Grade (Mo%)	Tonnage (Mt)	Mo (%)	Ag (ppm)	Mo (Contained Mlb)	Ag (Contained Moz)	Pb (ppm)
0.015	339.1	0.068	4.8	511.8	51.9	235
0.018	321.8	0.071	4.8	505.5	49.5	236
0.025	284.1	0.078	4.9	487.7	44.8	243
0.030	263.9	0.082	5.0	475.5	42.2	248
0.035	242.8	0.086	5.0	460.4	39.0	250
0.04	223.4	0.090	5.0	444.4	35.9	251
Inferred Cut-Off Grade (Mo%)	Tonnage (Mt)	Mo (%)	Ag (ppm)	Mo (Contained Mlb)	Ag (Contained Moz)	Pb (ppm)
0.015	352.9	0.038	4.4	299.1	50.5	230
0.018	317.6	0.041	4.6	286.3	47.3	237
0.025	244.8	0.047	4.9	252.1	38.8	242
0.030	200.5	0.051	4.8	225.2	31.1	231
0.035	145.6	0.058	4.6	185.8	21.6	218
0.04	100.4	0.067	4.4	148.7	14.4	209

**Table 14-19: Kitsault Deposit Mineral Resource Estimate; David Thomas P. Geo.,
Effective Date 17 April 2012**

Category	Tonnage (Mt)	Mo (%)	Ag (ppm)	Mo (Contained Mlb)	Ag (Contained Moz)	Pb (ppm)
Measured	142.7	0.087	5.0	272.6	22.8	243
Indicated	179.1	0.059	4.3	233.0	26.7	231
<i>Measured + Indicated</i>	<i>321.8</i>	<i>0.071</i>	<i>4.8</i>	<i>505.5</i>	<i>49.5</i>	<i>236</i>
Inferred	317.6	0.041	4.6	286.3	47.3	237

Notes to Accompany Kitsault Deposit Mineral Resource Tables

1. Mineral Resources are inclusive of Mineral Reserves
2. Mineral Resources that are not Mineral Reserves do not have demonstrated economic viability
3. Mineral Resources are defined with a Lerchs–Grossmann pit shell, and reported at a 0.018% Mo cut-off grade
4. Mineral Resources are reported using a commodity price of CDN\$17.39/lb Mo, an average process recovery 89%, a process cost of CDN\$ 5.84/t and selling cost of CDN\$1.24 /lb of Mo sold. No revenue was assumed for Ag
5. Tonnages are rounded to the nearest 100,000 tonnes; grades are rounded to three decimal places for Mo and one decimal for Ag
6. Rounding as required by reporting guidelines may result in apparent summation differences between tonnes, grade and contained metal content
7. Tonnage and grade measurements are in metric units; contained molybdenum is in imperial pounds.
8. There is a reasonable prospect of recovering silver, and the benefit has been included as a deduction in the operating cost. A dedicated silver recovery circuit has been included in the process design based on preliminary testing.

14.12.2 Bell Moly

Mineral Resources have an effective date of 1 May 2012 and are classified in accordance with the 2010 CIM Definition Standards for Mineral Resources and Mineral Reserves.

Mineral Resources were estimated using a long-term molybdenum price of CAD\$17.39/lb. The sensitivity of the estimate to changes in cut-off grade is summarized in Table 14-16, with the base case highlighted. Mineral Resources at the base case of 0.020% Mo are tabulated in Table 14-17.

Table 14-20: Bell Moly Mineral Resource Sensitivity to Cut-Off Grade; David Thomas P. Geo., Effective Date 1 May 2012 (base case is highlighted)

Category	Cut-Off Grade (Mo%)	Tonnes (Mt)	Molybdenum Grades (%)	Mo Content (Contained Mlbs)
Inferred	0.010	120.5	0.045	119.5
	0.020	109.7	0.048	115.8
	0.030	99.2	0.050	110.0
	0.040	78.2	0.054	93.6

Table 14-21: Bell Moly Mineral Resource Estimate, 0.02% Mo Cut-Off; David Thomas P. Geo., Effective Date 1 May 2012

Category	Tonnage (Mt)	Mo %	Mo Content (Contained Mlb)
Inferred	109.7	0.048	115.8

Notes to Accompany Bell Moly Deposit Mineral Resource Tables

1. Mineral Resources are defined with a Lerchs–Grossmann pit shell, and reported at a 0.02% Mo cut-off grade
2. An incremental mining cost of \$0.6/t of mineralization was used to account for trucking of mineralized material to the proposed Kitsault processing facility that is planned to be located approximately 7 km to the east.
3. Mineral Resources are reported using a commodity price of CDN\$17.39/lb Mo, an average process recovery of 89%, a process cost of CDN\$5.84/t and selling cost of CDN\$1.24/lb of Mo sold.
4. Tonnages are rounded to the nearest 100,000 tonnes; grades are rounded to three decimal places for Mo
5. Rounding as required by reporting guidelines may result in apparent summation differences between tonnes, grade and contained metal content
6. Tonnage and grade measurements are in metric units; contained molybdenum is in imperial pounds.

14.12.3 Roundy Creek

Mineral Resources have an effective date of 1 May 2012 and are classified in accordance with the 2010 CIM Definition Standards for Mineral Resources and Mineral Reserves.

Mineral Resources were estimated using a long-term molybdenum price of CAD\$17.39/lb. The sensitivity of the estimate to changes in cut-off grade is summarized in Table 14-19 for the Sunshine zone and in Table 14-20 for Roundy, with the base case highlighted. Mineral Resources at the base case of 0.022% Mo are tabulated in Table 14-21.

The Sunshine and Sunlight deposits contain components of high grade mineralization in semi-massive to massive molybdenite which form spatially coherent zones and which could potentially be mined separately. The 0.1% Mo cut-off in the Mineral Resource sensitivity table is shown to highlight this higher grade material.

Table 14-22: Sunshine and Sunlight Mineral Resource Sensitivity to Cut-Off Grade; David Thomas P. Geo., Effective Date 1 May 2012 (base case is highlighted)

Category	Cut-Off Mo Grade (%)	Tonnes (Mt)	Mo Grade Mo (%)	Mo Content (Contained M lbs)
Indicated	0.010	2.17	0.099	4.8
	0.022	1.94	0.109	4.7
	0.030	1.74	0.119	4.6
	0.040	1.56	0.129	4.4
	0.050	1.42	0.137	4.3
	0.100	0.52	0.250	2.9
Inferred	0.010	0.38	0.071	0.6
	0.022	0.33	0.079	0.6
	0.030	0.24	0.097	0.5
	0.040	0.19	0.117	0.5
	0.050	0.17	0.122	0.5
	0.100	0.06	0.227	0.3

Table 14-23: Roundy Mineral Resource Sensitivity to Cut-Off Grade; David Thomas P. Geo., Effective Date 1 May 2012 (base case is highlighted)

Category	Cut-Off Mo Grade (%)	Tonnes (Mt)	Mo Grade Mo (%)	Mo Content (Contained M lbs)
Inferred	0.010	4.40	0.072	7.0
	0.022	4.32	0.073	7.0
	0.030	4.20	0.075	6.9
	0.040	3.68	0.080	6.5

Table 14-24: Roundy Creek Mineral Resource Estimate, 0.022% Mo Cut-Off; David Thomas P. Geo., Effective Date 1 May 2012

Sunshine and Sunlight Area Category	Tonnes (Mt)	Mo Grade Mo (%)	Mo Content (Contained M lbs)
Indicated	1.94	0.109	4.7
Inferred	0.33	0.079	0.6
Roundy Area Category	Tonnes (Mt)	Mo Grade Mo (%)	Mo Content (Contained M lbs)
Inferred	4.32	0.073	7.0

Notes to Accompany Roundy Creek Deposit Mineral Resource Tables

1. Mineral Resources are defined with a Lerchs–Grossmann pit shell, and reported at a 0.022% Mo cut-off grade
2. An incremental mining cost of \$1.20/t of mineralization was used to account for trucking of mineralized material to the Kitsault processing facility located approximately 7 km to the east. A contractor mining cost of \$2.90 has been assumed.
3. Mineral Resources are reported using a commodity price of CDN\$17.39/lb Mo, an average process recovery of 89%, a process cost of CDN\$5.84/t and selling cost of CDN\$1.24/lb of Mo sold.
4. Tonnages are rounded to the nearest 1,000 tonnes; grades are rounded to three decimal places for Mo
5. Rounding as required by reporting guidelines may result in apparent summation differences between tonnes, grade and contained metal content
6. Tonnage and grade measurements are in metric units; contained molybdenum is in imperial pounds.

14.13 Factors That May Affect the Mineral Resource Estimate

Factors which may affect the geological models, the estimation method, Mineral Resource classification confidence categories, and the conceptual pit shells, and therefore the Mineral Resource estimates include:

- Metal price assumptions;
- Changes in interpretations of lithological domains;
- Changes in interpretations of structural boundaries;
- Changes in modelling assumptions to allow for independent modelling of elements
- Changes to the search orientations, search ellipse ranges, and numbers of octants used for grade estimation;
- Pit slope angles and geotechnical assumptions supporting the pit shells;
- Changes to the assumptions used to generate the Mo cut-off grades for resource declaration;
- Use of additional costs in pit shell constraints, such as inclusion of incremental mining costs
- Review of the classification criteria used for each deposit
- Additional drilling that may support removal of confidence category limits at Bell Moly and Roundy Creek that were imposed on legacy data.

14.14 Comments on Section 14

The QPs are of the opinion that the Mineral Resources for the Project, which have been estimated using core data, have been performed to industry best practices, and conform to the requirements of CIM (2010).

15.0 MINERAL RESERVE ESTIMATES

15.1 Key Assumptions/Basis of Estimate

The block size used for the mineral reserve model is 10 x 10 x 10 m. AMEC constructed a topographic surface based on the LiDAR survey conducted during 2009, and used it to code the model with the percentage of the block that lay below topography.

15.2 Pit Slopes

Geotechnical domains and pit slope angles were provided by SRK Consulting (SRK). SRK recommended dividing the future Kitsault pit area into seven slope domains, or sectors. AMEC coded the domains into the resource model, as required for the LG pit optimization and pit phase design. The inter-ramp angles were then flattened to overall slopes, allowing for the haulage ramps that would be included in the pit designs. Slope angle reductions were based on AMEC's ramp configuration, ramp width, the number of times a haulage ramp passes through a domain, the height of the wall, and the inter-ramp slope assigned for the domain. Overall slopes used in pit optimization ranged from 42° to 48°. Inter-ramp slopes used for pit phase design ranged from 48° to 56°.

15.3 Dilution and Mining Losses

The effect of the expected internal dilution was analyzed and accounted for during the estimation of the grade components of the Resource Block Model.

To estimate the extents of external dilution, AMEC visually inspected the block model to assess the continuity of the ore zones and how much external dilution and losses could be realized when mining of the deposit according to the mining method and the selected equipment sizes. In plan, the deposit consists of a higher-grade ring of mineralization that gradually decreases in grade. The mineralization above the economic cut-off tends to be continuous over distances of more than 100 m. The mineralization is not constrained by sharp structural boundaries, but rather the grade of a waste block next to an ore block tends to be just slightly below the economic cut-off.

Since the production schedule envisaged for Kitsault incorporates the use of stockpiles and the variation of the cut-off grade along scheduling years, estimating dilution for each case becomes a moving target and a time consuming process, therefore AMEC implemented a fully diluted model approach. The in-situ grades from the resource

model along with the resource classification were used for two-dimensional dilution estimation.

Diluted grades for a fully diluted model were calculated based on neighbour blocks located in the same level, thus each analyzed block has 4 neighbour blocks to be analyzed: the North neighbour, the South neighbour, the East neighbour and the West neighbour. If a neighbour block is classified as Measured or Indicated, then the analyzed block is diluted using the grade found in the neighbour block. If a neighbour block was classified other than Measured or Indicated, then the analyzed block is diluted using grades set to zero. A one meter wide corridor on each side of the economic boundary represented the dilution factor for each of the neighbour blocks, equivalent to 6.25%. The formula applied can be represented as:

$$\text{Diluted Grade} = (\text{In-situ Grade Analyzed Block} * 75\%) + \sum (\text{Dilution Factor} * \text{Grade of Neighbour Block})$$

The net dilution effect of this approach is driven by the continuity or variability of the mineralization and how clustered the Measured or Indicated Resources are. Since Kitsault deposit shows good continuity, the net effect of the external dilution is reflected mainly along the contact of material classes and it was found within reasonable order. Measured and Indicated Resources within the final pit limits above a cut-off grade of 0.026% Mo have an average in-situ grade of 0.0814% Mo; after running the dilution script, the average diluted grade is 0.0810% Cu, representing a decrease of 0.4% in metal content.

Another aspect which is always present in mining operations is known as mining loss, which accounts for losses originated by operational and human errors like: over-blasting creating excessive mixing of waste and ore, mineralized material left behind in loading areas due to cleaning in corners and ramps, misrouting of truck loads and material sent to the improper destination, spills along the route to process, among others.

AMEC considered 0.5% of the overall ore tonnage as mining loss and this material has been deducted from the ROM tonnage and routed to the waste dumps for costing purposes.

Dilution and loss have a very small impact on the total mineralization, and are considered appropriate for a porphyry-type deposit.

15.4 Conversion Factors from Mineral Resources to Mineral Reserves

The marginal cut-off is the point where the revenue from processing the ore is equal to the total ore-based costs to process the ore. As the haul to the crusher is shorter than

the haul to the waste dump, the total ore-based costs include a credit for the difference between the ore and waste haulage costs. The equations used were:

$$\text{Total ore-based costs} = \text{ore-based costs} + \text{ore mining cost} - \text{waste mining costs}$$

$$\text{Total ore-based costs} = 5.83 + 1.80 - 1.95 = \$5.68/\text{t}$$

The resulting marginal cut-off is 0.026% Mo.

Material was considered to be ore if the revenue of the block exceeded the ore-based costs (processing, sustaining capital allowance, tailings management, G&A and closure allowance). The revenue was based on net molybdenum price after refining charges and a 1.7% royalty deduction. Process recovery for material with a grade of 0.026% Mo was considered at 81.1%. Revenue from silver was not included in the constraining of the Mineral Reserves.

Stockpile ore degradation was not accounted for in the cut-off calculation. Considering re-handling costs of \$0.73/t, the marginal cut-off for low grade material sent to the stockpile and loaded and hauled back to the crusher is 0.030% Mo. Process recovery for re-handled material with grade of 0.030% Mo was considered at 81.9%.

15.5 Mineral Reserves Statement

The mineral reserves for the Kitsault Project are tabulated in Table 15-1 at a cut-off grade of 0.026% Mo. Mineral Reserves have an effective date of 4 February 2013.

15.6 Factors That May Affect the Mineral Reserve Estimate

Areas of uncertainty that may materially impact the Mineral Resource estimates include:

- Long-term commodity price assumptions
- Long-term exchange rate assumptions

15.7 Comments on Section 15

The QPs are of the opinion that the Mineral Reserves for the Project have been performed to industry best practices, and conform to the requirements of CIM Definition Standards (2010).

**Table 15-1: Kitsault Mineral Reserves, Effective Date 4 February 2013
Ramon Mendoza Reyes, P. Eng. (cut-off 0.026% Mo)**

Classification	Tonnage (Mt)	Mo (%)	Ag (g/t)	Contained Mo (M lb)	Contained Ag (M Oz)
Proven	129.0	0.092	5.0	262.4	20.7
Probable	99.2	0.070	5.0	153.1	15.9
Total Proven and Probable	228.2	0.083	5.0	415.5	36.6

Notes:

1. Mineral Reserves are defined within a mine plan, with pit phase designs guided by Lerchs–Grossmann (LG) pit shells, and reported at a 0.026% Mo cut-off grade, after dilution and mining loss adjustments. The LG shell generation was performed on Measured and Indicated mineral resources only, using a molybdenum price of \$13.58/lb, an average mining cost of \$1.88/t mined, a combined ore based cost of \$7.09/t milled, and a selling cost of \$1.24/lb of Mo sold. Metallurgical recovery used was a function of the head grade, defined as $\text{Recovery} = 7.5808 \cdot \text{Ln}(\text{Mo}\%) + 108.63$ with a cap applied at 95%. Revenue from silver was not included in the LG shell generation. Overall pit slopes varied from 42 to 48 degrees.
2. Dilution and Mining loss have been accounted for based on a contact dilution approach assuming a dilution band of one meter around the contact edges. A total of 2.6Mt of Measured and Indicated mineral resources above cut-off was routed as waste. 1.4Mt of Measured and Indicated material below cut-off has been included as dilution material. The grade of the diluting material was the grade of those blocks. An additional 0.3Mt of Inferred dilution material with grades set to zero is included in the mine plan as mill feed.
3. Tonnages are rounded to the nearest 100,000 tonnes; grades are rounded to three decimal places for Mo and one decimal place for Ag.
4. Rounding as required by reporting guidelines may result in apparent summation differences between tonnes, grade and contained metal content.
5. Tonnage and grade measurements are in metric units; contained molybdenum is in imperial pounds and contained silver is in troy ounces.
6. The life-of-mine strip ratio is 1.05:1

16.0 MINING METHODS

16.1 Pit Design

16.1.1 Pit Optimization

The mining cost used in the pit optimization was based on the results of the 2011 feasibility study and included direct operating and maintenance costs for drilling, blasting, loading, and hauling (Table 16-1). Other costs included are general mine support for road, bench, waste rock management facility (WRMF) maintenance, dewatering, and ore control.

The implementation of a haulage module of the mine design software Vulcan™ facilitated the modeling of an incremental mining cost to account for the increased cost of hauling material from deeper in the pit to the different destinations. For ore and waste material the incremental cost was \$0.022/t for every 10 m bench below the reference level at the 680 m elevation. An additional cost of \$0.34/t for waste haulage accounts for the waste disposal destination located higher and further away than the ore crusher pad destination. The reference mining cost for ore is \$1.24/t at the 680 m reference level and averages \$1.80/t within the selected ultimate pit shell. The reference mining cost for waste is \$1.58/t at the 680 m reference level and averages \$1.95/t within the selected ultimate pit shell.

Ore-based costs used in pit optimization were based on the results of the 2011 feasibility study estimates and are shown in Table 16-2.

Molybdenum recovery is based on a head grade recovery formula developed by AMEC and was limited to a maximum of 95%:

$$\text{Recovery} = 7.5808 \times \ln(\text{Mo}\%) + 108.63$$

A metal price of CDN\$13.58/lb (US\$12.50/lb) of molybdenum was used. The total selling cost of \$1.24/lb includes molybdenum roasting charges, smelting and refining charges, ocean transport, insurance, and 1.73% of royalties.

Open pit optimization was undertaken to generate a set of nested pit shell surfaces to guide the design of operational pit phases. The pit optimization and accompanying sensitivity work were completed using the LG algorithm as implemented in the Whittle™ software package. The nested pit shells were generated by varying the revenue factor (RF), developing a schedule of material movement for the RF 1.0 pitshell, and running a sensitivity analysis on the input parameters.

Table 16-1: Mining Cost

Item	Cost (CDN\$/t)
Reference mining cost (ore)	1.24
Incremental surface haulage cost for waste material	0.34
Reference mining cost (waste)	1.58
Average incremental mining cost for each 10 m bench for material below reference level: elevation 680 m	0.022
Total Average Mining Cost (Ore)	1.80
Total Average Mining Cost (Waste)	1.95

Table 16-2: Ore-based Costs

Area	Cost (CDN\$/t)
Process Operation and Tailings Management	4.74
G&A	0.93
Environmental	0.16
Total Unit Ore-Based Cost	5.83

A discount factor of 8% was used for the estimation of the project discounted cash flows. After performing a skin analysis for the final pit selection (Hanson et al., 2001), the RF 0.9 pit shell was selected to guide the ultimate pit design since it maximized plant feed material and discounted cashflow.

The ultimate pit operational design, although slightly larger than the pit shell, fits reasonably well with a 8% increase in stripping ratio, same molybdenum grade, and 1.6% increase in contained metal.

Sensitivity analysis on the optimizations found that the Project is more sensitive to changes in molybdenum price and less sensitive to changes in mining cost; for example, a 20% reduction in molybdenum price would result in a reduction of 11% in molybdenum content; a 20% increase in molybdenum price would result in an increase of 7% in molybdenum content. A 20% increase in the mining cost generates a reduction of 4% of the contained molybdenum; a 20% reduction in the mining cost generates an increase of 3% of the contained molybdenum. The contained molybdenum is less sensitive to $\pm 5^\circ$ pit slope changes. Flattening the pit walls by 5° results in a reduction of 3% in contained molybdenum; steepening them by 5° results in a 2% increase in contained molybdenum. The wall slope has a much larger impact on the amount of waste contained in the pit. Flattening the walls by 5° results in 18% more waste in the pit, whereas steepening those produces 14% less waste. The pit is

sensitive to changes in process recovery. When the modelled recovery was multiplied by a factor of 0.9, contained molybdenum decreased by 11%.

16.1.2 Pit Design Phases

The Kitsault ultimate pit was divided into six phases, shown in Figure 16-1, based on nested LG shell guidance, molybdenum grade, the Patsy Creek diversion requirement, strip ratio, access considerations, and operational constraints.

Ramps in final walls have a design width of 33 m and a maximum gradient of 10%. The minimum mining width is 60 m. The crest elevation of the phases is 800 masl and the pit bottom elevation is 220 masl.

The ultimate pit design includes 24.8 Mt of Inferred Mineral Resources at a grade of 0.043% Mo; this material is treated as waste in the mine plan. This material could potentially be processed if additional drilling supports upgrading to higher-confidence Mineral Resources.

16.2 Production Plan


The mine material movement schedule was developed with the following objectives:

- Gain early access to the higher-grade ore to facilitate capital recovery earlier in the mine life
- Meet volume requirements for construction materials for roads, platforms, and the TMF South Embankment, mainly during the preproduction period
- Minimize waste stripping by carefully positioning the haul roads and by maintaining a smooth waste to ore ratio
- Integrate the diversion of Patsy Creek along the south wall of the open pit.

Under the Project master plan, construction and pre-stripping are scheduled over a 15-month period. The primary objective of preproduction mining is to supply material for the South Embankment of the TMF and other construction projects. Preproduction mining will also focus on developing mine access roads suitable for large mining equipment and “facing-up” the initial pit phases into productive set-ups for the start of production.

The production plan was developed on a quarterly basis for preproduction and the first two years of production, and annually thereafter (Table 16-3).

Figure 16-1: Kitsault Pit Phases in Plan at 540 m Elevation



Note: Figure prepared by AMEC, 2013. Phases 1 and 4 do not reach 540 m elevation

Table 16-3: Summary Mine Production Plan by Year

Year	Ore			Waste		Total
	To Crusher (kt)	To Stockpile (kt)	From Stockpile (kt)	Rock (kt)	Snow (kt)	All Material (kt)
Preproduction Y-2	-	-	-	1,048	-	1,048
Preproduction Y-1	-	-	-	7,860	111	7,971
Year 1	12,528	2,483	-	23,520	89	38,620
Year 2	14,600	6,718	-	24,470	112	45,900
Year 3	14,600	2,695	-	27,744	184	45,224
Year 4	14,600	1,825	-	25,573	181	42,179
Year 5	14,640	4,935	-	17,501	142	37,217
Year 6	14,600	2,421	-	15,362	154	32,538
Year 7	14,600	479	-	18,606	137	33,821
Year 8	14,600	157	-	18,762	142	33,661
Year 9	14,640	-	-	17,879	138	32,657
Year 10	14,600	1,225	-	12,570	134	28,529
Year 11	14,600	-	-	12,994	131	27,726
Year 12	14,600	2,191	-	8,698	127	25,617
Year 13	14,640	965	-	4,093	123	19,821
Year 14	14,231	-	369	3,122	108	17,830
Year 15	-	-	14,600	-	21	14,621
Year 16	-	-	11,125	-	21	11,146
Total	202,079	26,094	26,094	239,802	2,056	496,125

Note: Without snow removal and stockpile rehandle, the total material mined, inclusive of preproduction mining, is 467,975 kt.

The plan assumes that the mine will operate 365 d/a, with 10 days allowed for delays due to fog and winter conditions. The plant was scheduled to operate 365 d/a with sufficient materials stockpiled at the crusher and coarse ore stockpile to accommodate mine outages resulting from weather constraints. Maximum vertical advance per phase per year was twelve 10 m benches. Total pre-stripping is 9.0 Mt. Peak material movement is 129 kt/d. The highest rate of vertical advance is in Year 1, when Phase 3 is mined at a rate of 11 benches a year. In the production years, two to three phases are typically active in any period. The maximum mining rate of 45.9 Mt/a is achieved in Year 2. The average rate from Years 1 to 10 is 38.5 Mt/a.

Mill feed constitutes the ore transported directly from the mine plus ore reclaimed from the stockpiles (Table 16-4). After plant ramp-up, mill feed will average 40,000 t/d. Contained Mo in the mill feed is projected to average approximately 32.1 Milb/a in the first five years and 26.0 Milb/a over the life of the mine; the maximum is 39.5 Milb in Year 3.

Table 16-4: Summary of Mill Feed by Period

Period	Mill Feed			Mo %	Mo Recovery %
	From Pit (kt)	From Stockpile (kt)	Total (kt)		
Y1 Q1	2,184	-	2,184	0.125	76.0
Y1 Q2	3,094	-	3,094	0.117	90.1
Y1 Q3	3,570	-	3,570	0.082	90.3
Y1 Q4	3,680	-	3,680	0.111	92.2
Y2 Q1	3,600	-	3,600	0.112	92.2
Y2 Q2	3,640	-	3,640	0.116	92.4
Y2 Q3	3,680	-	3,680	0.119	92.6
Y2 Q4	3,680	-	3,680	0.119	92.6
Y3	14,600	-	14,600	0.123	92.7
Y4	14,600	-	14,600	0.074	89.6
Y5	14,640	-	14,640	0.094	90.9
Y6	14,600	-	14,600	0.098	91.2
Y7	14,600	-	14,600	0.092	90.8
Y8	14,600	-	14,600	0.073	89.6
Y9	14,640	-	14,640	0.069	89.3
Y10	14,600	-	14,600	0.081	90.3
Y11	14,600	-	14,600	0.072	89.4
Y12	14,600	-	14,600	0.079	89.8
Y13	14,640	-	14,640	0.078	89.8
Y14	14,231	369	14,600	0.079	90.0
Y15	-	14,600	14,600	0.040	84.3
Y16	-	11,125	11,125	0.040	84.3
Total	202,079	26,094	228,173	0.083	89.6

Includes 300 kt of Inferred dilution material with grades set to zero.

The Kitsault deposit has very little overburden, most of which is too thin to recover. When a recoverable thickness is encountered it will be pre-stripped from the mining area before production mining begins. The initial stripped materials will be stockpiled for construction and reclamation purposes. Materials stripped during the mine production period will continue to be stockpiled. On decommissioning of the mine, the downstream slope of the WRMF will be resloped to 2:1 (H:V). It is anticipated that the resloping itself will provide an acceptable medium for growth of vegetation. However, in the event that resloping alone is not adequate, a provision has been allowed for in the closure cost estimate to place a 0.45 m thick layer growth medium over the resloped waste rock, plus an additional 0.3 m thick layer of topsoil. The cover or the resloped waste rock would then be vegetated by seeding and planting.

16.3 Equipment

16.3.1 Equipment Selection

Mining equipment selection was based on a high-level comparative analysis of budgetary quotes received from major brand vendors. One 34 m³ electric hydraulic

shovel and one 22 m³ electric hydraulic shovel were selected as primary loading tools based on requirements for the 10 m bench height and productivity levels. An 18 m³ front end loader has been included as a support / backup unit. A peak of fourteen 218 tonne haul trucks were estimated to handle the haulage requirements. Sizes and numbers of support and auxiliary equipment were based on the nature of the tasks the equipment is expected to perform and general fit with the main mine production fleet. The complete life-of-mine equipment fleet, including replacement and retirement units, from preproduction to the end of the mine life, is shown by year in Table 16-5.

Auxiliary equipment will include various utility trucks, equipment handling implements, and personnel vehicles. Track dozers, wheel dozer, graders, hydraulic excavators, and water truck will be used for stockpile and waste dump maintenance, cleaning waste from the ore contacts and drill pattern cleanup, general drainage maintenance tasks, and dust suppression.

Mine modelling software will be used to incorporate data from exploration and production drilling to develop a bench plan to delineate the ore and waste mining zones. Both zones will be drilled in a single 10 m pass with 270 mm (10⁵/₈") diameter holes. A wall control program will be used along all final walls, but not normally for intermediate pit phases except when the walls are planned to be exposed and left standing for more than one full year. Horizontal pit wall drain holes at 121 mm will be required in selected areas to depressurize the wall rock. The 121 mm (4³/₄") holes will be drilled with a hammer drill and the 270 mm (10⁵/₈") holes with an electric rotary drill.

A 70% emulsion / 30% ANFO blend blasting and water-resistant agent, will be used for all blasting. Blast hole patterns will be designed by the drill and blast engineers for optimal "digability", cost, and fragmentation for ore and waste areas. Every production hole near a boundary between ore and waste zones will be sampled. Inside a known ore zone, one of three drill holes will be sampled, representing approximately 5,000 t. In known waste zones, one of every 12 holes, which represents 20,000 t of waste rock, will be selected for waste characterization. The blasthole sampling will generate an average of 22 samples a day.

Equipment productivities were calculated based on estimated annual operating hours and mechanical availability. Annual operating hours varied by fleet due to associated availabilities. To allow for inefficiencies, a 50-minute operating hour was applied to all equipment. In addition, 95% truck availability was applied to the 34 m³ electric hydraulic shovel, 90% truck availability was applied to the 22 m³ electric hydraulic shovel and 75% to the loader.

Table 16-5: Mine Equipment Fleet Requirements

Equipment Unit	Y- 2	Y- 1	Y1	Y2	Y3	Y4	Y5	Y6	Y7	Y8	Y9	Y10	Y11	Y12	Y13	Y14	Y15	Y16
<i>Major Equipment</i>																		
CAT MD 6540 Rotary Drill	-	1	2	2	2	2	2	2	2	2	2	2	2	2	1	1	-	-
CAT MD 5075 Percussion Drill	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-
CAT 6060 FS Hydraulic Shovel	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
CAT 6040 FS Hydraulic Shovel	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-
CAT 994 SHL Front-End Loader	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
CAT 793F Haul Truck	2	4	10	12	14	14	13	13	14	14	14	13	14	14	11	10	4	3
<i>Support Equipment</i>																		
CAT D10T Track Dozer	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1
CAT D6 Track Dozer	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
CAT 16M Grader	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1
CAT 777G Water Truck	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
CAT 834H Tire Dozer	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
CAT 349L Hydraulic Excavator	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
CAT 329L Hydraulic Excavator	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
CAT 740 Haul Truck	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
<i>Auxiliary Equipment</i>																		
55 Tonne Class Crane	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
15 Tonne Forklift	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Fuel/Lube Truck	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Mechanics Truck	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1
CAT 950 Tire Handler	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Light Plant	4	4	4	4	4	4	4	4	4	4	4	4	4	4	2	2	2	2
Light Vehicle	5	5	5	5	5	5	5	5	5	5	5	5	5	5	3	3	3	3
Crew Bus	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
Truck with 10 t Arm-Crane	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Low Bed Tractor Trailer	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Ambulance	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
CAT 988 Cable Reeler	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

16.3.2 Equipment Maintenance

The strategy for repair and maintenance of the mobile equipment fleets at the Kitsault project will be an Owner-managed maintenance program. During equipment assembly and commissioning, manufacturing representatives will be present on site to train both the operators and maintenance personnel. The ratio of maintenance personnel to equipment operators will be 0.46 to 1.0.

The mine truckshop will be a pre-engineered building housing four heavy-vehicle repair bays, a light-vehicle repair bay, and other bays for tire change-out, welding, and equipment washing. It will also have areas for offices, a warehouse, and emergency vehicles.

16.4 Geotechnical

A geotechnical pit slope design evaluation was carried out by SRK (2010) in which geotechnical core logging, discontinuity orientation and laboratory strength testing served as the basis for analysis.

The rock mass model was divided into two geotechnical domains, hornfels and intrusives, which are similar in terms of discontinuity orientations, but distinctly different with regard to rock mass properties. Based primarily on geologic structure, pit wall orientation and operational considerations, the final pit was further divided into 10 sectors for analysis.

Bench configurations as well as inter-ramp and overall slope angles were assessed separately for each sector and domain. Bench design was evaluated using stochastic simulations of discontinuity properties (such as orientation, spacing, persistence, and shear strength) to analyze the likelihood for plane shear and/or wedge type failures to occur in a given bench configuration and orientation.

Inter-ramp and overall slope stability analyses were conducted using probabilistic limit equilibrium methods. A design probability of failure of up to 30% for slopes with low failure consequences and approximately 10% for high failure consequences were used for inter-ramp and overall slopes; however, in most cases, slope recommendations were controlled by bench design rather than inter-ramp slope angles.

Analysis results were combined to produce a coherent and complete set of design criteria for a rational final slope profile with allowances for dewatering requirements, safety berms, and access. Design recommendations were developed for bench configuration as well as inter-ramp and overall pit slope angles. Recommendations are summarized in Table 16-6.

16.5 Drainage and Dewatering

The water management strategy for the Project is discussed in detail in Section 18.

A two-dimensional pit inflow model was prepared across the pit extending from Patsy Creek on the south end to its diversion north of the pit. The model incorporates three separate hydraulic zones, and predicts a total groundwater inflow to the pit of 4,800 m³/d at the end of mining, but this prediction is sensitive to the assumed bulk hydraulic conductivity assigned to the rock mass, particularly for the lower quartz monzonite and the hornfels. Actual inflow volumes will vary in accordance with the bulk hydraulic conductivity rates.

Table 16-6: Pit Slope Design Recommendations

Sector	Max. Slope Height (m)	Inter-ramp Slope Angle (°)	Average Bench Face Angle (°)	Bench Height (m)	Average Berm Width (m)
1	520	48	79	20	14.1
2	425	48	70	20	10.7
3	370	52	83	20	13.1
4	430	50	68	20	8.7
5	425	54	73	20	8.4
6	345	54	73	20	8.4
7	370	54	73	20	8.4
8	350	52	70	20	8.4
9	195	56	79	20	9.6
10	210	54	73	20	8.4

Water will be managed via ditching on benches and through sumps in the pit floor, assuming an arrangement of 50 m long horizontal drains at 50 m spacing along benches and 100 m long on ramps. The actual drain requirements will be assessed during operations based on the performance of the dewatering system; requirements are likely to vary with mine depth.

A diversion will be constructed along the south wall of the open pit early in operations to convey the diverted Patsy Creek catchment toward Lime Creek. This will be maintained until closure, when the diverted flows will be allowed to flow directly into the open pit until it fills, at which time it will discharge to Lime Creek. The Patsy Creek diversion may be maintained upon the cessation of mining activities until the pit fills without the input of Patsy Creek flows, should this be deemed necessary to mitigate flow reductions in Lime Creek.

Surface water captured in the mine area will be pumped to the TMF or, if of suitable quality, be discharged to Lime Creek to be mixed with the diverted flows from Patsy Creek.

Precipitation, seepage from walls, and horizontal drains will introduce water into the pit. Some of this water will be absorbed by the broken rock and be hauled out with the rock or removed as snow.

As the mine deepens a collection system of ditches, pipes, sumps, pumps, and booster pumps will be required to contain the water. The pit dewatering system will be designed to handle a two-year return period rain storm. Rain events in excess of this

will flood the lower areas of the pit. During these rare events, mining will be focused on the upper mining phases until the water is pumped out of the pit bottom.

Ditches will route water that collects in the pit bottom to small, temporary sumps created as part of the normal mining operation. Open pit dewatering will continue throughout the mine life, with dewatering flows being either pumped to the TMF or discharged directly to Lime Creek.

16.6 Emission Controls

All equipment will be maintained in good working order to minimize CO₂ emissions. All main equipment is designed to meet OSHA and MSHA occupational noise criteria. Routine water spraying by the water truck will suppress dust generated on roads, benches, and dump areas. Used oil will be collected at the truck shop and temporarily stored on site. Some of the waste oil will be used as a constituent of the fuel component in the ANFO mix; the surplus oil will be sent off site for recycling.

16.7 Comments on Section 16

In the opinion of the QPs:

- The mining methods used are appropriate to the deposit style and employ conventional mining tools and mechanization;
- The LOM open pit mine plan has been appropriately developed to maximize mining efficiencies, based on the current knowledge of geotechnical, hydrological, mining and processing information on the Project;
- The equipment and infrastructure requirements required for life-of-mine operations are well understood. Conventional mining equipment will be used. The LOM fleet requirements are appropriate to the planned production rate and methods;
- The predicted mine life to 2031 is achievable based on the projected annual production rate and the Mineral Reserves estimated.

17.0 RECOVERY METHODS

17.1 Process Flow Sheet

The process design is for a concentrator with a nominal processing capacity of 40,000 t/d of ore from an open pit. The sample used to develop the metallurgical was obtained during a 2008 drilling campaign and was used at the Process design criteria for the facilities are based on the following:

- Exploratory testwork conducted for Avanti by RDi of Denver, Colorado, on samples obtained during a 2008 drilling campaign
- Testwork supervised by AMEC Americas Inc. at SGS-Vancouver and SGS-Lakefield in 2010, using samples obtained during a 2008 drilling campaign
- Testwork supervised by AMEC Americas Inc. at RDi of Denver, Colorado in 2011, on samples obtained during a 2008 drilling campaign
- Information available from historical testwork and production by CMC.

Where data were not available at the time of flowsheet development, AMEC developed criteria for the sizing and selection of equipment from reasonable assumptions, benchmarking, and the use of modern modelling and simulation techniques.

Key design criteria for the Kitsault process plant are listed in Table 17-1.

The mineral processing plant is based on conventional technology and proven equipment. Figure 17-1 is a simplified diagram showing the major processing steps.

17.1.1 Process Description

The mineral processing plant is based on conventional technology and proven equipment. The circuit selected for Mo recovery is gyratory crushing followed by a SABC (semi-autogenous mill, ball mill, crushing circuit) with rougher flotation followed by regrinding and cleaner flotation. By-product silver recovery occurs within the de-pyritizing circuit. Figure 17-1 is a simplified diagram showing the major processing steps.


Run-of-mine (ROM) ore from the open pit will be crushed and conveyed to a stockpile. Ore will be withdrawn from the stockpile to feed a semi-autogenous grind (SAG) mill (12 MW). Discharge from the SAG mill will pass over a vibrating screen, which will separate out the coarse fraction for recycle to a pebble crusher for size reduction before being re-introduced into the SAG mill.

Table 17-1: Key Process Design Criteria

Description	Unit	Value
Annual Throughput	t/a	14,600,000
Daily Throughput	t/d	40,000
Operating Days per year	d/a	365
Overall Concentrator Availability	%	92
Nominal Design Feed Grade Mo	%Mo	0.11
Plant Recovery		
Nominal Plant Mo Recovery	%	90
Mo Concentrate Target Grade	%	52
Lead level in Mo Concentrate	% Pb	<0.04
Primary Crushing	-	Gyratory
Crushing Work Index	kWh/t	14
Coarse Ore Live Storage	t	41,000
Grinding Circuit Configuration	-	SABC
SAG Mill Power	MW	12.00
SAG Mill - Ball Mill T ₈₀	mm	4.31
Pebble Crushing Type	-	Cone
Ball Mill Power	MW	12.00
Ball Mill Circulating Load	%	257
Bond Ball Mill Work Index, 85th Percentile	kWh/t	14.3
Discharge Particle Size, P ₈₀	µm	230
Flotation Feed	% solids	35.4
Rougher-Scavenger Flotation Residence Time	min	24
3 Stage Mo Regrinding		
Regrind Work Index	kWh/t	14.5
Scavenger Regrind Circuit Product Size, P ₈₀	µm	120
Cleaner Stage 1 Circuit Product Size, P ₈₀	µm	50
Cleaner Stage 3 Circuit Product Size, P ₈₀	µm	24
5 Stage Mo Cleaning		
1st Cleaner Flotation Residence Time	min	7
1st Cleaner Scavenger Flotation Residence Time	min	7
2nd Cleaner Stage Flotation Residence Time	min	2
3rd Cleaner Flotation Residence Time	min	1.5
4th Cleaner Flotation Residence Time	min	1
5th Cleaner Flotation Residence Time	min	1
Cleaner Circuit Density Ranges	% solids	10 – 20%
Final Mo Concentrate Processing		
Concentrate Thickener Underflow Density	%wt solids	60
Impurity Leach Residence Time	hours	4
Concentrate Filter Cake Moisture	% moisture	12
Dried Concentrate Moisture	% moisture	5
Silver Circuit		
Nominal Silver Recovery	%	30
Nominal Silver Concentrate Grade	g/t	2000
4 Stages of Silver Cleaning		
1st Ag Cleaner Flotation Residence Time	min	5

Description	Unit	Value
2nd Ag Cleaner Stage Flotation Residence Time	min	3
3rd Ag Cleaner Flotation Residence Time	min	3
4th Ag Cleaner Flotation Residence Time	min	3
Reagents		
AF56	g/t ore feed	6
MIBC	g/t ore feed	6
Nokes Reagent	g/t ore feed	85
Diesel	g/t ore feed	186
Lime	g/t ore feed	218
AP3477	g/t ore feed	50
Xanthate	g/t ore feed	50

Figure 17-1: Process Overview



Note: Figure prepared by AMEC, 2010.

Undersize from the discharge screen will be pumped to a cyclone pack where coarse material will report to a ball mill (12 MW) for grinding to near liberation size. Cyclone overflow will report to the rougher–scavenger bulk flotation circuit (twelve 160 m³ tank cells).

Molybdenite and some pyrite, along with significant entrained and locked non-sulphide gangue, will be recovered in rougher and scavenger flotation. The rougher concentrate will be sent to the 1st cleaners. The concentrate from that unit operation will be reground, while the 1st cleaner tails will join the scavenger concentrate at the scavenger regrind thickener.

The reground 1st cleaner concentrate is subsequently upgraded in one more mechanical and three column flotation steps, for a total of five cleaning steps, including a regrind of the 3rd cleaner concentrate, to produce a final concentrate.

Material thickened in the scavenger regrind thickener will be reground and then passed through the 1st cleaner scavenger cells, which send a concentrate to the feed of the 1st cleaners and the tailings product to the silver cleaner recovery circuit. The discharge from the silver recovery circuit will be sent to the final sulphide tailings disposal box.

The tailings from the scavenger flotation will report to the flotation cells which are used for primary silver recovery and for desulphurization. The silver concentrate product recovered here will be sent to the silver cleaner recovery circuit. There the silver material will be upgraded by regrinding and cleaning to produce a saleable silver concentrate. As noted previously the tailings from this circuit will be sent to the final sulphide tailings disposal box. The sulphide material recovered from desulphurization which is not sent to the silver cleaner recovery circuit will be sent directly to the final sulphide tailings disposal box. The final sulphide material will be sent to the TMF, and will be disposed of sub-aqueously.

The tailings from the roughing stage of the de-pyritization flotation, now sulphide-depleted, will be sent to the tailings cyclones. The coarse sand generated by the cyclones will be used for dam construction, while the slimes will be disposed of within the main impoundment area. When not building dams, all tailings will be discharged into the tailings pond.

The final concentrate from the molybdenum cleaning circuit will be sent to the molybdenum thickener. After thickening, the material will be sent to the lead leaching circuit, where it will be treated with hydrochloric acid to ensure that the material meets customer specifications before being prepared for shipment. After leaching, the

concentrate will be filtered, washed, re-filtered and then dried before being bagged for shipment.

The final concentrate from the silver circuit will be sent to the silver thickener. After thickening, the concentrate will be filtered and then stored in a concentrate shed prior to being shipped to customers.

The general arrangement of the concentrator equipment is shown in Figure 17-2.

Crushing and grinding equipment sizing is performed to allow the plant to meet or exceed daily requirements >80% to ensure that the daily average tonnage rates are met. The rougher flotation capacity is sized on a scale-up factor of 2.0 while the cleaner and regrind capacities are produced from the material mass balances.

17.2 Energy, Water, and Process Materials Requirements


17.2.1 Process Material Requirements

All flotation and leaching reagents used in the process are commonly available and are considered to be bulk commodities and not dependent on a sole producer. Reagents will generally be delivered in tote bags (for solids, e.g. PAX) or ISO containers (for liquids, e.g. AF65, Nokes' reagent). Enough space will be allocated for four weeks' storage of unmixed reagents.

The reagent fuel oil will be stored outside the mill in its own tank, which will be periodically refilled by tanker from the main diesel tanks on site. MIBC will also be primarily stored outside the mill in its own tank, which will be periodically refilled by tanker from the reagent supplier in Edmonton. Special precautions will be taken for fire prevention in the concentrator facility with use of these reagents.

Lime required for pH control will be shipped in trucks as pebble quicklime from Southern British Columbia. The quicklime will be slaked and mixed on site.

Figure 17-2: Concentrator General Arrangement



The steel grinding media and the large mill liners are available from a variety of sources and pose no risk in supply. The regrind media and regrind mill components are more specialized and may be single source. There are alternative technologies now available for fine regrinding and these will be examined in detailed engineering to ensure that the project is not vulnerable to these parts.

All other maintenance parts utilized within the process plants are commonly available in Canada.

17.2.2 Water

Process water will be obtained from two sources:

- Water reclaimed from the TMF
- Internal plant recycle (thickener overflow).

The water will be stored in a process water tank sized for two hours' requirement. Most process water will be used in grinding and flotation, with lesser amounts used for washing, flushing, and general cleanup

Fresh water will be supplied from Clary lake and pumped to a fresh/firewater tank at the mill site. Water for potable use will be pumped through a chlorination process, stored in a potable tank at the mill site, and distributed to potable water users in the mill site area and in the camp.

Fresh water will be used for clean water requirements at the plant including:

- Spray water in the flotation columns
- Cooling water for the mill drives and lubrication systems
- Cooling water for plant air compressors
- Reagent mixing
- Gland seal water.

Storage will be provided for four hours' supply of clean service water at normal consumption rates. If the freshwater system is interrupted for a significant period, the needs listed above would be met from the process water system.

17.2.3 Energy

Energy requirements are discussed in Section 21.

17.3 Comments on Section 17

In the QP's opinion, three principal risks were identified in the testwork. These are:

- Grinding hardness and the delivery schedule of the ore: there is a period early in the mine life, one quarter in particular, where the ability to meet throughput target is right at the limit. The alleviating measure is to ensure tight ore control coming from the pit so as to not aggravate the situation any further.
- Confirming the target Mo recovery and final Mo concentrate grade by locked cycle testwork. Initial tests did not work out, primarily due to problems with the testing. However both subsequent testwork performed in 2011 and the successful industrial level production of molybdenum concentrates at a high recovery prior to 1982 support the flowsheet and the proposed recovery levels in the mine model. It is believed that the plant can control these issues by good control practice in both the regrind and cleaner flotation areas.
- Confirming that premium concentrate quality can be achieved by proper flotation conditions followed by impurity leaching. This was confirmed by testwork completed in 2011. This issue is now considered to be a minor risk which can be alleviated by being conservative in the leach circuit design.

The QPs also note that potential opportunities are recognized in the recovery of silver. Preliminary testwork indicates that it should be possible to produce saleable silver concentrate. However, the same issues that existed in the cleaning of the molybdenum concentrate are duplicated with the recovery of silver to a concentrate. Good control of regrinding and mass pull are critical. Further testwork in this area is recommended to develop robust design criteria.

It is further recommended that for engineering purposes, provision is made to determine settling and filtration data for design.

Use of larger primary flotation cells is one area in particular that would help reduce capital costs in the plant.

18.0 PROJECT INFRASTRUCTURE

18.1 Infrastructure Layout

Considering the rugged topography in the area, buildings and facilities will be constructed on pads at different elevations utilizing the limited available flat sections of land. The Project infrastructure will consist of:


- An open pit
- A camp/accommodation complex
- A processing plant
- Maintenance and administration facilities
- A tailings management facility (TMF)
- Various ancillary buildings
- Diversion ditches
- Pipelines for water and tailing
- A revised transmission line alignment to the proposed process plant location.

A layout plan is included as Figure 18-1.

The locations of the process plant and several ancillary facilities have changed from those presented in the 2009 pre-feasibility study:

- The mill has been sited on the eastern flank of an existing knoll with a peak elevation of 935 m and average high elevation of 930 m. Platform grading of the process circuit layout will allow for gravity flow through the process plant and then to the TMF to the southeast.
- The truckshop/warehouse and fuel storage compound is at an elevation of 742 m and is approximately 1.3 km north of the open pit. Site selection considered topography, suitability of ground conditions, and convenience for the mining trucks to pull in for service or refuelling. It will also keep most of the noise below and away from the camps and mill site.
- The explosives plant will be located up a side road from the mine access road, about 500 m to the northeast of the TMF.
- The primary crusher will be installed as close as possible to the rim of the open pit. The crushed ore will be conveyed at an angle of 14° over a horizontal length of approximately 1,380 m to the coarse ore stockpile west of the plant site. A semi-mobile crusher was chosen to permit relocation within the pit as mining progresses.

Figure 18-1: Plan Layout of Open Pit, Waste Dump, and Plant Site



Note: Figure prepared by AMEC, 2010

The facility layout considers a 500 m flyrock clearance limit beyond the ultimate pit limit, in accordance with Mines Department recommendations. With the exception of the primary crusher, the plant site, including the truckshop and fuel storage compound, falls outside this limit.

18.2 Road and Logistics

18.2.1 Haul Roads

Haul roads are required between the pit operational areas and the ore crusher, WRMF, TMF South Embankment, overburden stockpiles, construction areas, and the truckshop. Durable NAG waste rock will be used for road bases and capping material. During the initial construction period the mine will be responsible for building the roads from the mining faces to the crusher ore pad and the WRMF. All other roads will be constructed by contractors as part of the overall construction stage and are not included in the mining costs.

18.2.2 Snow Removal

The Kitsault site receives approximately 10 m of snow annually. Some of this snow will accumulate in active working areas and will need to be trucked from the pit to a dedicated snow dump on the western edge of the WRMF. The dump is sized to hold 300,000 m³ of placed snow, which is assumed to melt each summer so the same dump area can be used the following winter. Runoff from the snow dump will be contained by the pit perimeter ditches and will report to the contact water sump, from where it will be pumped to the TMF for containment.

18.3 Stockpiles

Short-term stockpiling is required to buffer crusher downtime and production fluctuations from the pit. Low-grade ore mined early in the life will be stored in long-term stockpiles; this will facilitate the preferential processing of higher grade ore and improve the NPV of the project. The material between the elevated cut-off and the economic cut-off will be placed in a long-term stockpile and be processed through the mill at the end of the mine life.

18.4 Waste Storage Facilities

Waste rock in the block model has been characterized as either non acid-generating (NAG) or potentially acid-generating (PAG). The split between NAG and PAG rock

was based on a ratio of neutralizing potential to acid potential of 1.0, as recommended by SRK (2009). Most of this rock will be placed in the WRMF located in the Patsy Creek drainage area, buttressing the South Embankment of the TMF. Two small in-pit waste rock management facilities with a capacity of 5.4 Mt will also be utilized (Figure 18-2).

18.5 Tailings Storage Facilities

The tailings management facility (TMF) was designed to provide environmentally-secure storage for disposal of 233 Mt of tailings. Overall site capacity could reach 300 Mt with additional engineering and cost data should future expansion warrant. The TMF will include the following:


- South Embankment
- Northeast Embankment
- Seepage collection ditches and ponds
- Bulk tailings distribution system
- Bulk tailings beaches
- Bulk tailings feeder lines to on-crest cyclones
- Cleaner tailings distribution
- Cleaner tailings cell
- Reclaim water system
- Surplus water system
- Supernatant water pond.

The layout of the TMF is included as Figure 18-3.

The South Embankment will be constructed as an asphalt core rock-fill dam (ACRD) water-retaining starter embankment and raised as a zoned compacted cyclone sand rockfill dam. The Northeast Embankment will be constructed across the top of the Patsy Creek watershed as a geomembrane-faced rock-fill dam (GFRD) and raised as a compacted cyclone sand embankment. The embankments will be developed in stages throughout the life of the Project using the centreline construction technique.

A hazard classification was completed to determine design earthquakes and storm events for the TMF South and Northeast embankments. Selection of appropriate design criteria is based on those provided by the Canadian Dam Association (CDA) Dam Safety Guidelines (2007).

Figure 18-2: Kitsault WRMF Facilities



Note: Figure prepared AMEC, 2013.

Figure 18-3: General Layout of Tailings Management Facility




Figure courtesy Knight Piesold and Avanti 2010.

Two tailings streams will be generated in the process plant and transported to the TMF. Scavenger (bulk) tailings will be transported to both the Northeast and South Embankments by either the cyclone feed lines or the bulk tailings distribution lines. Cleaner (pyrite) tailings will be transported to a separate location within the TMF near to the reclaim barge so that this tailings stream will remain in a subaqueous state perpetually. The cyclones are expected to operate during the summer and fall months in order to generate the required volume of sand for embankment construction. The balance of the bulk tailings discharge during the summer and fall months not required for cycloning, as well as the full bulk tailings stream during the winter and spring months will be discharged from both embankment crests using spigots to build tailings beaches.

Multiple levels for seepage control have been included in the design to minimize seepage losses, including the development of extensive tailings beaches (thereby isolating the supernatant pond from the embankments), toe drains to reduce seepage gradients, and contingency measures for groundwater recovery and recycling.

Seepage will largely be controlled by the low permeability core zone of the starter South Embankment and the geomembrane face of the starter Northeast Embankment constructed prior to development of the tailings beach, the tailings deposit, and the low permeability foundation materials. Seepage at the South Embankment and Northeast Embankment will follow the natural topography and report either to the South Seepage Collection Pond (wet well) or to the two Northeast Seepage Collection and Recycle Ponds, developed at topographic low points. The seepage recovery system for the tailings embankments will comprise a system of seepage collection trenches, seepage collection ponds, and a seepage pumpback assembly, with a system of groundwater monitoring recovery wells available as contingency measures.

18.6 Water Management

The TMF and the open pit are located in the middle and lower reaches of the Patsy Lake catchment and hence have the ability to collect all runoff from areas affected by the mining operation, which can then be recycled for reuse or discharged to Lime Creek. The Project is located within an area where a significant overall surplus of water is unavoidable and hence runoff from upstream areas not affected by the mining operation will be diverted to the maximum practicable extent.

18.6.1 Management Plan

The objective of the water management plan is to manage water in order to provide sufficient water to support the mill water requirements, while mitigating environmental impacts to downstream receiving waters, namely Lime Creek and Lake 901. Water

will be controlled in a manner that minimizes erosion in areas disturbed by construction activities and prevents the release of sediment laden water to the receiving environment. This includes the collection and diversion of surface water runoff, sediment control ponds, and pump back systems. The key facilities for the water management plan are:

- Open pit
- Mill
- Tailings management facility (TMF) – South and Northeast Embankments
- Water box
- East waste rock management facility (EWRMF)
- Low grade (LG) stockpile
- Diversion and water management structures
- Sediment and erosion control measures for the facilities

The aim of the water management plan is to utilize water within the project area to the maximum practicable extent. The water management plan involves collecting and managing site runoff from disturbed areas and maximizing the recycle of process water. Surplus water will be stored on site within the TMF and used for the milling process, with the excess water being released to Lime Creek. The water supply sources for the project are as follows:

- Precipitation runoff from the mine site facilities
- Water recycle from the TMF supernatant pond
- Freshwater from Clary Lake for potable, fire, and mill processing
- Groundwater from Open Pit dewatering and depressurization wells
- Treated septic and grey water, in small quantities, from the camp.

Water management during construction of the TMF, open pit, and associated facilities will entail establishing water management and sediment control structures including cofferdams, pumping systems, and diversion ditches, as follows:

- The South diversion channel will be constructed along the southern part of the Patsy Creek catchment to diverted clean water from the upslope catchment areas around the TMF and open pit construction areas.
- A series of upstream cofferdams and pumping systems will be required to dewater the South Embankment footprint during construction.

- All runoff from the open pit will be collected in a sediment pond located within the ultimate pit down gradient of the pre-stripping area. The runoff from this pond will then be discharged to Patsy Creek during the construction period.
- The south water management wet-well will be constructed to collect runoff from the South Embankment construction. This in-stream pond will be located within the ultimate toe of the EWRMF.

18.6.2 Water Diversion

Diversion of runoff to the maximum practicable extent possible has been achieved by diverting the upper catchment areas of the Patsy Creek watershed and making provision for the diversion of Patsy Creek around the open pit on a bench along the south wall of the pit.

Water accumulating in the TMF surface pond will be recycled for reuse in the process as required. Surplus water will be discharged into the Lime Creek watershed where it will mix with runoff from upstream areas not affected by the mining operation.

The crest elevations of the TMF embankment raises have been designed to provide sufficient freeboard to contain the runoff from a probable maximum precipitation (PMP) storm assuming all the diversion systems fail. Notwithstanding this, each stage of the TMF will include an emergency spillway so that the safety of the embankments can never be compromised. The final crest will contain a spillway capable of handling the runoff from a probable maximum flood (PMF) event over the entire upstream catchment.

A diversion will be constructed along the south wall of the open pit early in operations to convey the diverted Patsy Creek catchment toward Lime Creek. This will be maintained until closure, when the diverted flows will be allowed to flow directly into the open pit until it fills, at which time it will discharge to Lime Creek. The Patsy Creek diversion may be maintained upon the cessation of mining activities until the pit fills without the input of Patsy Creek flows, should this be deemed necessary to mitigate flow reductions in Lime Creek.

Surface water captured in the mine area will be pumped to the TMF or, if of suitable quality, be discharged to Lime Creek to be mixed with the diverted flows from Patsy Creek.

18.6.3 Open Pit

A two-dimensional pit inflow model was prepared across the proposed open pit extending from Patsy Creek on the south end to its diversion north of the pit. The

model incorporates three separate hydraulic zones, and predicts a total groundwater inflow to the pit of 4,800 m³/d at end of mining, but this prediction is sensitive to the assumed bulk hydraulic conductivity assigned to the rock mass, particularly for the lower quartz monzonite and the hornfels. Actual inflow volumes will vary in accordance with the bulk hydraulic conductivity rates.

Water will be managed via ditching on benches and through sumps in the pit floor, assuming an arrangement of 50 m long horizontal drains at 50 m spacing along benches and 100 m long on ramps. The actual drain requirements will be assessed during operations based on the performance of the dewatering system; requirements are likely to vary with mine depth.

Precipitation, seepage from walls, and horizontal drains will introduce water into the pit. Some of this water will be absorbed by the broken rock and be hauled out with the rock or removed as snow.

As the mine deepens a collection system of ditches, pipes, sumps, pumps, and booster pumps will be required to contain the water. The pit dewatering system will be designed to handle a 2-year return period rain storm. Rain events in excess of this will flood the lower areas of the pit. During these rare events, mining will be focused on the upper mining phases until the water is pumped out of the pit bottom.

Ditches will route water that collects in the pit bottom to small, temporary sumps created as part of the normal mining operation. Open pit dewatering will continue throughout the mine life, with dewatering flows being either pumped to the TMF or discharged directly to Lime Creek.

18.6.4 Water Balance

A stochastic analysis was carried out on the base case monthly operational mine site water balance using the GoldSim[®] software package. The intent of the modelling was to estimate the magnitude and extent of any water surplus and/or deficit conditions in the TMF based on a range of possible climatic conditions. The water balance indicates that the mine site is in surplus conditions during all years of operations. Surplus water to be discharged to the environment from the TMF is in the order of 9 Mm³/a, for the median scenario.

18.7 Accommodation

The construction camp is envisaged as 15 stand-alone, single-storey dormitories designed to accommodate 700 people and a stand-alone, single-storey primary

services facility. The permanent accommodation complex will be built within the construction camp, which will be upgraded once full-time staff are in place and operations commence. The permanent camp will include six stand-alone, single-storey dormitories and the same pre-built primary services facility from the construction camp. Employees will work 12-hour shifts on a three-weeks-in/three-weeks-out rotation.

18.8 Power

Power supply for the Kitsault site will be 138 kV from an existing power transmission line from the BC Hydro New Aiyansh substation approximately 70 km (42 miles) from the site. The BC Hydro line was originally built to 138 kV standards but is currently energized at 25 kV.

A substation consisting of interrupting breaker, isolation switches, and protective relaying will be required at the tap point on the existing line to feed the Kitsault mine site. The new transmission line from the tap point to the site will meet utility standards.

The incoming transmission line will terminate at a new main site substation. The substation will have an incoming circuit breaker, disconnect switches, power transformers, switchgear, and protective equipment for the transformation of power from the transmission voltage level of 138 kV to the site distribution/utilization level of 13.8 kV.

The anticipated electrical load for the Kitsault site is as follows:

- Connected load: 74.9 MW
- Average load: 52.3 MW
- Power factor: 95%

The main substation will be adjacent to the mill, where the largest loads are located, to minimize cabling costs and losses. The transformer secondaries will be connected to a primary distribution centre (PDC) to distribute power to the site. Feeders from the substation will be run in cable tray or on power lines to the area loads. The process plant distribution voltage will be 13.8 kV, obtained from the 13.8 kV PDC switchgear in the main substation.

The primary power supply to the open pit will be two 13.8 kV feeds from the PDC at the main substation.

The mine facilities will be supplied with power through radial feeders originating at the main substation and routed on site using cable tray on pipe racks, installed on overhead power lines, direct buried, or in duct banks.

To minimize installation costs, the electrical rooms will be distributed around the site and installed as close as possible to the major electrical loads. All process electrical rooms will be modular units assembled off site.

A nominal 2.0 MW modular standby power plant will be provided, rated for the maximum power required in the event of a Utility power failure. The plant will consist of a minimum of two gensets. Uninterruptible power supplies will be used to provide backup power to critical control systems. Emergency battery power packs will be available for backup power to the fire alarm system and emergency egress lighting fixtures.

18.9 Water

Process water will be a combination of reclaim water from the TMF and fresh water from a storage tank. The minimum freshwater requirements for the process plant were estimated to peak at 120 m³/h.

Fresh water for the project will be obtained from Clary Lake for firefighting, potable water, reagent mixing, and gland water. Water from the lake will be pumped to a 1,475 m³ combined freshwater/firewater storage tank at the mill. Water will be distributed from the tank to the various use areas.

18.10 Communications

Site communications will be designed to meet the needs of the ongoing operation and will consist of an optic fibre network, and voice, data, fax, Internet, and video (1000Base T devices) capabilities, using voice-over-Internet protocols (VOIP).

18.11 Fuel

The maximum diesel fuel storage capacity at the truckshop for the mine fleet is estimated to be 644,000 L, providing upward of 10 day storage capacity. In addition, 126,000 L of storage will be available at the mill site. This will provide a seven-day supply of fuel for the site mobile equipment based upon a daily consumption of 18,000 L/d.

At the truckshop area, the diesel fuel will be stored in two tanks, each having a capacity of 322,000 L, within an HDPE-lined and bermed containment tank farm. At the mill site, diesel fuel will be stored in one tank with a capacity of 126,000 L within an HDPE-lined and bunded tank farm.

Liquid propane will be supplied to the plant site for the cooking appliances in the camps. The propane will be stored in mobile tanks. A fixed pump/vaporizer assembly will be provided to ensure sufficient vapour flow regardless of outside temperature

18.12 Comments on Section 18

In the opinion of the QPs, the planned infrastructure is appropriate to support the estimated life-of-mine plan.

19.0 MARKET STUDIES AND CONTRACTS

19.1 Market Studies

An overview of the marketing history and projected demand for molybdenum over the next several years was prepared during the 2010 Feasibility Study by the CPM Group as part of its “Molybdenum Market Outlook,” June 2010, updated with market developments to November 2010.

Key findings of the studies were:

- The strength in molybdenum prices over the 2000s follows a long history of lacklustre price performance, with prices averaging \$3.20 from 1950 through 2000
- Relatively underdeveloped applications for molybdenum-bearing products in combination with reasonably consistent production from by-product producers, whose operations are largely insensitive to the fundamentals in the molybdenum market, kept prices subdued during those years
- Market changes during the 2000s included
 - Few substitutes for molybdenum in its major applications.
 - Demand is leveraged to the energy industry
 - Molybdenum is typically used in very small quantities in end uses that require specific properties, such as the ability to withstand highly corrosive environments and extreme temperatures.
 - Molybdenum demand is correlated to industrial production rather than discretionary trends in consumer spending
- Financing has become far more difficult and expensive for molybdenum projects
- Primary producers are expected to play a large role in filling the gap between mine production and demand.
- Output from illegal swing producers in China may be fairly limited.

The molybdenum market is characterized by two distinct types of sources of mine supply, which in the long run respond to different market fundamentals. The majority of the world’s molybdenum supply comes from copper/molybdenum deposits located in the United States, Chile, and Peru, where molybdenum is produced as a by-product of copper production. Primary molybdenum deposits, typically found in China, the United States, and Canada, account for the largest portion of the remaining output.

Molybdenum can also be recycled from both steel and spent catalysts, but using molybdenum scrap versus “new” molybdenum is not always cost advantageous.

Historically, scrap has not been consistently cheap enough or abundant enough relative to mined molybdenum to spur a significant shift away from primary material.

Molybdenum is commonly added to specialty and stainless steels because of its effectiveness as a hardening agent and also for its strength, toughness, and corrosion resistance. In inhospitable environments such as extreme temperatures, deep water, and other locations exposed to corrosive elements, molybdenum-bearing products are employed to optimize performance. Molybdenum's applications range from oil and gas pipelines and offshore infrastructure to industrial plants and automotive, ship, and aircraft components.

Molybdenum demand is heavily dependent on global steel consumption, with roughly 70% of molybdenum used in steel alloying. Other metallurgical uses such as superalloys and cast irons account for an additional 16% of total molybdenum demand. Non-metallurgical applications account for the remaining share. These specialty chemical end-users include catalysts for petroleum refining, lubricants, and pigments.

19.2 Commodity Price Projections

In February 2010, the London Metals Exchange (LME) launched the first futures contract for roasted molybdenum concentrate. With very thin trading volume, however, this contract has yet to serve as benchmark for prices. Prices are still typically determined by negotiation between producers, trading houses, and end users, with supply and demand fundamentals in the background. Molybdenum is traded in various forms, including raw molybdenum concentrates, molybdenum oxide, ferromolybdenum, ammonium molybdate, and molybdenum powders.

For the purposes of the 2013 Feasibility Study Update, Avanti selected the three-year trailing average Mo price, at US\$14.50/lb as the base case for the financial analysis. Sensitivity cases using higher and lower Mo prices were evaluated, and results are included in Section 22.3.

19.3 Contracts

Avanti has entered into a Molybdenum Concentrate Tolling Agreement (MCTA) with Molibdenos y Metales S.A. (Molymet) of Chile for the life-of-mine molybdenum concentrate production at the company's Kitsault project.

Within this agreement Avanti has the option to reduce the molybdenum concentrate delivered to Molymet for processing to 80% of the total production in the event one of the company's strategic partners wants to take its 20% share in the form of

molybdenum concentrate. The MCTA allows for the conversion of Kitsault molybdenum concentrates to technical-grade molybdenum oxide, which will meet the specifications of the London Metals Exchange (LME) and ferro-molybdenum.

Molymet is a publicly-owned Chilean corporation listed on the Santiago Stock Exchange and has been processing molybdenum concentrates since 1975. Molymet has production facilities in Chile, Mexico, Belgium, Germany and China and treats approximately 180 Mlb/a of molybdenum in concentrates at its various facilities, representing approximately 35% of world molybdenum consumption.

Avanti has determined that the best strategy for selling the processed molybdenum concentrate produced from the Kitsault mine is to enter into off-take agreements with several selected end-users of the product. Terms of these off-take agreements would vary depending on project financing conditions. Although Avanti has entered an off-take commitment Letter of Intent with one potential purchaser, consisting of 50% of production for the life of mine, the terms have not yet been finalized.

Discussions with several other parties remain in progress.

19.4 Comments on Section 19

In the opinion of the QPs:

- Avanti has appropriately considered marketing of product from the Project
- The financial analysis uses the three-year trailing average Mo price; use of the three-year trailing average is an industry standard method of determining commodity pricing in detailed engineering studies.

20.0 ENVIRONMENTAL STUDIES, PERMITTING, AND SOCIAL OR COMMUNITY IMPACT

On March 19, 2013, Environment Minister Terry Lake and Energy, Mines and Natural Gas Minister Rich Coleman issued a conditional Environmental Assessment Certificate to Avanti Kitsault Mine Ltd. for the Kitsault open-pit molybdenum mine project. The Environmental Assessment Certificate includes 34 conditions and a Certified Project Description. Each of the conditions is a legally binding requirement that Avanti Kitsault Mine Ltd. must meet to be in compliance with the certificate. It is also a legal requirement that the project be built and operated in accordance with the Certified Project Description.

Concurrent with the BC Environmental Assessment Act process, Avanti also began the Federal environmental assessment process in 2010 with the submittal of the Project Description. Avanti expects a positive federal decision later in 2013. The delay is due to statutory differences in the approval timeframes between the Provincial and Federal Acts.

20.1.1 Public Consultations

The EAO invited public comment on the draft AIR for the proposed Project from March 9, 2011, to April 8, 2011, and held an open house in Terrace, BC, which was attended by 57 people. The key issues raised by the public included: impacts to wetland function, aquatic and marine life, community water system, human health and safety, and tourism and economic opportunities for surrounding communities.

A 30-day public comment period on the Application was held from May 11, 2012, to June 11, 2012. An open house was held by EAO during the Application review period, in Terrace on May 23, 2012. Issues raised by the public generally included: impacts to air quality, ground and surface water quality, marine aquatic life; dust, noise, vibrations, health and safety, tourism; increased traffic; and potential economic, employment and business benefits to the local communities. Most comments were extremely positive and focused on the economic benefits of the proposed Project.

20.2 Baseline Studies

20.2.1 Initial Studies

Historical mining in the Kitsault area has resulted in the development of baseline data for more than 20 years. A number of Project-specific baseline studies were completed

by Rescan Environmental Services Ltd (Rescan), SRK Consulting (SRK) , AMEC and Knight Piésold, . Studies and monitoring included:

- Completion of dust-fall monitoring for air quality determination purposes
- Completion of noise level monitoring to collect background noise data that could be used to evaluate the potential and cumulative effects of sensitive receptors to noise emissions associated with activities of the Project
- Installation of an automated meteorological station in the Project area
- Installation of three hydrometric stations at Patsy Creek near the mouth, Lime Creek below Patsy Creek, and Lime Creek near the mouth
- Completion of ground water baseline data, including drilling of 22 boreholes, installation of 22 monitoring wells; hydraulic conductivity testing of the subsurface formations; monitoring groundwater levels; and determining baseline groundwater quality
- Collection of monthly water samples from four sites; collection of quarterly water samples from two sites; collection of weekly (freshet) samples from four sites; sampling of wetlands and Patsy Lake
- Collection of physical oceanography data; including seven water quality samples; ten sediment samples; and marine biota samples
- Completion of a survey of 97 sites in the study area; analysis for metals
- Completion of a survey of 73 wetland sites; wetland mapping identified 82.45 ha of wetlands within the study area
- Identification of six ecosystems listed by the British Columbia Conservation Data Centre (CDC) in the study area
- Completion of a survey of terrestrial and marine wildlife; including aerial and ground-based surveys for mammals, birds, and amphibians
- Establishment of a visual landscapes baseline by inspection of eight sites
- Completion of an Archaeological Impact Assessment under the Heritage Conservation Act permit 2009-0085. A total of 785 shovel tests were conducted at 86 locations within the Project area; no archaeological sites were identified, and seven historical features were found
- Completion of a desk-based review of information available primarily in published reports and data. Phone interviews were conducted to obtain additional statistical and socio-economic information from provincial government offices

- Completion of a comprehensive overview of regional land and resource use in and around the project area was prepared from desk-based research.

20.2.2 Additional 2011–2012 Studies

Additional studies were performed in 2012 in support of the EA. Results are outlined below.

Aquatic Environment

To provide data on the differences between water quality in streams that had not been subject to mining activity, and those draining the Kitsault open pit, actual water quality in upper Lime Creek and upper Patsy Creek (upstream of the influence from historic mining activities) was sampled. Resulting data were blended with the existing sampling data to create a synthetic data set of pre-mining “natural” water quality conditions downstream of the mine site near the confluence of Lime Creek and Patsy Creek. The modelled assumption of water quality prior to historical mining activity was called “natural” and was used to compare against current conditions and future predicted water quality in Lime Creek.

Without water quality data collected prior to mining over 40 years ago, which does not exist, it is impossible to know what pre-mining “pristine” water in lower Lime Creek would have been; Avanti’s water quality modelling to synthesize pre-mining “natural” water quality represents the best estimate available in effort to understand what the water quality conditions may have been prior to mining, and to understand how historic mining impacts are influencing current conditions in lower Lime Creek.

Baseline Water Quality

The mine site is located within three small watersheds (Lime Creek, Patsy Creek and Clary Creek Watersheds), all which drain into the marine environment in Alice Arm.

Most of the historic and proposed mine site facilities are located within the Patsy Creek watershed (including Patsy Lake), which is a tributary to the Lime Creek watershed draining directly into Alice Arm. The total surface area to be disturbed from the proposed Project facilities footprint within the Patsy Creek watershed is approximately 8.7 km², which represents 21.9% of the total Lime Creek watershed area which is 39.7 km².

A smaller portion of the mine infrastructure is located within the Clary Creek watershed (including Lake 901 and Clary Lake), which is a tributary to the Illiance River draining into Alice Arm near the head of the inlet. The total surface area to be disturbed from

the proposed Project facilities footprint within the Clary Creek watershed is approximately 1.8 km², which represents 4.9% of the total Clary Creek watershed area which is 36.7 km².

The Kitsault River is the largest watershed draining into Alice Arm and accounts for about 57% of the total fresh water discharge to Alice Arm. For watershed context, the Lime Creek watershed accounts for approximately 5% of the total fresh water discharge into Alice Arm; and the Illiance River accounts for approximately 17%.

The site experienced two periods of historic mining. The first was from 1968 to 1972 and the second from 1981 to 1982. The first round of mining involved direct tailings discharge to Lime Creek and the more recent mining operations involved submarine disposal of tailings into Alice Arm on the ocean bottom.

Historic mine facilities remaining in the proposed Project area include the original Kitsault open pit and the Patsy and Clary waste rock dumps, 3 and 27 Mt of waste rock respectively. These facilities are impacting current water quality conditions in Lime Creek.

Baseline water quality data were collected by various consultants from 1990 to 2010. Avanti conducted additional baseline water quality monitoring from 2010–2011. Streams in the area are generally typical of BC coastal streams, having low alkalinity and hardness, slightly acidic to slightly basic pH, and low nutrient and metal concentrations.

Lime Creek is an exception and current water quality has elevated metal concentrations because it receives drainage from highly mineralized areas and existing mine infrastructure, including the historic Kitsault pit and waste rock dumps.

This information shows exceedances of British Columbia Water Quality Guidelines (BCWQG) and Canadian Council of Ministers of the Environment (CCME) guidelines for a number of parameters of concern. These parameters include fluoride, nitrite, sulphate, aluminum, cadmium, copper, iron, molybdenum and zinc. The existing water quality data indicate that water quality guidelines for one or more parameters of concern are always exceeded in Lime Creek (LC1) under current conditions. However, several of these parameters of concern exceed guidelines only periodically at certain times of the year and only at some sampling stations.

BCWQG and CCME guidelines for protection of freshwater aquatic life are meant to be protective of the most sensitive receptors and thus are applied across BC as an initial tool when predicting effects to the environment. It is important to note that these guidelines apply to receiving waters and are not legally enforceable. Whereas,

discharge permit regulations (i.e. waste discharge authorization under the BC Environmental Management Act) apply to effluent quality and are legally enforceable.

The most significant stream total metal concentrations occurred at the Patsy Creek sampling station adjacent to the historic Kitsault Pit during low flow periods. Current water quality exceeded the BCWQG Maximum guidelines for cadmium, chromium, and copper while the CCME guidelines were exceeded by aluminum, cadmium, chromium, copper, iron, lead, and molybdenum.

Most parameters in the Clary Creek and Illiance watersheds were within the BCWQG for the protection of freshwater aquatic life. Exceptions to this included water samples collected near the bottom of Clary and Lake 901, which had a number of parameters exceeding the BCWQG. Cadmium has been noted to have exceedances in the Illiance River, both upstream and downstream of the confluence with Clary Creek.

Baseline Sediment Quality

Baseline sediment quality in streams within the Project area frequently exceeds applicable government guidelines, due to local mineralization and the spatial overlap with historic mining activities in the Patsy Creek/Lime Creek watershed.

Stream sediments exceeded guidelines at all sampling sites. Arsenic, cadmium, chromium, copper, iron, lead, manganese, nickel, silver and zinc exceeded guidelines in stream sampling sites. Arsenic, cadmium, chromium, copper, iron, lead, manganese, mercury, nickel, silver and zinc exceeded guidelines in lake-bottom sediment sampling sites.

Marine Baseline Water Quality and Sediment Quality – Alice Arm

The Lime Creek watershed accounts for approximately 5% of the total fresh water discharge into Alice Arm, compared to those of the Kitsault River (57%), the Illiance River (17%), and other smaller creeks (21%).

Alice Arm is a glacially-fed, steep-sided, U-shaped fjord approximately 19 km long and 1.4 km wide and reaches a maximum depth of 386 m. Alice Arm is located east of Hastings Arm, and is one of the terminal branches of Observatory Inlet located approximately 140 km north of Prince Rupert.

Historical studies have characterised Alice Arm as heavily influenced by seasonal freshwater discharge, with high runoff during summer snow melt and low freshwater discharge during winter months. Alice Arm has two major rivers, the Kitsault and

Illiance River, and several smaller creeks including Lime Creek flowing into the head of the inlet which influence marine water quality, including surface temperature, salinity, dissolved oxygen (DO) and chemical composition.

The distribution of temperature and salinity in Alice Arm is heavily influenced by freshwater discharge. In summer months, high runoff from snow melt produces a distinct horizontal stratification of temperature and salinity in Alice Arm. Low discharge during winter months (December through January) leads to near equal temperature and salinity at most depths throughout the inlet, with the exception of a shallow layer of cold freshwater close to the river mouths at the head of Alice Arm.

Specific conductivity and salinity profiles in Alice Arm indicates a shallow, 2 m deep freshwater lens above denser and more saline marine waters resulting from freshwater discharges of the Kitsault and Illiance Rivers and Lime Creek. DO concentrations in Alice Arm remain high throughout the year in both shallow and deep waters, with bottom values never dropping below 50% saturation, indicating frequent renewals.

Total suspended solids (TSS) concentrations were lowest in surficial water and higher in deeper water. Surface water TSS decreased with distance from the Kitsault River, with the lowest surface water turbidity recorded at the mouth of Lime Creek.

Concentrations of total aluminum, iron, manganese, and, to a lesser degree, copper, lead, and zinc were higher in surface waters than at depth. This suggests that these metals are entering Alice Arm through riverine inputs, primarily the Kitsault River and the Illiance River which are the two largest watersheds draining into Alice Arm.

The total and dissolved concentrations of barium, boron, calcium, magnesium, molybdenum, potassium, sodium, strontium, and uranium were nearly identical, indicating that these elements occurred primarily in the dissolved state, rather than bound to particulates (i.e. suspended solids / sediment).

The only element exceeding BCMWQG is boron, which exceeded the guideline at every station. The marine water quality guideline for boron of 1.2 mg/L is lower than the concentration of boron reported in natural seawater of 4.4 mg/L.

There is a impacted area of approximately 14 km² extending from the head of Alice Arm near the Kitsault River and Lime Creek to the sill of the inlet located near Hans Creek. The historic impact area is a result of previous Kitsault mine operations from 1968–1971 and 1981–1982 with tailings disposal to Lime Creek and direct discharge of tailings to Alice Arm via a submarine tailings outfall located offshore west of Lime Creek.

Other potential sources of impacts to sediment quality in Alice Arm include the 1910–1959 Dolly Varden Mine within the Kitsault River Watershed, as well as other human activities and natural geologic and hydrologic conditions within the Kitsault River and other watersheds draining into Alice Arm. Other potential sources of metal loadings to sediment quality and shellfish tissue with elevated metal levels in Alice Arm include historic marine disposal of slag waste from the 1910–1935 Anyox ore smelter operations in Observatory Inlet, located west of Alice Arm.

20.3 Bonds

Section 10 of the Provincial Mines Act stipulates that the Chief Inspector of Mines may, as a condition of issuing a permit, require that the mine owner provide monetary security. Security will remain in effect until such time as the Chief Inspector of Mines determines that all reclamation obligations have been met and the Company can be indemnified. Avanti has posted a CDN\$100,000 bond, which is required under the current M-10 permit.

Avanti currently has an approved Notice of Work permit to conduct its exploration and feasibility work programs on the Project and has posted an additional CDN\$ \$219,900 bond as required under this permission.

20.4 Decommissioning and Reclamation

The Kitsault Project reclamation and closure plan cost estimate was prepared by SRK Consulting (SRK) and consists of direct and indirect costs during the decommissioning and reclamation period (2031-2033), environmental monitoring and management costs, and water treatment system costs. A summary of the total net present value (NPV) closure costs discounted to 2014 dollars is provided in Table 20-2.

NPV costs were calculated with three different discounting rates: 1.5% for next 5 years, 2% until 2047, and then 3% thereafter. Costs from 2031 to perpetuity, modelled as 100 years after decommissioning and reclamation.

Decommissioning and reclamation costs are the direct and indirect costs of dismantling/ demolishing buildings, pipelines and equipment; and reclaiming and re-vegetating stockpiles, waste areas and infrastructure footprints. Environmental monitoring and management costs are applied during closure and reclamation and during the post closure period. These costs consist of water quality, air and vegetation monitoring to confirm that closure objectives are being met, annual geotechnical inspections and environmental management costs.

Table 20-1: Summary of Net Present Value Closure Costs (2014)

Area	Cost (NPV 2014)
Decommissioning and Reclamation Costs	
Building Demolition and Reclamation	\$6,763,000
Dismantle Equipment	\$573,000
Roads	\$138,000
Pipelines	\$1,011,000
Ditches, Channels and Collection Ponds	\$241,000
Spillways	\$57,000
Stockpile Areas	\$542,000
Tailings and Waste Rock	\$7,142,000
Miscellaneous	\$353,000
Subtotal	\$16,819,000
Environmental, Monitoring and Inspection Costs	
Meteorology (Operation and maintenance)	\$14,000
Air Quality (analysis only)	\$21,000
Surface Water Quality (analysis only)	\$858,000
Groundwater Quality (analysis only)	\$30,000
Vegetation and Metal Uptake (analysis only)	\$83,000
Ann. Inspections, Maintenance and Reporting (Labour only)	\$618,000
Water Treatment System Construction	\$1,882,000
Water Treatment System Operation	\$7,727,000
Environmental Management	\$1,118,000
Water Management/Pumping	\$223,000
Subtotal	\$12,574,000
Total Costs	\$29,392,000

Source: J:\01_SITES\Kitsault\1150_1CA020.012_Kitsault MAPA\Task01_MAPA_Closure and Reclamation Plan\Cost Estimate\KitsaultClosureCostEstimate_8_Year15(PlannedClosure)_20130201_Rev01_MMM.xlsx\NPV

The water treatment system operations costs assume that site specific water quality standards have been defined for the site and that ongoing water treatment is not required until acidic rock conditions start (2080). Water treatment costs include:

- Two years of in-mill treatment once operations cease (2031 and 2032)
- Two years of in-pit treatment prior to the pit spilling (2044 and 2045)
- Operation of a high-density sludge water treatment plant (WTP) from 2080 in perpetuity.
- Construction of a high-density sludge WTP in 2079.

The NPV costs have been calculated assuming that site specific water quality objectives have been defined for the site and that ongoing water treatment is not required until acidic conditions develop (predicted to be approximately 2080). However, if site specific water quality objectives are not utilized then freshwater

aquatic life guidelines will have to be met and water quality predictions indicate that ongoing water treatment will be required to meet these objectives.

SRK identified the following risks and opportunities in relation to closure cost estimates:

- The closure cost estimate involves the following risks:
 - Site specific water quality objectives might not be obtained, or might not eliminate the requirement for ongoing water treatment prior to the onset of acidic conditions. Operation of the WTP prior to acidic conditions will significantly increase the total NPV closure costs.
- The closure cost estimate involves the following opportunities:
 - Water quality testing after operations cease may indicate that in-mill treatment is not required or the duration of treatment could be reduced. This would reduce the total NPV closure costs.
 - Water quality testing prior to pit spilling could indicate that in-pit treatment would not be required or the duration of treatment could be reduced. This would reduce the total NPV closure costs.

20.5 Existing Environmental Liabilities

20.5.1 Tailings

During historic operational phases, tailings from the Kitsault mine were deposited into Alice Arm. This was permitted under the “Alice Arm Tailings Deposit Regulations”, under the Federal Fisheries Act, which explicitly allowed for the deposit of mill process effluent from the Kitsault mine into the waters of Alice Arm, BC. Avanti advised AMEC that based on due diligence conducted during Project acquisition in 2008, there is no known risk of environmental statutory liability under the Fisheries Act associated with the Alice Arm tailings deposit.

20.5.2 Reclamation

Reclamation commenced in 1996 and was completed in 2006. Monitoring of the area, in relation to environmental commitments, is ongoing. The Kitsault mine closure and reclamation is regulated by the Kitsault Mine Reclamation Workplan (SRK, 1997) and is administered by SRK. SRK conducts yearly assessments of the property to monitor reclamation progress. The on-site investigations completed as part of the annual reclamation reporting requirement have concluded that water quality of discharge from the Kitsault mine site continues to meet all applicable water quality guidelines.

Specifically:

- None of the waste rock or low-grade ore is currently discharging net acidic drainage
- Seeps emerging from Clary Dump, Patsy Dump, and the Mill Area are similar in chemical composition
- Seeps emerging from below the original low grade ore stockpile have higher molybdenum and sulphate concentrations than seeps from other areas, likely due to the greater mineralization present in the low-grade ore.

With regards to revegetation of the site, ongoing inspections have concluded that:

- The planted trees/shrubs are continuing to increase in size and are growing well at all of the reclamation sites
- A considerable amount of natural establishment is occurring at the sites
- The sites are becoming productive and are sustaining tree/shrub growth
- Sampling results for foliar metal concentrations indicate that the majority of elements are within the “normal/adequate” range of dietary tolerances for beef cattle.

A due diligence environmental audit completed on the property by SRK in 2008 concluded that all the physical works associated with reclamation had been completed and ongoing monitoring, site maintenance and the preparation of an annual reclamation report were the only outstanding financial liabilities. The audit concluded that there were three areas of the site that should be monitored for water quality changes in the future. These areas are the Patsy and Clary Dumps and the pit. Both dumps have been weathering in place for over 25 years with no significant change in seep quality. SRK considered it to be unlikely that a sudden change in seep quality will occur in the near future.

The pit, and more specifically the Orange Pond, is the only area where there has been known acidic drainage. This was remediated in 2006 by admixing limestone with the weathered intrusive rocks on the west side of the central core to cover the area with a low permeability cap. These remedial works are being monitored to verify the continued efficacy.

20.5.3 Exploration

At Bell Moly the only evidence of past exploration activity are traces of drill pads and access trails. At Roundy Creek, there are two small adits and associated waste rock dumps.

Avanti has progressively rehabilitated drill sites associated with the Avanti drilling programs between 2008 and 2011.

20.6 Permitting

20.6.1 Permits Acquired as Part of July 2008 Acquisition

Permit number M-10, an Amended Permit Approving Reclamation Program issued by the BC Ministry of Energy, Mines, and Petroleum Resources (MEMPR), supports reclamation activities associated with the Kitsault mine. Since 1996, reclamation has included building demolition, rock dump re-sloping, revegetation, remediation of the pit area and the Orange Pond. Remediation was concluded in 2006.

In 2008, an amendment to the conditions of the permit was approved by MEMPR; the approval included a number of conditions, including:

- Submission of a reclamation/closure update by 2011
- Continued monitoring of site drainage chemistry and vegetation
- Continued monitoring of all ditches, culverts, and the settling pond
- Submission of an annual reclamation report each year by 31 March
- Development of a contingency plan should the 2006 pit remediation work fail
- Collection and treatment of mine discharge if water quality monitoring indicates that water quality has been affected at water monitoring point W-01.

A road access permit, No. 08-7876-01, issued by the BC Ministry of Forests and Range (MFR), was acquired from Aluminerie Lauralco Inc., (ALI). The permit allows for industrial use of a forest service road.

ALI also transferred Special Use Permit 9228, issued by the MFR. A special use permit gives non-exclusive authority to a company or an individual to occupy and use an area of Crown Land, within a designated Provincial Forest, when they have demonstrated to the District Manager that the intended use is in accordance with the Provincial Forest Use Regulation.

20.6.2 Permits Required to Support Development

Table 20-3 is a preliminary list of the BC Provincial authorizations, licences, and permits that Avanti will potentially be required to obtain. Table 20-4 is a preliminary list of the required and potential Federal authorizations, licences, and permits Avanti may need to obtain to operate the Project.

Table 20-2: BC Authorizations, Licences, and Permits Required for Kitsault Mine Project

BC Government Permits and Licences	Enabling Provincial Legislation
Amendment to Permit Approving Work System & Reclamation Program (Mine Site – Initial Development)	Mines Act
Amendment to Permit Approving Work System and Reclamation Program (Pre-production)	Mines Act
Amendment to Permit Approving Work System and Reclamation Program (Bonding)	Mines Act
Amendment to Permit Approving Work System and Reclamation Program (Mine Plan – Production)	Mines Act
Permit Approving Work System and Reclamation Program (Gravel Pit/Wash Plant/Rock Borrow Pit)	Mines Act
Mining Lease amendment (if required)	Mineral Tenure Act
Water Licence – Notice of Intention (Application)	Water Act
Water Licence – Storage and Diversion	Water Act
Water Licence – Use	Water Act
Water Licence – Construction of fences, screens and fish or game guards across streams to conserve fish or wildlife	Water Act
Water Licence – Alteration of Stream or Channel	Water Act
Authority to Make a Change In and About a Stream – Notification	Water Act / Water Regulation
Authority to Make a Change In and About a Stream – Approval to Make a Change	Water Act / Water Regulation
Authority to Make a Change In and About a Stream – Terms and Conditions of Habitat Officer	Water Act / Water Regulation
Occupant Licence to Cut – Access Road	Forest Act
Occupant Licence to Cut – Mine Site/Tailings Impoundment	Forest Act
Occupant Licence to Cut – Gravel Pits	Forest Act
Occupant Licence to Cut – Borrow Areas	Forest Act
Road Use Permit (existing Forest Service Road)	Forest Act
Special Use Permit – Access Road	Forest Practices Code of British Columbia Act
Licence of Occupation – Staging Areas	Land Act
Licence of Occupation – Pump House/Water Discharge Line	Land Act
Licence of Occupation – Borrow/Gravel Pits	Land Act
Surface Lease – Minesite Facilities	Land Act
Waste Management Permit – Effluent (Sediment, Tailings and Sewage)	Environmental Management Act
Waste Management Permit – Air (Crushers, Ventilation, Dust)	Environmental Management Act
Waste Management Permit – Refuse	Environmental Management Act
Special Waste Generator Permit (Waste Oil)	Environmental Management Act (Special Waste Regulations)
Sewage Registration	Environmental Management Act
Camp Operation Permits (Drinking Water, Sewage Disposal, Sanitation and Food Handling)	Health Act / Environmental Management Act
Waterworks Permit	Drinking Water Protection Act
Fuel Storage Approval	Fire Services Act
Food Service Permits	Health Act
Highway Access Permit	Highway Act

Table 20-3: Federal Authorizations, Licences, and Permits Required for Kitsault Mine Project

Federal Government Approvals and Licences	Enabling Federal Legislation
CEAA Approval	Canadian Environmental Assessment Act
Metal Mining Effluent Regulations (MMER)	Fisheries Act / Environment Canada
Fish Habitat Compensation Agreement	Fisheries Act
Section 35(2) Authorization for harmful alteration, disruption or destruction of fish habitat	Fisheries Act
Navigable Water: Stream Crossings Authorization	Navigable Waters Protection Act
Explosives Factory Licence	Explosives Act
Explosives Magazine Licence	Explosives Act
Ammonium Nitrate Storage Facilities	Canada Transportation Act
Radio Licences	Radio Communications Act
Radioisotope Licence (Nuclear Density Gauges/X-ray Analyzer)	Atomic Energy Control Act

Note: A Fish Habitat Compensation Agreement and Section 35(2) Authorization is required if a Fisheries Act HADD (harmful alteration deterioration or destruction of fish habitat) occurs.

A Navigable Water: Stream Crossings Authorization is required if Transport Canada determines there to be a potential effect on navigation from the Project under the Navigable Waters Protection Act.

The Project will be subject to the Metal Mining Effluent Regulations (MMER) enabled by the Fisheries Act. The regulations require that Avanti achieve the specified effluent discharge standards, to implement a comprehensive Environmental Effects Monitoring program, and to provide compensation for the harmful alteration of fish habitat should this occur.

The primary BC authorization for the development of the Kitsault Project is a permit under the BC Mines Act. Kitsault already has a valid M-10 permit; however, Avanti will have to obtain an amendment to the M-10 permit, as this currently only permits reclamation activities.

The BC Mines Act permit process includes an environmental assessment (EA) as described in Part 10 of the Health, Safety, and Reclamation Code for Mines in British Columbia. In any situation where the BC Environmental Assessment Act (BCEAA) does not apply, this Act constitutes the primary Provincial review process.

Once a certificate is granted under the BCEAA, the Northwest Mine Development Review Committee will assist in coordinating the issuance of other major Provincial authorizations required for the Project, and the Federal Major Projects Review Office may do likewise for Federal authorizations required.

20.7 Considerations of Social and Community Impacts

20.7.1 Other Surface Ownership Interests

Kitsault Resort

The former Kitsault mine townsite, now known as the “Kitsault Resort” is owned by Krishnan Suthanthiran. The former townsite is located about 5 km north of the

proposed mine, and was purchased under a “as-is, where-is” condition, reflecting the location of the townsite next to a mine.

According to the draft report prepared by the Environmental Assessment Office in 2013:

“The townsite and the surrounding 80 ha was purchased from the then owner Aluminerie Lauralco Inc., in 2005 with the objective to redevelop the town site and develop an “eco-village” with a health and wellness emphasis and promote ecotourism. Over the past five years, the current owners report that approximately \$1 million annually has been invested in the Kitsault Resort, with expenditures expected to increase in 2013.

In January 2013, the owner announced a plan to develop the property into an LNG/oil refining and export facility”.

Outfitters

Coast Mountain Outfitters, a guide outfitter, has tenure that overlaps with the mine area. Approximately 0.03% (701 ha of the total 2,680,823 ha) of the tenure would be lost due to the planned mining activities.

Traplines

One registered trapline tenure (TR614T008) overlaps with proposed Project footprint. A small portion, 3.3% (or 701 ha of the total 21,327 ha) of the trapline tenure would be lost due to the development of the proposed Project.

20.7.2 Project Socio-Economic Effects

The four Nisga’a communities on Nisga’a Land are the closest to the proposed mine site. They are the following: Gitlaxt’aamiks (New Aiyansh); Gitwinksihlkw; Laxgalts’ap; and Gingolx.

The communities of Prince Rupert, Smithers, and Terrace would have a reasonable likelihood of providing labour, goods, and services to the Project. Kitimat is farther away and has an economic base tied to manufacturing (aluminium and wood products) rather than construction or mineral development.

Other nearby communities and rural populations that could interact with Project activities include Kitimat Stikine Regional District Electoral Area A (RDEA A) and the District Municipality of Stewart, the communities and rural populations in Kitimat Stikine RDEA B (Hazelton, New Hazelton, and 10 Indian reserves), the communities

and rural populations in Kitimat Stikine RDEA C1 (around Terrace) and Kitimat Stikine RDEA E, and the communities and rural populations in Bulkley Nechako RDEA A (the area around Smithers).

20.8 Consultation with First Nations and the Nisga'a Nation

As part of the environmental assessment process, the Environmental Assessment Office (the "EAO") consulted the Kitselas First Nation, Kitsumkalum First Nation, Gitxsan Nation and Gitanyow Nation, and it also engaged with the Nisga'a Nation in respect of the rights of the Nisga'a as set out in Chapter 10 of the Nisga'a Final Agreement (the "NFA"). This consultation and engagement included certain consultation duties assigned to Avanti to undertake on behalf of or in support of the Crown. These steps are detailed in the EAO Assessment Report.¹

In issuing the environmental assessment certificate, ministers issued reasons for their decision² (the "Reasons") which, among other things, addressed the Crown's obligations to each of the above noted groups.

With respect to all of the above noted First Nations other than the Nisga'a, the ministers' Reasons stated:

"EAO consulted with all of these First Nations and concluded that the impact of the proposed Project on the asserted aboriginal rights or title of these First Nations would be adequately minimized or avoided by measures identified during the EA process and that would become binding as part of the EA Certificate conditions. EAO is satisfied that the Crown's duty to consult and accommodate these First Nations has been fulfilled in relation to the issuance of an EA certificate for the proposed Project."

The Reasons go on to state that, after considering the EAO's First Nations consultation report, and the other documents from First Nations, the ministers:

"conclude that due to the nature of the potential impacts of the proposed Project, the Crown has met its duty to consult and appropriately accommodate the potential impacts to First Nations' asserted aboriginal rights and title."

With respect to the Nisga'a Lisims Government and the Nisga'a Nation, the ministers Reasons state:

¹ See http://a100.gov.bc.ca/appsdata/epic/html/deploy/epic_document_356_35433.html

² http://a100.gov.bc.ca/appsdata/epic/documents/p356/1363711281932_7c876941869666defadd997b1ce0dcd1c23904a896502da1c1edf906fc060816.pdf

"We have reviewed the EAO's report on the assessment of paragraph 8(e) and 8 (f), Chapter 10 of the NFA provided in section D of the Assessment Report and the submission addressed to EAO from Nisga'a Lisims Government dated February 20, 2013, and conclude that the Province has met its obligations of the NFA."

While ministers acknowledged that the Nisga'a do not agree with all findings of the EAO and have initiated dispute resolution proceedings as they are entitled to do under the NFA, ministers also:

"determined that the concerns that Nisga'a have recently raised with regards to the disagreement, are concerns that Nisga'a have previously raised and are already captured in the referral materials provided by EAO".

Ministers went on to state that they:

"are satisfied that the Province can engage, in good faith, in the dispute resolution stages, and meaningfully address any outstanding issues through the subsequent process required for permitting and in accordance with conditions of an EA Certificate."

20.9 Comments on Section 20

In the opinion of the QPs:

- An Environmental Assessment Certificate that includes 34 conditions and a Certified Project Description was granted to the Project on 20 March 2013. AMEC notes that each of the conditions is a legally binding requirement that Avanti Kitsault Mine Ltd. must meet to be in compliance with the certificate. It is also a legal requirement that the project is built and operated in accordance with the Certified Project Description.
- Avanti has begun the Federal environmental assessment process with the submittal of the Project Description. A federal decision is expected during 2013; the later date is because of statutory differences in the approval timeframes between the two Acts
- Concurrent with the BC Environmental Assessment Act process, Avanti also began the Federal environmental assessment process in 2010 with the submittal of the Project Description. Avanti expects a positive federal decision later in 2013. The delay is due to statutory differences in the approval timeframes between the Provincial and Federal Acts.
- Avanti has undertaken community consultation activities

- Avanti has established the key and secondary permits that will be required to support future mining operations
- Closure costs are estimated at \$33.9 M

There are no currently known risks to estimation of Mineral Resource or Mineral Reserves that are not discussed in this Report.

AMEC notes that the Nisga'a Nation has filed a Notice of Disagreement with British Columbia under the Nisga'a Final Agreement concerning the environmental assessment of the Project.

Subsequent to the completion of the operating cost estimate in Section 21, Avanti has advised AMEC that, as part of Condition 20 of the EA Certificate Table of Conditions, Avanti is required to provide \$100,000 annually to the Province of British Columbia to support recovery of the Nass moose population and into a trust to provide a coordinated approach to managing and mitigating the potential cumulative effects to aquatic and wildlife populations along Highway 37. This allocation is not currently included in the operating cost estimate.

21.0 CAPITAL AND OPERATING COSTS

21.1 Capital Cost Estimates

The estimate was developed in accordance with AMEC Feasibility Standards (Class 3), AACE Class 3 international classification, and consists of semi-detailed unit costs and assembly line items. Where design is not sufficiently advanced to prepare material take-offs (MTOs), the estimate is based on factors or allowances. The estimate was prepared by area using the project work breakdown structure (WBS) and AMEC's standard disciplines. The estimate covers:

- Direct field costs of executing the project, including the construction and installation of all structures, utilities, materials, and equipment
- Indirect costs associated with the design, construction, and commissioning of the facilities
- Owner's costs, including EPCM office costs, Project expenses, Terrace office expense, mine site ramp-up costs, and training.

The accuracy of the capital cost estimate, considering the current state of design and procurement, is expected to be within $\pm 15\%$ of final project cost. All costs are expressed in third quarter 2012 Canadian dollars with no allowance for escalation, currency fluctuation, or interest during construction. Items quoted in US dollars were converted to Canadian dollars using an exchange rate of $\text{CDN}\$1.00 = \text{US}\0.95 .

Sustaining capital cost was based on the mining equipment replacement costs and sustaining TMF MTOs provided by Knight Piésold.

Although the principles behind the 2010 contingency analysis was maintained for the 2012 cost estimate update, considerations were made for the addition of the "3390 - Silver Circuit" and based on an updated analysis the overall contingency has increased from 15% of direct plus indirect costs to 17.5%.

The estimated Project capital costs are summarized in Table 21-1.

Table 21-1: Capital Cost Summary by Major Area

Area	Description	Cost (CDN\$M)
1000	Mining	111.33
2000	Site preparation and roads	44.3
3000	Process facilities	238.7
4000	Tailings management and reclaim systems	120.9
5000	Utilities ties	37.5
6000	Ancillary buildings and facilities	49.9
	Total Direct Costs	602.6
8000	Owner's costs	22.1
9000	Indirects	313.6
	Total Indirect Costs	335.7
	Total Direct + Indirect Costs	938.2
	Contingency	Incl above
	Total Capital Costs	938.2

21.1.1 Tailings Dam

Knight Piésold was commissioned in 2012 to update the cost estimate that was completed during the 2010 FS. The updated cost estimate accounts for escalation, improvements in design, and cost increases due to commitments made during the Environmental Assessment (EA) process.

The cost estimate of the TMF and water management systems was broken down into the following elements:

- General Site Preparation
- Roads
- Tailings Management Facility
 - South Embankment
 - Northeast Embankment
 - Bulk Tailings Distribution System and Cyclone Sand System
- Water Management
 - Reclaim Water System
 - Surplus Water System
 - Diversion Channels

- Seepage Collection and Sediment Control Ponds
 - Northeast Seepage Collection Ponds
 - South Water Management Pond
- Low Grade Stockpile Seepage Collection Pond
- Fresh Water Supply System

In general, the quantities that were developed in 2010 during the Feasibility Study (FS) and the methodology for the development of unit rates were unchanged for this cost estimate update. A scope of work was developed for each major element of the work breakdown structure (WBS) and a number of work activities were identified to achieve the scope. Where sufficient detail existed, the previously estimated quantities were used and the unit costs were developed for the work activity, and multiplied to arrive at the estimated cost. Where insufficient detail existed for development of quantities and unit costs, lump-sum allowances based on historical experience were used. The cost estimate was prepared at a feasibility level with a target level of accuracy of $\pm 20\%$. The estimate is calculated in 2012 Canadian dollars with no allowance for escalation beyond that time.

The total capital expenditure for the TMF and associated water management facilities was estimated to be approximately \$175 M – including all direct, indirect, and contingency costs.

This expenditure includes direct initial capital costs of approximately \$128.8 M and represents an increase in direct initial capital costs of approximately \$26.6 M or 26% above the cost estimated in the 2010 FS. Approximately \$14.5 M or 14% is directly attributed to escalation since 2010 of labour, equipment and materials, and the other \$12.1 M or 12% is attributed to improvements in the design of the project or commitments made during the EA process.

21.2 Operating Cost Estimates

The operating cost estimate for the Kitsault Project was assembled by area and component, based on estimated staffing levels, consumables, and expenditures, according to the mine plan and process design. The costs were prepared in third quarter 2012 Canadian dollars and exclude:

- Contingency
- Allowance for escalation
- Sales tax
- Concentrate shipping
- Molybdenum roasting tolling charges

- Import duties.

Life-of-mine (LOM) operating costs are shown in Table 21-2 and annual operating costs in Table 21-3.

Electrical costs for the project were calculated on a blended rate of \$0.0486/kWh based on BC Hydro's schedule 1823 transmission service rates for fiscal 2012 year.

The mine operating cost estimate incorporates costs for operating and maintenance labour, staff, and operating and maintenance supplies for each year. Operating and maintenance supplies are based on North American supply and include an allowance for freight and delivery to the mine site. Taxes are not included. Consumables (fuel, explosives, supplies) were calculated from expected use, unit consumptions, and allowances for minor items.

Processing costs include the costs for operating and maintaining the processing facilities, from the primary crusher through to concentrate loadout, as well as process and reclaim water pumping and tailings management. The processing costs account for the expenses associated with purchasing consumables, equipment maintenance, personnel, and power consumption. Consumables costs include items such as crusher liners, mill liners, grinding media, all chemical reagents, and an allocated cost for office / laboratory supplies. The reagent costs are inclusive of freight for shipping the items to site. Employee organization, salaries, and hourly costs were provided by Avanti, based on two current operations running in BC and the Yukon. Equipment maintenance supplies and materials are estimated as a percentage of the capital cost of equipment. Power consumption was derived from the estimated load of individual pieces of equipment on the equipment list.

The general and administrative (G&A) operating costs are the expenses for cost centres that are not directly linked to the mining and process disciplines, and include labour and overhead costs. G&A for each cost centre was estimated either from first principles or based on input from Avanti based on other operations. Maintenance costs have been calculated property-wide, and a portion of these costs have been assigned to G&A to cover maintenance costs not specific to either the process plant or mine.

Table 21-2: LOM Operating Costs (\$000)

Area	Total LOM	\$/t Milled	\$/lb Mo Produced
Mine Operations	923,178	4.09	2.54
Processing Operations	1,244,879	5.46	3.39
Administration	307,166	1.35	0.84
Total	2,475,223	10.90	6.77

Table 21-3: Annual Operating Costs

Year	Total (\$000)	\$/t Milled	\$/lb Mo Produced
1	71,700	13.58	6.07
2	159,680	11.02	5.16
3	173,068	11.81	4.79
4	175,004	11.99	6.06
5	169,392	11.59	6.94
6	163,987	11.22	5.84
7	167,644	11.48	6.03
8	169,913	11.64	7.09
9	170,812	11.68	8.37
10	168,037	11.49	7.73
11	159,311	10.91	7.18
12	159,721	10.94	7.35
13	153,344	10.49	6.76
14	143,833	9.84	6.32
15	126,814	8.69	7.57
16	111,426	7.63	10.20
17	31,536	8.24	11.02
Total/Average	2,475,223	10.90	6.65

21.3 Comments on Section 21

Estimated capital costs total \$938.2 M. The cost estimate is based on semi-detailed unit costs and assembly line items. Where design is not sufficiently advanced to prepare material take-offs (MTOs), the estimate is based on factors or allowances.

Operating costs are estimated at \$2,475 M over the LOM, and average \$10.90/tonne milled and \$6.77/lb Mo payable.

Subsequent to the completion of the capital cost estimate, Avanti was informed that the BC Province has de-rated the load limit on the Nass River Bridge, on the Nass

Forest Service Road, to 51 t, as a result of close proximity inspections and on-going monitoring. The bridge will require replacement to ensure serviceability for construction and mining. Planning is underway for the bridge replacement in 2013, with a projected cost range for the replacement of about \$2.5 M to \$3.0 M. The bridge replacement costs are not included in the capital costs.

22.0 ECONOMIC ANALYSIS

The results of the economic analysis represent forward-looking information that is subject to a number of known and unknown risks, uncertainties and other factors that may cause actual results to differ materially from those presented here. Forward-looking statements in this Report include, but are not limited to, statements with respect to future metal prices and forward sales contracts, the estimation of Mineral Reserves and Mineral Resources, the realization of Mineral Reserve estimates, the timing and amount of estimated future production, costs of production, capital expenditures, costs and timing of the development of new ore zones, success of exploration activities, permitting time lines, currency exchange rate fluctuations, requirements for additional capital, government regulation of mining operations, environmental risks, unanticipated reclamation expenses, title disputes or claims and limitations on insurance coverage.

The project has been evaluated using a discounted cash flow (DCF) analysis. Cash inflows consist of annual revenue projections for the mine. Cash outflows such as capital, including the two years of preproduction costs, operating costs, taxes, and royalties are subtracted from the inflows to arrive at the annual cash flow projections.

To reflect the time value of money, annual net cash flow (NCF) projections are discounted back to the project valuation date using several discount rates. The discount rate appropriate to a specific project depends on many factors, including the type of commodity; and the level of project risks, such as market risk, technical risk and political risk. The discounted, present values of the cash flows are summed to arrive at the project's net present value (NPV).

In addition to NPV, internal rate of return (IRR) and payback period are also calculated. The IRR is defined as the discount rate that results in an NPV equal to zero. Cash flows are taken to occur at the end of each period. Capital cost estimates have been prepared for initial development and construction of the project, and ongoing operations (sustaining capital).

The resulting net annual cash flows are discounted back to the date of valuation end-of-year 2012 dollars, and totalled to determine NPVs at the selected discount rates. The IRR is calculated as the discount rate that yields a zero NPV. The payback period is calculated as the time needed after the start up of operations to recover the initial capital spent.

22.1 Basis of Analysis

The financial analysis was based on the Mineral Reserves presented in Section 15, the mine and process plan and assumptions detailed in Sections 16 and 17, the projected infrastructure requirements outlined in Section 18, the permitting, social and environmental regime discussions in Section 20, and the capital and operating cost estimates detailed in Section 21.

Table 22-1 summarizes the assumptions that were made in relation to the concentrate that would be marketed. Table 22-2 summarizes the royalties considered in the financial analysis.

22.1.1 Taxation

Taxation considerations included in the financial model comprise Provincial and Federal corporate income taxes and BC Mineral taxes as determined using a taxation model provided by PricewaterhouseCoopers LLP (PwC).

The following discussion outlines the main Federal and Provincial taxation considerations used in the Kitsault financial model:

- **Federal taxes:** Includes income tax, customs duties, fuel taxes, payroll taxes and transaction taxes. The general rate of Federal income tax on active business income earned by a corporation is 15%. Federal income tax is included in the PwC taxation model.
- **Provincial income tax:** The general rate of BC Provincial income tax on active business income earned by a corporation in the Province is 10%. The BC government has announced a planned rate increase to 11%, effective April 1, 2013; however legislative passage of this rate increase is uncertain. BC Provincial income tax, using a 10% rate, is included in the PwC taxation model.

Table 22-1: Concentrate Assumptions

Mo Concentrate	Unit	Amount
Concentrate Grade (measured in % Mo metal)	%	52.0%
Pay factor	%	99.0%
Concentrate Moisture	%	7.0%
Roasting Charge	\$/lb	0.502
Concentrate Losses	%	0.10%

Table 22-2: Royalty Assumptions

Royalty	Amount
NSR Royalty	1.0%
Pre-Tax Cash Royalty	9.22%

- Provincial mineral taxes: The BC Mineral Tax provides for the Crown's financial share of mineral production in two ways. The primary way is to receive 13% of a producer's profit that is in excess of a normal return on investment over the life of a mine. This is referred to as Net Revenue Tax. To minimize any disincentive to investment, the Province does not receive this share until the producer's investment and a reasonable return on it have been recovered. The second way is to receive 2% of operating cash flow from production in each year. This is referred to as Net Current Proceeds Tax. It is intended to provide compensation for depletion of the resource when production yields less than a reasonable profit for the producer. So that only one or the other share is paid, Net Current Proceeds Tax is fully creditable against Net Revenue Tax. BC Mineral Tax is included in the PwC taxation model.
- Sales tax: On April 1, 2013, BC will change its sales tax system to include the Federal Goods and Services Tax (GST) and the BC Provincial Sales Tax (PST). GST is a value added tax that will be applied at a rate of 5%. GST is charged on most sales and paid on most costs. However, revenue from mineral production that is exported out of Canada is "zero-rated" under the tax, and GST paid on costs is fully recoverable by all but the end user. As a result, GST will have no net impact on the Kitsault Project. GST is not included in the PwC taxation model. PST is a 7% retail sales tax that is payable on the purchase of goods and services, unless an exemption applies.

AMEC notes that the PST change to be enacted in BC from 1 April 2013 was not considered in the costs prepared for the economic analysis.

22.2 Financial Results

The after-tax NPV at an 8% discount rate over the estimated mine life is \$433 million. The after-tax IRR is 16.6%. Payback of the initial capital investment is estimated to occur in 4.3 years after the start of production.

A summary of the financial analysis in US\$ is presented as Table 22-3. The same data, using Canadian dollars, are shown in Table 22-4.

Results of the financial analysis are provided on an annual basis in Table 22-5. Years shown in Table 22-3 are for illustrative purposes only, as statutory permits are required to be granted prior to mine commencement.

22.3 Sensitivity Analysis

Sensitivity analysis was performed on the base case net cash flow and examined sensitivity to metal price, operating costs, capital costs and exchange rates.

Sensitivities are shown in Figure 22-1 and Figure 22-2 for the pre-tax scenario. Figure 22-3 summarizes the sensitivities in the after-tax scenario.

Table 22-6 illustrates the sensitivity of the financial analysis to changes in Mo price.

22.4 Comments on Section 22

Under the assumptions presented in this Report, the Project demonstrates positive economics. The after-tax NPV at an 8% discount rate over the estimated mine life is \$433 million. The after-tax IRR is 16.6%. Payback of the initial capital investment is estimated to occur in 4.3 years after the start of production. The project is most sensitive to changes in metal prices and exchange rates, less sensitive to changes in capital costs, and least sensitive to operating cost changes.

Table 22-3: Financial Analysis Results, US\$

Commodity		
Molybdenum	US\$	Variable
Pre-Tax		
IRR	%	20.2%
CNCF	US\$000	1,877
NPV 8%	US\$000	671
NPV 10%	US\$000	501
Payback	Years	4.1
After Tax		
IRR	%	16.6%
CNCF	US\$000	1,271
NPV 6%	US\$000	555
NPV 8%	US\$000	403
NPV 10%	US\$000	278
NPV 12%	US\$000	175
Payback	Years	4.3

Table 22-4: Financial Analysis Results, Canadian \$

Commodity		
Molybdenum	CAD	Variable
Pre-Tax		
IRR	%	20.2%
CNCF	C\$000	2,018
NPV 8%	C\$000	721
NPV 10%	C\$000	539
Payback	Years	4.1
After Tax		
IRR	%	16.6%
CNCF	C\$000	1,367
NPV 6%	C\$000	597
NPV 8%	C\$000	433
NPV 10%	C\$000	299
NPV 12%	C\$000	189
Payback	Years	4.3

Table 22-5: Cashflow Analysis

NPV at			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
8%			-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Capital																					
Development Capital	C\$000	(862,910)	(938,221)	(147,421)	(546,830)	(243,970)															
Sustaining Capital	C\$000	(73,969)	(106,317)		(33,960)	(2,871)	(12,131)	(7,813)	(6,594)	(2,503)	(2,474)	(4,312)	(11,458)	(8,129)	(4,982)	(2,225)	(2,263)	(2,247)	(2,247)	(53)	(53)
Environmental Bond	C\$000																				
Total Capital	C\$000	(936,878)	(1,044,538)	(147,421)	(580,790)	(246,841)	(12,131)	(7,813)	(6,594)	(2,503)	(2,474)	(4,312)	(11,458)	(8,129)	(4,982)	(2,225)	(2,263)	(2,247)	(2,247)	(53)	(53)
Prices																					
Mo Price	C\$/lb				15.6	15.6	15.6	15.6	15.6	15.6	15.6	15.6	15.6	15.6	15.6	15.6	15.6	15.6	15.6	15.6	15.6
Mining Production																					
Waste mined	kt		239,802	4,252	14,837	24,304	27,378	26,659	21,537	16,431	16,984	18,684	18,320	15,225	12,782	10,846	6,395	3,607	1,561		
Snow Mined	kt		2,056	56	100	101	148	182	161	148	146	140	140	136	133	129	125	116	65	21	11
Ore to Crusher	kt		202,079		5,278	14,490	14,660	14,600	14,620	14,620	14,600	14,600	14,620	14,620	14,600	14,600	14,620	14,435	7,115		
Ore to Stockpile	kt		26,094		905	5,149	4,495	2,260	3,380	3,678	1,450	318	79	613	613	1,096	1,578	483			
Ore from Stockpile	kt		26,094															185	7,485	14,600	3,825
Total Material	kt		496,125	4,307	21,120	44,043	46,681	43,701	39,698	34,877	33,180	33,741	33,159	30,593	28,127	26,671	22,719	18,825	16,225	14,621	3,836
Mo Grade	%				0.12%	0.11%	0.12%	0.10%	0.08%	0.10%	0.10%	0.08%	0.07%	0.08%	0.08%	0.08%	0.08%	0.08%	0.06%	0.04%	0.04%
Mo Recovery	%				84.27%	91.78%	92.67%	91.15%	90.25%	91.04%	90.98%	90.22%	89.45%	89.80%	89.89%	89.63%	89.78%	89.89%	87.15%	84.28%	84.28%
Transportation																					
Freight & handling	C\$000	(60,165)	(113,255)		(3,575)	(9,366)	(10,945)	(8,744)	(7,388)	(8,502)	(8,425)	(7,253)	(6,180)	(6,582)	(6,718)	(6,583)	(6,865)	(6,887)	(5,070)	(3,307)	(866)
Mill Feed																					
Ore from Pit	kt		202,079		5,278	14,490	14,660	14,600	14,620	14,620	14,600	14,600	14,620	14,620	14,600	14,600	14,620	14,435	7,115		
Ore from Stockpile	kt		26,094															185	7,485	14,600	3,825
Total Mill Feed	kt		228,173		5,278	14,490	14,660	14,600	14,620	14,620	14,600	14,600	14,620	14,620	14,600	14,600	14,620	14,620	14,600	14,600	3,825
Returned Mo																					
Contained Mo	Klbs		374,037		11,808	30,931	36,148	28,878	24,399	28,079	27,824	23,953	20,408	21,737	22,185	21,740	22,674	22,744	16,743	10,923	2,862
Transportation losses	Klbs		(374)		(12)	(31)	(36)	(29)	(24)	(28)	(28)	(24)	(20)	(22)	(22)	(22)	(23)	(23)	(17)	(11)	(3)
Delivered to roaster	Klbs		373,663		11,796	30,900	36,112	28,849	24,375	28,051	27,796	23,929	20,388	21,715	22,163	21,719	22,651	22,721	16,727	10,912	2,859
Metal value																					
Delivered Mo	C\$000	3,094,914	5,825,927		183,921	481,772	563,035	449,795	380,039	437,352	433,384	373,091	317,877	338,571	345,553	338,624	353,165	354,251	260,792	170,133	44,573
Metal deduction	C\$000	(30,949)	(58,259)		(1,839)	(4,818)	(5,630)	(4,498)	(3,800)	(4,374)	(4,334)	(3,731)	(3,179)	(3,386)	(3,456)	(3,386)	(3,532)	(3,543)	(2,608)	(1,701)	(446)
Roasting charge	C\$000	(106,077)	(199,681)		(6,304)	(16,512)	(19,298)	(15,416)	(13,026)	(14,990)	(14,854)	(12,787)	(10,895)	(11,604)	(11,844)	(11,606)	(12,105)	(12,142)	(8,939)	(5,831)	(1,528)
Freight & handling	C\$000	(60,165)	(113,255)		(3,575)	(9,366)	(10,945)	(8,744)	(7,388)	(8,502)	(8,425)	(7,253)	(6,180)	(6,582)	(6,718)	(6,583)	(6,865)	(6,887)	(5,070)	(3,307)	(866)
Ag revenue	C\$000	167,845	340,878		4,974	14,930	19,878	21,376	24,340	27,274	27,370	25,661	23,648	23,601	24,743	23,449	20,900	19,657	17,761	16,890	4,425
Net smelter return	C\$000	3,065,568	5,795,609		177,176	466,006	547,040	442,512	380,165	436,761	433,141	374,981	321,272	340,601	348,280	340,498	351,564	351,337	261,938	176,183	46,157
Operating costs																					
Mining Cost	C\$000	(500,530)	(933,896)	(10,719)	(31,633)	(61,392)	(73,624)	(75,967)	(70,219)	(64,814)	(68,607)	(70,876)	(71,639)	(68,864)	(60,274)	(60,683)	(54,171)	(44,660)	(27,777)	(12,389)	(5,590)
Milling Cost	C\$000	(615,087)	(1,244,879)		(30,327)	(78,954)	(79,882)	(79,555)	(79,664)	(79,664)	(79,555)	(79,555)	(79,664)	(79,664)	(79,555)	(79,555)	(79,664)	(79,664)	(79,555)	(79,555)	(20,842)
G & A Cost	C\$000	(152,609)	(307,166)		(9,741)	(19,335)	(19,562)	(19,482)	(19,509)	(19,509)	(19,482)	(19,482)	(19,509)	(19,509)	(19,482)	(19,482)	(19,509)	(19,509)	(19,482)	(19,482)	(5,104)
Total Cost	C\$000	(1,268,226)	(2,485,941)	(10,719)	(71,700)	(159,680)	(173,068)	(175,004)	(169,392)	(163,987)	(167,644)	(169,913)	(170,812)	(168,037)	(159,311)	(159,721)	(153,344)	(143,833)	(126,814)	(111,426)	(31,536)
Net Revenue before Tax, Royalties																					
	C\$000	1,797,342	3,309,668	(10,719)	105,476	306,326	373,971	267,508	210,773	272,774	265,496	205,067	150,460	172,564	188,969	180,777	198,220	207,504	135,124	64,756	14,621



		NPV at		2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
Royalty Payments																						
NSR Royalty	C\$000	(30,656)	(57,956)			(1,772)	(4,660)	(5,470)	(4,425)	(3,802)	(4,368)	(4,331)	(3,750)	(3,213)	(3,406)	(3,483)	(3,405)	(3,516)	(3,513)	(2,619)	(1,762)	(462)
Pre-Tax Cash																						
Royalty	C\$000	(86,037)	(188,733)						(1,835)	(18,814)	(24,419)	(23,592)	(16,529)	(11,417)	(13,442)	(14,979)	(14,319)	(15,720)	(16,464)	(10,839)	(5,190)	(1,173)
Net Revenue before Tax	C\$000	1,680,649	3,062,979		(10,719)	103,704	301,666	368,501	261,248	188,158	243,987	237,573	184,788	135,830	155,716	170,506	163,053	178,984	187,526	121,666	57,804	12,987
Income Tax (Calculated - from other sheet)																						
Corporate Tax	C\$000	(195,549)	(433,331)							(40,458)	(52,148)	(56,407)	(40,891)	(27,437)	(31,659)	(34,969)	(33,633)	(37,242)	(39,221)	(25,213)	(11,739)	(2,313)
Provincial																						
Resources Tax	C\$000	(92,739)	(218,190)			(2,110)	(6,127)	(7,479)	(5,350)	(4,215)	(5,455)	(5,310)	(14,333)	(18,503)	(21,786)	(24,277)	(23,207)	(25,476)	(26,683)	(17,566)	(8,411)	(1,901)
Mining License																						
Fee	C\$000																					
Municipal Tax	C\$000																					
Total Tax	C\$000	(288,288)	(651,521)			(2,110)	(6,127)	(7,479)	(5,350)	(44,673)	(57,604)	(61,717)	(55,224)	(45,940)	(53,444)	(59,246)	(56,840)	(62,719)	(65,904)	(42,779)	(20,150)	(4,214)
Revenue after Tax & Royalties	C\$000	1,392,361	2,411,458		(10,719)	101,595	295,539	361,021	255,898	143,485	186,384	175,856	129,564	89,890	102,271	111,261	106,213	116,266	121,622	78,886	37,654	8,773
Capital expenditure																						
Construction	C\$000	(862,910)	(938,221)	(147,421)	(546,830)	(243,970)																
Sustaining/Bonding	C\$000	(73,969)	(106,317)		(33,960)	(2,871)	(12,131)	(7,813)	(6,594)	(2,503)	(2,474)	(4,312)	(11,458)	(8,129)	(4,982)	(2,225)	(2,263)	(2,247)	(2,247)		(53)	(53)
Working capital	C\$000	(22,598)	0			(17,925)	(21,995)	(3,347)	(484)	1,403	1,351	(914)	(567)	(225)	694	2,181	(102)	1,594	2,378	4,255	31,703	
Total	C\$000	(959,476)	(1,044,538)	(147,421)	(580,790)	(264,766)	(34,126)	(11,160)	(7,078)	(1,100)	(1,122)	(5,227)	(12,026)	(8,354)	(4,289)	(44)	(2,366)	(653)	131	4,255	31,650	(53)
After Tax Net Cash Flow	C\$000	432,885	1,366,920	(147,421)	(591,509)	(163,172)	261,413	349,861	248,820	142,385	185,261	170,630	117,538	81,536	97,983	111,217	103,847	115,613	121,753	83,141	69,305	8,720
Pre - Tax Net Cash Flow	C\$000	721,173	2,018,441	(147,421)	(591,509)	(161,062)	267,540	357,341	254,170	187,058	242,865	232,347	172,763	127,476	151,427	170,463	160,687	178,332	187,657	125,920	89,455	12,934
After tax PV for each year	8%		\$432,885 discount factor	-147,421	-547,693	-139,893	207,518	257,159	169,342	89,726	108,098	92,186	58,798	37,767	42,023	44,166	38,184	39,362	38,381	24,268	18,731	2,182
				1.000	0.926	0.857	0.794	0.735	0.681	0.630	0.583	0.540	0.500	0.463	0.429	0.397	0.368	0.340	0.315	0.292	0.270	0.250

Figure 22-1: Sensitivity of Pre-Tax IRR




Figure 22-2: Sensitivity of Pre-tax NPV at 8% Discount Rate




Figure 22-3: Sensitivity of After-Tax NPV at 8% Discount Rate




Table 22-6: Sensitivity of the Financial Analysis to Changes in Mo Price (base case is highlighted)

Moly Price (US\$/lb)	CNCF (Undisc.) (CDN \$M)	NPV @ 6% (CDN \$M)	NPV @ 8% (CDN \$M)	NPV @ 10% (CDN \$M)	IRR %	Payback (Years)
12.50	913	302	173	67	11.5%	5.6
14.50	1,367	597	433	299	16.6%	4.3
15.00	1,482	669	497	355	17.8%	4.0
17.50	2,058	1,032	814	635	23.4%	3.2

23.0 ADJACENT PROPERTIES

There are no adjacent properties relevant to the Report.

24.0 OTHER RELEVANT DATA AND INFORMATION

There is no additional data or information pertinent to the Report that is not included in the Report subsections.

25.0 INTERPRETATION AND CONCLUSIONS

The QPs, as authors of this Report, have reviewed the data for the Project and have made the following conclusions and interpretations.

25.1 History and Exploration

- Work completed on the Project included two phases of open pit mining, and rehabilitation, geochemical sampling, minor underground development, mineral resource estimation, core drilling including geotechnical, hydrological, confirmation and condemnation drill holes, evaluation and interpretation of legacy data, baseline environmental studies, metallurgical testwork, and engineering and design studies.
- While the majority of the exploration on the Project was completed prior to Avanti's ownership, the work undertaken was appropriate to the style of the deposits. The exploration activities identified three deposits, and additional exploration of the Project area is warranted

25.2 Mineral Tenure, Surface Rights, Royalties, Environment, Social and Permits

- Legal opinion provided to AMEC indicates that the mining tenure held by Avanti in the Project area is valid, and sufficient to support declaration of Mineral Resources and Mineral Reserves.
- Avanti has advised AMEC that Avanti holds sufficient surface rights in the Project area to support the mining operations
- Three permits were acquired with the Project from ALI, a remediation permit, a forest roads access permit, and a special usage permit. These support reclamation monitoring activities and Project access. Reclamation of the 1980s mining operation was completed in 2006; ongoing monitoring is still being performed
- Two royalties are payable. The first is 1% of the net smelter return payable under the ALI Agreement, and the second a 9.22% royalty known as the "1984 Royalty Agreement" payable on positive pre-tax cash flow after the recovery of capital expenditures
- Avanti will need to apply for additional permits as appropriate under local, Provincial, and Federal laws to allow mining operations. The primary BC authorization for the development of the Kitsault mine project is a permit under the provincial Mines Act

- A conditional Environmental Assessment certificate was granted the Project on 19 March 2013. The Certificate includes 34 conditions and a Certified Project Description has been granted to the Project. AMEC notes that each of the conditions is a legally binding requirement that Avanti Kitsault Mine Ltd. must meet to be in compliance with the certificate. It is also a legal requirement that the project is built and operated in accordance with the Certified Project Description.
- The Nisga'a Nation has filed a Notice of Disagreement with British Columbia under the Nisga'a Final Agreement concerning the environmental assessment of the Project.
- Concurrent with the BC Environmental Assessment Act process, Avanti also began the Federal environmental assessment process in 2010 with the submittal of the Project Description. Avanti expects a positive federal decision later in 2013. The delay is due to statutory differences in the approval timeframes between the Provincial and Federal Acts.
- ~~Avanti has begun the Federal environmental assessment process with the submittal of the Project Description. A federal decision is expected during 2013; the later date is because of statutory differences in the approval timeframes between the two Acts~~
- Closure provisions for the planned mining operation are considered in the mine plan and are preliminary in nature. Closure costs are estimated at \$33.9 M
- At the effective date of this Report, the major environmental liabilities from previous activities consist of monitoring activities related to the completed site remediation of the Kitsault mine. All Avanti drill sites are reclaimed on completion of the drill hole
- Community consultation has been undertaken with First Nations and the Nisga'a Nation, as well as with holders of special surface rights usages in the Project area.
- The existing and planned infrastructure, availability of staff, the existing power, water, and communications facilities, the methods whereby goods are transported to the mine, and any planned modifications or supporting studies are well-established, or the requirements to establish such, are well understood by Avanti, and can support the declaration of Mineral Resources and Mineral Reserves
- To the extent known, there are no other significant factors and risks that may affect access, title, or the right or ability to perform work on the property.
- Mining activity will be possible year-round.

25.3 Geology and Mineralization

- The geologic understanding of the deposit settings, lithologies, and structural and alteration controls on mineralization is sufficient to support estimation of Mineral Resources and Mineral Reserves at the Kitsault deposit
- The mineralization style and setting is well understood and can support declaration of Mineral Resources for the Bell Moly and Roundy Creek deposits. Classification restrictions due to legacy data are imposed on the Bell Moly deposit

25.4 Exploration, Drilling, Analysis and Data Verification

- The quantity and quality of the lithological, geotechnical, collar and down-hole survey data collected in the exploration and infill drill programs are sufficient to support Mineral Resource and Mineral Reserve estimation at the Kitsault deposit
- The quantity and quality of the lithological, geotechnical, collar and down-hole survey data collected in the exploration and infill drill programs are sufficient to support Mineral Resource estimation at the Inferred confidence category at the Bell Moly deposit
- The quantity and quality of the lithological, geotechnical, collar and down-hole survey data collected in the exploration and infill drill programs are sufficient to support Mineral Resource estimation at the Roundy Creek deposit
- The sampling methods are acceptable, meet industry-standard practice, and are adequate for Mineral Resource estimation purposes to declare Mineral Resources for Mo and Ag. Based on the fact that only legacy core and legacy data are available, AMEC has restricted the Mineral Resource classification at Bell Moly to Inferred. Sampling data are sufficient to support Indicated and Inferred classifications at Kitsault and Roundy Creek.
- The data verification performed on the Avanti and legacy drilling at the Kitsault deposit supports the use of the drill and sampling data in Mineral Resource estimation without confidence class restrictions.
- The data verification performed on the Bell Moly data was restricted to evaluation of relogging and resampling undertaken by Avanti on legacy core and assessing the Avanti results against the original legacy data. AMEC has restricted the confidence category of the Bell Moly estimate to the Inferred category.
- The data verification performed on the Avanti and legacy drilling at the Roundy Creek deposit supports the use of the drill and sampling data in Mineral Resource estimation in the Inferred and Indicated categories.

25.5 Metallurgical Testwork

- The metallurgical testwork completed on the Project has been appropriate to establish a process route that is applicable to the mineralization types, and the process route proposed uses conventional technology
- Tests were performed on samples that were representative of the mineralization for the purposes of establishing an optimal conceptual process flowsheet
- The testwork performed in 2010 generally supported the work completed in 2009. The level of comminution testwork and the selection of a power target (the 85th percentile of all sample hardness) consistent with the level of the work push the design of the comminution circuit to an appropriate level of confidence. Although grind/recovery work and rougher kinetics showed consistently good performance for bulk flotation, difficulties were encountered in the performance of the locked-cycle and concentrate leaching tests. These concerns were addressed in the 2011 locked cycle work which increased confidence in the circuit performance with respect to recovery and concentrate grade. Additional work on lead leaching in 2011 also gave confidence in the ability of that circuit to reduce the lead to acceptable levels
- The design of the Kitsault process plant is based on plant data obtained from previous operating periods as well as more recent testwork campaigns on samples of quartz monzonite, diorite, and hornfels. These samples originate from the area designated as potential plant feed material indicated in the mine plan to have an ore feed grade of approximately 0.09% Mo
- Past production and current testwork results have shown that saleable molybdenum flotation concentrates can be produced by the use of conventional comminution and flotation processes. The plant feed will be crushed and milled, then subjected to flotation. The resulting concentrate will be leached to remove the lead impurity, thereby producing a high-grade saleable molybdenum concentrate that meets smelter specifications. The final concentrate is expected to contain 52% Mo and <0.04% lead, for an overall molybdenum recovery of 89.9%.

25.6 Mineral Resource and Mineral Reserve Estimates

- Mineral Resources and Mineral Reserves for the Project, which have been estimated using core drill data, have been performed to industry best practices, and conform to the requirements of CIM (2010).
- The Mineral Reserves are acceptable to support mine planning;

Factors which may affect the geological models, the estimation method, Mineral Resource classification confidence categories, and the conceptual pit shells, and therefore the Mineral Resource estimates include:

- Metal price assumptions;
- Changes in interpretations of lithological domains;
- Changes in interpretations of grade shell boundaries;
- Changes in modelling assumptions to allow for independent modelling of secondary metals
- Changes to the search orientations, search ellipse ranges, and numbers of octants used for grade estimation;
- Pit slope angles and geotechnical assumptions supporting the pit shells;
- Changes to the assumptions used to generate the Mo cut-off grades for resource declaration;
- Use of additional costs in pit shell constraints, such as inclusion of incremental mining costs
- Review of the classification criteria used for each deposit
- Additional drilling that may support removal of confidence category limits at Bell Moly and Roundy Creek that were imposed on legacy data.
- Reviews of the environmental, permitting, legal, title, taxation, socio-economic, marketing and political factors and constraints for the Project support the declaration of Mineral Reserves using the set of assumptions outlined;
- Factors that may affect the Mineral Reserve estimates include:
 - Long-term commodity price assumptions
 - Long-term exchange rate assumptions

25.7 Life-of-Mine Plan

- The mining methods used are appropriate to the deposit style and employ conventional mining tools and mechanization;
- The LOM open pit mine plan has been appropriately developed to maximize mining efficiencies, based on the current knowledge of geotechnical, hydrological, mining and processing information on the Project;
- The equipment and infrastructure requirements required for life-of-mine operations are well understood. Conventional mining equipment will be used. The LOM fleet requirements are appropriate to the planned production rate and methods;
- The predicted mine life to 2031 is achievable based on the projected annual production rate and the Mineral Reserves estimated.

- There is some upside for the Project if the Inferred Mineral Resources that are identified within the LOM production plan can be upgraded to higher confidence Mineral Resource categories

25.8 Recovery Plan

The proposed process facility designs are appropriate to the mineralization styles in the planned open pit and will support the projected life-of-mine plan;

In the QP's opinion, three principal risks were identified in the metallurgical testwork that could affect plant design. These are:

- Grinding hardness and the delivery schedule of the ore: there is a period early in the mine life, one quarter in particular, where the ability to meet throughput target is right at the limit. The alleviating measure is to ensure tight ore control coming from the pit so as to not aggravate the situation any further.
- Confirming the target Mo recovery and final Mo concentrate grade by locked cycle testwork. There were issues with 2009 and 2010 locked cycle testwork, primarily due to problems with the testing procedure. However both subsequent testwork performed in 2011 and the successful industrial level production of molybdenum concentrates at a high recovery prior to 1982 support the flowsheet and the proposed recovery levels in the mine model. It is believed that the plant can control these issues by good control practice in both the regrind and cleaner flotation areas.
- Confirming that premium concentrate quality can be achieved by proper flotation conditions followed by impurity leaching. The ability to cope with this issue was confirmed by testwork completed in 2011. However this issue is still considered to be a minor risk but this can be alleviated by being conservative in the leach circuit design.

The QPs also note that potential opportunities are recognized in the recovery of silver. Preliminary testwork indicates that it should be possible to produce saleable silver concentrate. However, the same issues that existed in the cleaning of the molybdenum concentrate are duplicated with the recovery of silver to a concentrate. Good control of regrinding and mass pull are critical. Further testwork in this area is recommended to develop robust design criteria.

Although a minor component, there is little information on settling and filtering characteristics. It is recommended that for engineering purposes, provision is made to determine settling and filtration data for design or alternatively a more conservative design approach used for those process sections. A more conservative design approach would have very little impact on the capital cost of the plant.

25.9 Infrastructure

- Infrastructure design required to support mining activities is sufficient for the proposed LOM.

25.10 Markets

- Avanti has a MCTA with Molymet of Chile for the life-of-mine molybdenum concentrate production. Avanti retains an option to reduce the molybdenum concentrate delivered to Molymet for processing to 80% of the total production if required

25.11 Capital and Operating Costs

- Capital cost and operating cost estimates are appropriate for the economic circumstances existing at the time they were supplied

25.12 Financial Analysis

- Taxation considerations include provincial and federal corporate income taxes and BC Mineral taxes as determined using a taxation model provided by PricewaterhouseCoopers LLP
- The economic analysis shows that overall NPV is positive for the sets of assumptions considered
- Sensitivity analysis shows that the Kitsault Project is most sensitive to changes in molybdenum price and the exchange rate, as these items directly affect the revenue stream. The Project is also sensitive, but less so, to capital expenditure and operating cost.

25.13 Conclusions

In the opinion of the QPs, the Project that is outlined in this Report has met its objectives in that mineralization has been identified that can support estimation of Mineral Resources and Mineral Reserves, and there was sufficient additional scientific and technical information to allow the completion of a more detailed study at feasibility level to support potential mine development.

A decision to proceed with development will require appropriate permits, and approval by both relevant statutory authorities and Avanti's board.

26.0 RECOMMENDATIONS

This report documents the findings of an updated Feasibility Report. The decision to proceed with mine development is an Avanti Board decision.

AMEC has restricted work recommendations to a two-phase work program that is designed to provide support for detailed engineering for mine construction and permitting activities. The two phases can be conducted concurrently and results of one phase are not dependent on the outcomes of the other phase. The program estimates total \$7.075 M to \$8.275 M.

26.1 Phase 1

The first phase work program is designed to support detailed engineering for mine construction and permitting activities. The program estimate ranges between \$1.575 M and 1.875 M.

Work contemplated includes the following areas.

26.1.1 EA Certificate

A number of conditions were applied to the grant of the EA Certificate. The key areas that will require additional work are:

- Development of Site Specific Water Quality Objectives
- Development of an Aquatic Effects Monitoring Program for the freshwater environment
- Development of a Marine Environment Monitoring Program. This specifically must include at least two years of baseline data being collected in the marine environment prior to operations commencing.

These programs are estimated, assuming all work is performed by third-party consultants, at between \$0.75 M and 1 M.

26.1.2 Metallurgical Tests

Preliminary testwork indicates that it should be possible to produce saleable silver concentrate. However, the same issues that existed in the cleaning of the molybdenum concentrate are duplicated with the recovery of silver to a concentrate. Good controls of regrinding and mass pull are critical.

- Locked cycle testwork will be needed to confirm silver target recovery and final concentrate grades that can be attained. Avanti should budget for approximately CDN\$150,000 to confirm locked cycle performance on the reserve samples left from the 2011 work.
- Settling testwork of intermediate and final products should allow the optimization of the design and could lead to the reduction of costs associated with settling requirements in the plant. Avanti should budget CDN\$25,000 for this work which will be done on the locked-cycle products.

Metallurgical testwork proposed totals \$175,000.

26.1.3 Optimization Studies

A third-party consultant has been engaged by Avanti to undertake a staging study that will review options to optimize the Project initial cashflow through staging production increases that could be funded through cashflow. The optimization review will also focus on selection of an initial best-fit production rate. The intent is to determine the best approach to achieving the proposed mine production levels while accommodating the short-term supply–demand outlook for the mine product.

The proposed study is estimated at \$350,000 to \$400,000.

26.1.4 Blasting and Fragmentation Studies

Mined material will be blasted to produce a suitable particle size distribution for loading and transportation in haul trucks to their destination: crushing station, stockpiles or WRMF. In addition, mineralized material will be blasted to comply with fragmentation requirements and a specified particle distribution that optimizes the performance of the primary crusher. Avanti should budget for approximately CDN\$300,000 to investigate rock mass characteristics with respect to fragmentation performance for both ore and waste materials. This investigation will facilitate the detailed design of drilling and blasting specifications and the optimization of consumables and costs.

26.2 Phase 2

The second work program is allocated to exploration activities that could potentially support confidence category upgrades for the mineralization currently classified as Inferred Mineral Resources and provide information that could potentially incorporate mineralization at Patsy Creek into the Kitsault Mineral Resource estimate.

This work phase contemplates infill drilling at Bell Moly and Roundy Creek, and an exploration program at Patsy Creek as follows:

- Roundy Creek: 50 core holes; 10,000 m; drill holes average 200 m in depth
- Bell Moly: 20 core holes; 6,000 m; drill holes average 200 m in depth
- Patsy Creek: 20 core holes; 6,000 m; drill holes average 200 m in depth.

Total drill costs could range from \$250/m to \$300/m depending on whether helicopter support is required for the drill programs. Programs could range from

- Roundy Creek: \$2.5 to \$3 M
- Bell Moly: \$1.5 to 1.8 M
- Patsy Creek: \$1.5 to 1.8 M

The total program is estimated at approximately \$5.5 M to \$6.4 M

27.0 REFERENCES

- Alumax Corp., 1996: 10-K report: unpublished report prepared for the US Securities Administration, 2006
- Amax Corp., 1981: 10-K report: unpublished report prepared for the US Securities Administration, 1981
- Amax Corp., 1982: 10-K report: unpublished report prepared for the US Securities Administration, 1982
- Amax Corp., 1983: 10-K report: unpublished report prepared for the US Securities Administration, 1983
- Amax Corp., 1985: 10-K report: unpublished report prepared for the US Securities Administration, 1985
- Avanti Kitsault Mine Limited, 2012: Avanti Mining Announces Off Take Agreement Commitment and a Partnership Letter of Intent, October 19 2013. Press release prepared by Avanti Mining Inc. 19 February 2013
http://www.avantimining.com/s/NewsReleases.asp?ReportID=423863&_Type=News-Releases&_Title=Avanti-Mining-Announces-Off-Take-Agreement-Commitment-and-a-Partnership-Let...
- Avanti Kitsault Mine Limited, 2013: Avanti Mining Updates Kitsault Feasibility Study, 2013. Press release prepared by Avanti Mining Inc. 6 February 2013.
http://www.avantimining.com/s/NewsReleases.asp?ReportID=569619&_Type=News-Releases&_Title=Avanti-Mining-Updates-Kitsault-Feasibility-Study
- Avanti Kitsault Mine Limited, 2011: Kitsault Mine: 2011 Core Handling and Logging Procedures, unpublished internal work procedure Avanti Kitsault Mine Limited.
- Blake, Cassels & Graydon, 2010: Avanti Kitsault Mine: legal opinion prepared by Blake, Cassels & Graydon LLP for Avanti Mining Inc. and AMEC Americas Limited, 7 December 2010.
- Blake, Cassels & Graydon, 2013: Avanti Kitsault Mine: legal opinion prepared by Blake, Cassels & Graydon LLP for Avanti Mining Inc. and AMEC Americas Limited, 28 February, 2013, specifically Schedule B and Schedule C of the opinion.
- Blake, Cassels & Graydon, 2013: Liens text: email from Blake, Cassels & Graydon LLP to Avanti Mining Inc. confirming discharge of liens
- Canadian Council of Ministers of the Environment, 2013: Canadian Environmental Quality Guidelines. Accessed 22 March 2013
http://www.ccme.ca/publications/ceqg_rcqe.html

- Canadian Dam Association, 2007: Dam Safety Guidelines 2007.
http://www.imis100ca1.ca/cda/CDA/Publications_Pages/Dam_Safety_Guidelines.aspx%20
- Canadian Environmental Assessment Act, [SBC 2002] Chapter 43, Assented to May 30, 2002.
http://www.bclaws.ca/EPLibraries/bclaws_new/document/LOC/freeside/02043_01
- Canadian Environmental Management Act, [SBC 2003] Chapter 53, Assented to October 23, 2003.
- Canadian Institute of Mining, Metallurgy and Petroleum (CIM), 2000: CIM Standards for Mineral Resources and Mineral Reserves, Definitions and Guidelines: Canadian Institute of Mining, Metallurgy and Petroleum, August, 2000
http://www.jogmec.go.jp/mric_web/tani/cimstandard.pdf
- Canadian Institute of Mining, Metallurgy and Petroleum (CIM), 2003: Estimation of Mineral Resources and Mineral Reserves, Best Practice Guidelines: Canadian Institute of Mining, Metallurgy and Petroleum, 23 November 2003, <http://www.cim.org/committees/estimation2003.pdf>.
- Canadian Institute of Mining, Metallurgy and Petroleum (CIM), 2005: CIM Standards for Mineral Resources and Mineral Reserves, Definitions and Guidelines: Canadian Institute of Mining, Metallurgy and Petroleum, December 2005, http://www.cim.org/committees/CIMDefStds_Dec11_05.pdf.
- Canadian Institute of Mining, Metallurgy and Petroleum (CIM), 2010: CIM Standards for Mineral Resources and Mineral Reserves, Definitions and Guidelines: Canadian Institute of Mining, Metallurgy and Petroleum, November 2010, http://www.cim.org/UserFiles/File/CIM_DEFINITON_STANDARDS_Nov_2010.pdf.
- Canadian Securities Administrators (CSA), 2005: National Instrument 43-101, Standards of Disclosure for Mineral Projects, Canadian Securities Administrators.
- Canadian Securities Administrators (CSA), 2011: National Instrument 43-101, Standards of Disclosure for Mineral Projects, Canadian Securities Administrators.
- Carter, N.C., 1964: Geology of the Lime Creek Area, B.C. Minister of Mines and Petroleum Annual Report 1964.
- Carter, N.C., 1967: Moly, B.C Minister of Mines and Petroleum Annual Report 1967, pp. 50-52

- Carter, N. C., 1974: Geology and Geochronology of Porphyry Copper and Molybdenum Deposits in West-Central British Columbia: unpublished PhD thesis, University of British Columbia, PhD Dissertation, 236 p.
- Carter, N. C., 1981: Porphyry Copper and Molybdenum Deposits West-Central British Columbia: Ministry of Energy, Mines, and Petroleum Resources Bulletin 64, 150 p.
- Christie, G., Kulla, G., Ulansky, R., Lipiec, T., Healey, P., Levy, M. And Borntraeger, B., 2011: Kitsault Molybdenum Project, British Columbia, Canada, NI 43-101 Technical Report on Feasibility Study: unpublished technical report prepared by AMEC Americas Inc., effective date 15 December, 2010.
- CPM Group, 2010: CPM Group Molybdenum Reception at the 2010 PDAC, Molybdenum Market Outlook. Presentation March 2010
www.avantimining.com/i/pdf/2010-Moly-Pamphlet.pdf
- Davis, B., 2011: Patsy and Roundy Creeks QA/QC Performance. Unpublished BD Resource Consulting Inc memorandum, November 2011.
http://www.bclaws.ca/EPLibraries/bclaws_new/document/ID/freeside/03053_00
- Environmental Assessments Office, 2013: Reasons for Ministers' Decision: Report prepared by the Environmental Assessments Office, 18 March, 2013
- Environmental Assessments Office, 2013: Kitsault Mine Project Granted Conditional Environmental Approval: press release prepared by Environmental Assessments Office, 19 March 2013.
- Environmental Assessments Office, 2013: Kitsault Mine Project Assessment Report (with respect to the Application by Avanti Kitsault Ltd. For an Environmental Assessment Certificate pursuant to Environmental Assessment Act, S.B.C, 2002, c.43). Report prepared by the Environmental Assessments Office, 1 March, 2013
http://a100.gov.bc.ca/appsdata/epic/documents/p356/1363711281932_7c876941869666defadd997b1ce0dcd1c23904a896502da1c1edf906fc060816.pdf
- Fontaine, D., 2012: 2012 Update on Feasibility Study Cost Estimate, unpublished report prepared by Knight Piésold Consulting Ltd for Avanti Mining, Inc., 24 January 2012
- Gillespie, D.W., 2009 Comminution Testing. Unpublished report prepared by Hazen Research Inc. for Avanti Mining, Inc., 11 February 2012
- Grills, F., De Ruijter, M.A., Vicentijevic, M., Volk, J., Levy, M., Healey, P., Day, S., Royle, M., Brouwer, K.J., Schmitt, H.R., and Malhotra, D., 2009: NI 43-101 Pre-Feasibility Study - Avanti Mining Inc. Kitsault Molybdenum Property British Columbia, Canada: unpublished technical report prepared by Wardrop Engineering Ltd for Avanti Mining, Inc., effective date 15 December 2009
- Hodder, R., 1960, Geologic Map of the Roundy Creek Area

- Hodgson, C. J., 1995: Kitsault (Lime Creek) Molybdenum Mine, Northwestern British Columbia: in *Porphyry Deposits of the Northwestern Cordillera of North America*, ed. T. G. Schroeter, CIM Special Volume 46, pp 708–711
- Kamilli, D., 1977: Mineralogic Changes in Contact Aureoles Around Selected Molybdenum-bearing Intrusives: unpublished internal Climax Molybdenum Company report, December, 1977, 125 p.
- Levy, M., 2010: Feasibility Geotechnical Pit Slope Evaluation, Kitsault Project, British Columbia, Canada. Unpublished draft technical report prepared by SRK Consulting Ltd for Avanti Mining, Inc., February 2010
- Ludington, S., Hammarstrom, J., and Piatak, N., 2009: Low-fluorine Stockwork Molybdenite Deposits: U.S. Geological Survey Open-File Report 2009–1211, 9 p.
- Maynard, S.R., 2010: Sunshine Creek Area Geologic Mapping, Avanti Kitsault Mine Project. Unpublished consulting geologist report, 2010
- Maynard, S.R., 2011: Sunshine Creek- Roundy Creek Geologic Mapping, Avanti Kitsault Mine Project, August 2011. Unpublished consulting geologist report, October 2011
- Nelsen, C., 2011: AMEC Questions re Title Opinion: Information supplied by Craig J. Nelson, President and CEO Avanti Mining Inc., to AMEC Americas Limited, 25 January 2011; email from Craig Nelsen to Gary Christie, AMEC Kitsault Project Manager.
- MacDonald Environmental Sciences Ltd. 1997: Methods for Deriving Site-Specific Water Quality Objectives in British Columbia and Yukon. Prepared for the Ministry of Environment, Government of British Columbia, by MacDonald Environmental Sciences Ltd.
http://www.env.gov.bc.ca/wat/wq/BCguidelines/effects_ratio/effectsratio.html
- Minerals Tenure Act 1996, Minerals Tenure Act [RSBC 1996] Chapter 29, British Columbia. Accessed 22 March 2013
www.bclaws.ca/Recon/document/ID/freeside/00_96292_01
- Ministry of Environment, Government of British Columbia 2013: Water Quality Guidelines (Criteria) Reports. Accessed 22 March 2013
http://www.env.gov.bc.ca/wat/wq/wq_guidelines.html
- Ministry of Energy, Mines and Petroleum Resources, Mining and Minerals Division, 2008: Health, Safety and Reclamation Code for Mines in British Columbia. Accessed 22 March 2013
www.empr.gov.bc.ca/Mining/HealthandSafety/.../HSRC2008.pdf
- Rescan Environmental Services, 2012: Kitsault Mine Project: Nisga'a Economic, Social and Cultural Assessment Report. Prepared for Avanti Mining Inc. by Rescan

- Environmental Services, Vancouver, British Columbia, April 2012.
www.ceaa.gc.ca/050/documents/56146/56146E.pdf
- Rescan Environmental Services, 2010: Kitsault Mine Project: 2009 Fisheries Baseline Report. Prepared for Avanti Mining Inc. by Rescan Environmental Services, Vancouver, British Columbia, April 2010.
- Rescan Environmental Services, 2010: Kitsault Mine Project: Archaeology Baseline Study Interim Report- Heritage Inspection Permit 2009-0085. Prepared for Avanti Mining Inc. by Rescan Environmental Services, Vancouver, British Columbia, March 2010.
- Rescan Environmental Services, 2010: Kitsault Mine Project: Aquatics Baseline Report 2009. Prepared for Avanti Mining Inc. by Rescan Environmental Services, Vancouver, British Columbia, April 2010.
- Rescan Environmental Services, 2010: Kitsault Mine Project: Land and Resource Use Baseline Study. Prepared for Avanti Mining Inc. by Rescan Environmental Services, Vancouver, British Columbia, March 2010.
- Rescan Environmental Services, 2010: Kitsault Mine Project: Terrain and Soils Baseline report. Prepared for Avanti Mining Inc. by Rescan Environmental Services, Vancouver, British Columbia, April 2010.
- Rescan Environmental Services, 2010: Kitsault Mine Project: Visual Landscapes Baseline report. Prepared for Avanti Mining Inc. by Rescan Environmental Services, Vancouver, British Columbia, March 2010.
- Resource Development Inc. (RDi) 2010: Kitsault LCT-2 Test with Gravimetric Analyses. Unpublished report prepared for Avanti Mining Inc. by RDi, 3 February 2010
- Resource Development Inc. (RDi) 2010: Preliminary differential flotation test. Unpublished test work prepared for Avanti Mining Inc. by RDi, 1 March 2010
- Resource Development Inc. (RDi) 2012: Silver Recovery Avanti Kitsault Tailings. Unpublished report prepared for Avanti Mining Inc. by RDi, 5 March 2012
- Sinclair, D.W., 1995: Porphyry Mo (Low-F-Type): BC Mineral deposit model, accessed 18 January 2011,
<http://www.empr.gov.bc.ca/Mining/Geoscience/MineralDepositProfiles/ListbyDepositGroup/Pages/LPorphyry.aspx#l05>
- SRK Consulting, 1997: Kitsault Mine Reclamation Workplan: unpublished SRK Consulting report, February 1997
- SRK Consulting, 2008: 2007 Annual Reclamation Report, Kitsault Mine: Unpublished SRK Consulting report, March 2008, 132 p.

- Steininger, R.C., 1978: 1978 Assessment Report: Diamond Drilling Report Kitsault Property. unpublished Climax Molybdenum Company of British Columbia report, 13 February 1979
- Steininger, R.C., 1981: Geology of the Kitsault Molybdenum Deposit, Skeena Mining Division, British Columbia, Canada: unpublished internal Climax Molybdenum Co. report, March 1981, 179 p
- Steininger, R.C., 1985: Geology of the Kitsault Molybdenum Deposit, British Columbia: Economic Geology, Vol. 80, pp 57–71
- Steininger, R.C., and Card, K., 1979: Geology of the Bell Molybdenum Prospect, Skeena Mining District, British Columbia: unpublished Climax Molybdenum Company of British Columbia report, 36 p
- Tajadod, J. 2009: The Metallurgical Testing of Molybdenum Material From the Kitsault Deposit. Unpublished report prepared by SGS Minerals Services for Avanti Mining Inc. 3 December 2009
- Trapp, D. 2010: Tailings Management Facility Alternatives Study. Unpublished report prepared by Knight Piesgold Consulting Ltd for Avanti Mining, Inc., 11 March 2010
- Turnbull, J.M., 1916: British Columbia Department of Mines, Annual Report for 1916: 66 p.
- Volk, J., and Steininger, R., 2008: NI 43-101 Technical Report on Resources, Avanti Mining, Inc., Kitsault Molybdenum Property, British Columbia, Canada: unpublished technical report prepared by SRK Consulting Ltd for Avanti Mining, Inc., effective date 16 July 2008
- Volk, J., Healey, P., Levy, M., Steininger, R., Collins, S., Greenaway, G., Dew, H., Schmitt, R., 2008: NI 43-101 Preliminary Economic Assessment Avanti Mining, Inc., Kitsault Molybdenum Property, British Columbia, Canada: unpublished technical report prepared by SRK Consulting Ltd for Avanti Mining, Inc., effective date 3 November 2008
- White, W. H., Bookstrom, A.A., Kamilli, R.J., Ganster, M.W., Smith, R.P., Ranta, D.E., and Steininger, R.C., 1981: Character and origin of Climax-type molybdenum deposits: Economic Geology, 75th Anniv. Vol., pp 270–316
- Woodcock, J.R., 1964: Geology and geochemistry of Alice Arm Molybdenum Deposits, Kitsault, B.C.: unpublished internal Bear Creek Mining Co. Report, June 29, 1964, 169 p.
- Woodcock, J.R., and Carter, N.C., 1976: Geology and Geochemistry of the Alice Arm Molybdenum Deposits, in Porphyry Deposits of the Canadian Cordillera, ed. A. Sutherland Brown, CIM Special Volume 15, pp 462–475

Wray, W.B., Jr., 1972: Molybdenum Ore Potential Area South of Lime Creek Deposits, Kitsault, B.C.: unpublished internal Kennecott Geol. Research Div. Report, April 1972, 80 p.



APPENDIX A
MINERAL TENURE
AVANTI CLAIM STATUS FOR KITSALT PROJECT AS AT 1 MARCH 2013



Tenure Number	Claim Name	Owner	Tenure Type	Tenure Sub Type	Map Number	Issue Date	Good To Date	Status	Area (ha)	Title Type	1976 Royalties	1984 Royalty	ALI Agreement	TA Agreement	NC Agreement
250340	R #1	217853 (100%)	Mineral	Claim	103P044	1975/jul/24	2022/mar/10	GOOD	150.0000	Four post claim (MC4)	A		C		
250341	R #2	217853 (100%)	Mineral	Claim	103P044	1975/jul/24	2022/mar/10	GOOD	100.0000	Four post claim (MC4)	A		C		
250342	R #3	217853 (100%)	Mineral	Claim	103P044	1975/jul/24	2022/mar/10	GOOD	100.0000	Four post claim (MC4)	A		C		
250343	R #4	217853 (100%)	Mineral	Claim	103P044	1975/jul/24	2021/mar/10	CONV 2011/sep/01	150.0000	Four post claim (MC4)	A		C		
250344	R #5	217853 (100%)	Mineral	Claim	103P044	1975/jul/24	2021/mar/10	CONV 2011/aug/31	150.0000	Four post claim (MC4)	A		C		
250345	G #8	217853 (100%)	Mineral	Claim	103P044	1975/jul/24	2021/mar/10	CONV 2011/aug/31	225.0000	Four post claim (MC4)	A		C		
250346	G #9	217853 (100%)	Mineral	Claim	103P044	1975/jul/24	2021/mar/10	CONV 2011/aug/31	100.0000	Four post claim (MC4)	A		C		
250347	FUBAR 2	217853 (100%)	Mineral	Claim	103P044	1975/aug/08	2022/mar/10	GOOD	225.0000	Four post claim (MC4)	A		C		
250390	FUBAR 3	217853 (100%)	Mineral	Claim	103P044	1975/oct/22	2022/mar/10	GOOD	75.0000	Four post claim (MC4)	A		C		
250391	FUBAR 4	217853 (100%)	Mineral	Claim	103P044	1975/oct/22	2021/mar/10	CONV 2011/sep/01	100.0000	Four post claim (MC4)	A		C		
250458	ALICE	217853 (100%)	Mineral	Claim	103P043	1977/nov/10	2022/mar/10	GOOD	300.0000	Four post claim (MC4)			C		
250508	BLUE 1 FR.	217853 (100%)	Mineral	Claim	103P043	1978/may/24	2021/mar/10	CONV 2011/sep/01	25.0000	Fractional Claim (MCF)			C		
250512	BLUE 5	217853 (100%)	Mineral	Claim	103P043	1978/jul/06	2022/mar/10	GOOD	100.0000	Four post claim (MC4)			C		
250513	BLUE 4	217853 (100%)	Mineral	Claim	103P043	1978/jul/06	2022/mar/10	GOOD	225.0000	Four post claim (MC4)			C		
250514	BLUE 3	217853 (100%)	Mineral	Claim	103P043	1978/jul/06	2022/mar/10	GOOD	25.0000	Four post claim (MC4)			C		
250515	BLUE 1	217853 (100%)	Mineral	Claim	103P043	1978/jul/06	2020/mar/10	CONV 2011/aug/31	225.0000	Four post claim (MC4)			C		
250516	BLUE 2	217853 (100%)	Mineral	Claim	103P043	1978/jul/06	2020/mar/10	CONV 2011/aug/31	250.0000	Four post claim (MC4)			C		
250517	BLUE 4 FR.	217853 (100%)	Mineral	Claim	103P043	1978/jul/06	2021/mar/10	CONV 2011/aug/31	25.0000	Fractional Claim (MCF)			C		
250578	BLUE 2 FR.	217853 (100%)	Mineral	Claim	103P043	1978/jul/21	2022/mar/10	GOOD	25.0000	Fractional Claim (MCF)			C		
250579	BLUE 3 FR.	217853 (100%)	Mineral	Claim	103P043	1978/jul/06	2022/mar/10	GOOD	25.0000	Fractional Claim (MCF)			C		
250612	BLUE 5 FR.	217853 (100%)	Mineral	Claim	103P043	1978/jul/06	2021/mar/10	ABAN 2011/oct/03	25.0000	Fractional Claim (MCF)			C		
250613	BLUE 6 FR.	217853 (100%)	Mineral	Claim	103P043	1978/jul/06	2020/mar/10	ABAN 2012/mar/01	25.0000	Fractional Claim ((MCF)			C		
250685	SNOWBOUND	217853 (100%)	Mineral	Claim	103P044	1979/may/18	2021/mar/10	CONV 2011/aug/31	200.0000	Four post claim (MC4)			C		
250991	CLARY 1	217853 (100%)	Mineral	Claim	103P044	1981/jul/13	2021/mar/10	CONV 2011/aug/31	500.0000	Four post claim (MC4)			C		
250992	CLARY 2	217853 (100%)	Mineral	Claim	103P043	1981/jul/13	2020/mar/10	CONV 2011/aug/31	100.0000	Four post claim (MC4)			C		
251157	JC FR.	217853 (100%)	Mineral	Claim	103P043	1984/may/07	2021/mar/10	CONV 2011/sep/01	25.0000	Fractional Claim (MCF)			C		
254543		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	12.2900	Mining Lease (ML)		B	C		
254544		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	12.2900	Mining Lease (ML)		B	C		
254545		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	11.7100	Mining Lease (ML)		B	C		
254546		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	16.0000	Mining Lease (ML)		B	C		
254547		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	9.1900	Mining Lease (ML)		B	C		
254548		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	12.8000	Mining Lease (ML)		B	C		
254549		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	15.5500	Mining Lease (ML)		B	C		
254550		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	13.7600	Mining Lease (ML)		B	C		
254551		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	19.2300	Mining Lease (ML)		B	C		
254552		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	19.8400	Mining Lease (ML)		B	C		
254553		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	20.7500	Mining Lease (ML)		B	C		
254554		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	15.7200	Mining Lease (ML)		B	C		
254555		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	18.0700	Mining Lease (ML)		B	C		
254556		217853 (100%)	Mineral	Lease	103P043	1967/feb/25	2017/feb/23	GOOD	17.9800	Mining Lease (ML)		B	C		
254557		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	20.9000	Mining Lease (ML)		B	C		
254558		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	18.0000	Mining Lease (ML)		B	C		
254559		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	19.2100	Mining Lease (ML)		B	C		
254560		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	6.2400	Mining Lease (ML)		B	C		
254561		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	8.8500	Mining Lease (ML)		B	C		
254562		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	19.7100	Mining Lease (ML)		B	C		
254563		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	17.9800	Mining Lease (ML)		B	C		
254564		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	3.2800	Mining Lease (ML)		B	C		
254565		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	19.2800	Mining Lease (ML)		B	C		
254566		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	16.8700	Mining Lease (ML)		B	C		
254567		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	5.5800	Mining Lease (ML)		B	C		
254568		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	16.9800	Mining Lease (ML)		B	C		
254569		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	16.9600	Mining Lease (ML)		B	C		
254570		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	16.9300	Mining Lease (ML)		B	C		
254571		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	20.4000	Mining Lease (ML)		B	C		
254572		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	19.8500	Mining Lease (ML)		B	C		
254573		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	20.9000	Mining Lease (ML)		B	C		
254574		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	16.7300	Mining Lease (ML)		B	C		
254575		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	8.3400	Mining Lease (ML)		B	C		
254576		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	19.8100	Mining Lease (ML)		B	C		
254577		217853 (100%)	Mineral	Lease	103P043	1967/feb/23	2017/feb/23	GOOD	19.2400	Mining Lease (ML)		B	C		
254670	ROUNDY	217853 (100%)	Mineral	Claim	103P043	1956/sep/18	2022/mar/10	GOOD	25.0000	Two Post Claim (MC2)			C		



Project No.: 171424
March 2013



Tenure Number	Claim Name	Owner	Tenure Type	Tenure Sub Type	Map Number	Issue Date	Good To Date	Status	Area (ha)	Title Type	1976 Royalties	1984 Royalty	ALI Agreement	TA Agreement	NC Agreement
254962	KENNCO ACCESS NO.26	217853 (100%)	Mineral	Claim	103P043	1963/sep/16	2022/mar/10	GOOD	25.0000	Two Post Claim (MC2)		B	C		
254963	KENNCO ACCESS NO.27	217853 (100%)	Mineral	Claim	103P043	1963/sep/16	2022/mar/10	GOOD	25.0000	Two Post Claim (MC2)		B	C		
255024	ACCESS NO.28	217853 (100%)	Mineral	Claim	103P043	1965/mar/05	2022/mar/10	GOOD	25.0000	Two Post Claim (MC2)			C		
255025	ACCESS NO.29	217853 (100%)	Mineral	Claim	103P043	1965/mar/05	2022/mar/10	GOOD	25.0000	Two Post Claim (MC2)			C		
255026	ACCESS NO.30	217853 (100%)	Mineral	Claim	103P043	1965/mar/05	2022/mar/10	GOOD	25.0000	Two Post Claim (MC2)			C		
255027	ACCESS NO.31	217853 (100%)	Mineral	Claim	103P043	1965/mar/05	2022/mar/10	GOOD	25.0000	Two Post Claim (MC2)			C		
255058	TIM #1 FR.	217853 (100%)	Mineral	Claim	103P043	1965/sep/09	2020/mar/10	CONV 2011/aug/31	25.0000	Fractional Claim (MCF)		B	C		
255059	AC NO.4 FR.	217853 (100%)	Mineral	Claim	103P043	1965/sep/22	2021/mar/10	CONV 2011/sep/01	25.0000	Fractional Claim (MCF)			C		
255060	MA NO.1 FR.	217853 (100%)	Mineral	Claim	103P043	1965/sep/29	2021/mar/10	CONV 2011/sep/01	25.0000	Fractional Claim (MCF)		B	C		
255061	MA NO.6 FR.	217853 (100%)	Mineral	Claim	103P043	1965/sep/29	2021/mar/10	CONV 2011/sep/01	25.0000	Fractional Claim (MCF)			C		
255062	AC NO.2 FR.	217853 (100%)	Mineral	Claim	103P043	1965/sep/29	2021/mar/10	CONV 2011/sep/01	25.0000	Fractional Claim (MCF)			C		
255063	AC NO.16 FR.	217853 (100%)	Mineral	Claim	103P043	1965/sep/29	2021/mar/10	CONV 2011/sep/01	25.0000	Fractional Claim (MCF)			C		
255064	AC NO.27 FR.	217853 (100%)	Mineral	Claim	103P043	1965/sep/29	2021/mar/10	CONV 2011/sep/01	25.0000	Fractional Claim (MCF)			C		
255066	B.C.M. #1	217853 (100%)	Mineral	Claim	103P044	1966/apr/01	2020/mar/10	CONV 2011/aug/31	25.0000	Two Post Claim (MC2)			C		
255067	B.C.M. #2	217853 (100%)	Mineral	Claim	103P044	1966/apr/01	2020/mar/10	CONV 2011/aug/31	25.0000	Two Post Claim (MC2)			C		
255068	B.C.M. #3	217853 (100%)	Mineral	Claim	103P044	1966/apr/01	2020/mar/10	CONV 2011/aug/31	25.0000	Two Post Claim (MC2)			C		
255069	B.C.M. #4	217853 (100%)	Mineral	Claim	103P044	1966/apr/01	2020/mar/10	CONV 2011/aug/31	25.0000	Two Post Claim (MC2)			C		
255070	B.C.M. #5	217853 (100%)	Mineral	Claim	103P044	1966/apr/01	2020/mar/10	CONV 2011/aug/31	25.0000	Two Post Claim (MC2)			C		
255071	B.C.M. #6 FR.	217853 (100%)	Mineral	Claim	103P044	1966/apr/01	2020/mar/10	CONV 2011/aug/31	25.0000	Fractional Claim (MCF)			C		
255072	B.C.M. #7	217853 (100%)	Mineral	Claim	103P043	1966/apr/01	2020/mar/10	ABAN 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
255073	B.C.M. #8 FR.	217853 (100%)	Mineral	Claim	103P044	1966/apr/01	2020/mar/10	ABAN 2011/sep/27	25.0000	Fractional Claim (MCF)			C		
255074	B.C.M. #10	217853 (100%)	Mineral	Claim	103P043	1966/apr/01	2020/mar/10	CONV 2011/aug/31	25.0000	Two Post Claim (MC2)			C		
255083	JOY #1	217853 (100%)	Mineral	Claim	103P043	1966/apr/01	2022/mar/10	GOOD	25.0000	Two Post Claim (MC2)		B	C		
255084	JOY #2	217853 (100%)	Mineral	Claim	103P043	1966/apr/01	2022/mar/10	GOOD	25.0000	Two Post Claim (MC2)		B	C		
255085	JOY #3	217853 (100%)	Mineral	Claim	103P043	1966/apr/01	2022/mar/10	GOOD	25.0000	Two Post Claim (MC2)		B	C		
255086	JOY #4	217853 (100%)	Mineral	Claim	103P043	1966/apr/01	2022/mar/10	GOOD	25.0000	Two Post Claim (MC2)		B	C		
255087	JOY #5	217853 (100%)	Mineral	Claim	103P043	1966/apr/01	2022/mar/10	GOOD	25.0000	Two Post Claim (MC2)		B	C		
255088	JOY #6	217853 (100%)	Mineral	Claim	103P043	1966/apr/01	2022/mar/10	GOOD	25.0000	Two Post Claim (MC2)		B	C		
255089	JOY #8	217853 (100%)	Mineral	Claim	103P043	1966/apr/01	2022/mar/10	GOOD	25.0000	Two Post Claim (MC2)		B	C		
255090	JOY #9	217853 (100%)	Mineral	Claim	103P043	1966/apr/01	2022/mar/10	GOOD	25.0000	Two Post Claim (MC2)		B	C		
255091	JOY #7	217853 (100%)	Mineral	Claim	103P043	1966/apr/01	2022/mar/10	GOOD	25.0000	Two Post Claim (MC2)		B	C		
255092	JOY #10	217853 (100%)	Mineral	Claim	103P043	1966/apr/01	2022/mar/10	GOOD	25.0000	Two Post Claim (MC2)		B	C		
255099	HRG FR.	217853 (100%)	Mineral	Claim	103P043	1966/dec/01	2020/mar/10	ABAN 2011/sep/27	25.0000	Fractional Claim (MCF)			C		
255100	HRG NO. 1	217853 (100%)	Mineral	Claim	103P044	1966/dec/01	2020/mar/10	ABAN 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
255101	HRG NO. 2	217853 (100%)	Mineral	Claim	103P044	1966/dec/01	2020/mar/10	ABAN 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
255102	HRG NO. 3	217853 (100%)	Mineral	Claim	103P043	1966/dec/01	2020/mar/10	ABAN 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
255103	MEG NO. 1	217853 (100%)	Mineral	Claim	103P044	1966/dec/01	2020/mar/10	ABAN 2011/sep/27	25.0000	Two Post Claim (MC2)		B	C		
255104	MEG NO. 2	217853 (100%)	Mineral	Claim	103P044	1966/dec/01	2020/mar/10	CONV 2011/aug/31	25.0000	Two Post Claim (MC2)		B	C		
255105	MEG NO. 3	217853 (100%)	Mineral	Claim	103P044	1966/dec/01	2020/mar/10	ABAN 2011/sep/27	25.0000	Two Post Claim (MC2)		B	C		
255106	MEG NO. 4	217853 (100%)	Mineral	Claim	103P044	1966/dec/01	2020/mar/10	CONV 2011/aug/31	25.0000	Two Post Claim (MC2)		B	C		
255107	MEG NO. 5	217853 (100%)	Mineral	Claim	103P044	1966/dec/01	2020/mar/10	ABAN 2011/sep/27	25.0000	Two Post Claim (MC2)		B	C		
255108	MEG NO. 6	217853 (100%)	Mineral	Claim	103P044	1966/dec/01	2020/mar/10	CONV 2011/aug/31	25.0000	Two Post Claim (MC2)		B	C		
255109	MEG NO. 7	217853 (100%)	Mineral	Claim	103P044	1966/dec/01	2020/mar/10	ABAN 2011/sep/27	25.0000	Two Post Claim (MC2)		B	C		
255110	MEG NO. 8	217853 (100%)	Mineral	Claim	103P044	1966/dec/01	2020/mar/10	CONV 2011/aug/31	25.0000	Two Post Claim (MC2)		B	C		
255111	JAN FR.	217853 (100%)	Mineral	Claim	103P043	1966/nov/29	2021/mar/10	CONV 2011/aug/31	25.0000	Fractional Claim (MCF)		B	C		
255112	JAN NO. 1	217853 (100%)	Mineral	Claim	103P043	1966/nov/29	2020/mar/10	CONV 2011/aug/31	25.0000	Two Post Claim (MC2)		B	C		
255113	JAN NO. 2	217853 (100%)	Mineral	Claim	103P043	1966/nov/29	2020/mar/10	CONV 2011/aug/31	25.0000	Two Post Claim (MC2)			C		
255114	JAN NO. 3	217853 (100%)	Mineral	Claim	103P043	1966/nov/29	2020/mar/10	ABAN 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
255115	JAN NO. 4	217853 (100%)	Mineral	Claim	103P043	1966/nov/29	2020/mar/10	ABAN 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
255116	JAN NO. 5	217853 (100%)	Mineral	Claim	103P043	1966/nov/29	2020/mar/10	ABAN 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
255117	JAN NO.1 FR.	217853 (100%)	Mineral	Claim	103P043	1967/mar/21	2020/mar/10	CONV 2011/aug/31	25.0000	Fractional Claim (MCF)			C		
255118	JAN NO.6	217853 (100%)	Mineral	Claim	103P043	1967/mar/21	2020/mar/10	CONV 2011/aug/31	25.0000	Two Post Claim (MC2)			C		
255119	JAN NO.7	217853 (100%)	Mineral	Claim	103P043	1967/mar/21	2020/mar/10	CONV 2011/aug/31	25.0000	Two Post Claim (MC2)			C		
255120	JAN NO.8	217853 (100%)	Mineral	Claim	103P043	1967/mar/21	2020/mar/10	CONV 2011/aug/31	25.0000	Two Post Claim (MC2)			C		
255121	JAN NO.9	217853 (100%)	Mineral	Claim	103P043	1967/mar/21	2020/mar/10	CONV 2011/aug/31	25.0000	Two Post Claim (MC2)			C		
255122	JAN NO.10	217853 (100%)	Mineral	Claim	103P043	1967/mar/21	2020/mar/10	CONV 2011/aug/31	25.0000	Two Post Claim (MC2)			C		
255123	JAN NO.11	217853 (100%)	Mineral	Claim	103P043	1967/mar/21	2020/mar/10	CONV 2011/aug/31	25.0000	Two Post Claim (MC2)			C		
255124	JAN NO.12	217853 (100%)	Mineral	Claim	103P043	1967/mar/21	2020/mar/10	CONV 2011/aug/31	25.0000	Two Post Claim (MC2)			C		
255125	JAN NO.13	217853 (100%)	Mineral	Claim	103P043	1967/mar/21	2020/mar/10	CONV 2011/aug/31	25.0000	Two Post Claim (MC2)			C		
255126	JAN NO.14	217853 (100%)	Mineral	Claim	103P043	1967/mar/21	2021/mar/10	CONV 2011/sep/01	25.0000	Two Post Claim (MC2)			C		
255127	JAN NO.15	217853 (100%)	Mineral	Claim	103P043	1967/mar/21	2020/mar/10	CONV 2011/aug/31	25.0000	Two Post Claim (MC2)			C		
255128	JAN NO.16	217853 (100%)	Mineral	Claim	103P043	1967/mar/21	2021/mar/10	CONV 2011/sep/01	25.0000	Two Post Claim (MC2)			C		



Tenure Number	Claim Name	Owner	Tenure Type	Tenure Sub Type	Map Number	Issue Date	Good To Date	Status	Area (ha)	Title Type	1976 Royalties	1984 Royalty	ALI Agreement	TA Agreement	NC Agreement
255129	JAN NO.17	217853 (100%)	Mineral	Claim	103P043	1967/mar/21	2020/mar/10	CONV 2011/aug/31	25.0000	Two Post Claim (MC2)			C		
255130	JAN NO.18	217853 (100%)	Mineral	Claim	103P043	1967/mar/21	2020/mar/10	CONV 2011/sep/01	25.0000	Two Post Claim (MC2)			C		
255131	JAN NO.19	217853 (100%)	Mineral	Claim	103P043	1967/mar/21	2020/mar/10	CONV 2011/aug/31	25.0000	Two Post Claim (MC2)			C		
255132	JAN NO.20	217853 (100%)	Mineral	Claim	103P043	1967/mar/21	2021/mar/10	CONV 2011/sep/01	25.0000	Two Post Claim (MC2)			C		
255133	JAN NO.21	217853 (100%)	Mineral	Claim	103P043	1967/mar/21	2021/mar/10	CONV 2011/sep/01	25.0000	Two Post Claim (MC2)			C		
255134	JAN NO.22	217853 (100%)	Mineral	Claim	103P043	1967/mar/21	2021/mar/10	CONV 2011/sep/01	25.0000	Two Post Claim (MC2)			C		
255135	JAN NO.23	217853 (100%)	Mineral	Claim	103P043	1967/mar/21	2021/mar/10	CONV 2011/sep/01	25.0000	Two Post Claim (MC2)			C		
255136	JAN NO.24	217853 (100%)	Mineral	Claim	103P043	1967/mar/21	2021/mar/10	CONV 2011/sep/01	25.0000	Two Post Claim (MC2)			C		
255137	JAN NO.25	217853 (100%)	Mineral	Claim	103P043	1967/mar/21	2021/mar/10	CONV 2011/sep/01	25.0000	Two Post Claim (MC2)			C		
255138	JAN NO.26	217853 (100%)	Mineral	Claim	103P043	1967/mar/21	2020/mar/10	CONV 2011/aug/31	25.0000	Two Post Claim (MC2)		B	C		
255139	JAN NO.27	217853 (100%)	Mineral	Claim	103P043	1967/mar/21	2020/mar/10	CONV 2011/aug/31	25.0000	Two Post Claim (MC2)		B	C		
255158	CJ #1 FR.	217853 (100%)	Mineral	Claim	103P043	1967/jun/15	2022/mar/10	GOOD	25.0000	Fractional Claim (MCF)			C		
255159	CJ #2 FR.	217853 (100%)	Mineral	Claim	103P043	1967/jun/15	2022/mar/10	GOOD	25.0000	Fractional Claim (MCF)			C		
255160	CJ #3 FR.	217853 (100%)	Mineral	Claim	103P043	1967/jun/15	2022/mar/10	GOOD	25.0000	Fractional Claim (MCF)			C		
255161	CJ #4 FR.	217853 (100%)	Mineral	Claim	103P043	1967/jun/15	2022/mar/10	GOOD	25.0000	Fractional Claim (MCF)			C		
255162	CJ #5 FR.	217853 (100%)	Mineral	Claim	103P043	1967/jun/15	2022/mar/10	GOOD	25.0000	Fractional Claim (MCF)			C		
255163	CJ #6 FR.	217853 (100%)	Mineral	Claim	103P043	1967/jun/15	2022/mar/10	GOOD	25.0000	Fractional Claim (MCF)			C		
255164	CJ #7 FR.	217853 (100%)	Mineral	Claim	103P043	1967/jun/15	2022/mar/10	GOOD	25.0000	Fractional Claim (MCF)			C		
255165	AT FR.	217853 (100%)	Mineral	Claim	103P043	1967/jul/27	2021/mar/10	GOOD	25.0000	Fractional Claim (MCF)			C		
255166	DM #1 FR.	217853 (100%)	Mineral	Claim	103P043	1967/jul/27	2021/mar/10	GOOD	25.0000	Fractional Claim (MCF)			C		
255167	DM #2 FR.	217853 (100%)	Mineral	Claim	103P043	1967/jul/27	2021/mar/10	GOOD	25.0000	Fractional Claim (MCF)			C		
255169	ROUNDY FR.	217853 (100%)	Mineral	Claim	103P043	1967/jul/06	2022/mar/10	GOOD	25.0000	Fractional Claim (MCF)			C		
255170	D.M. NO. 3 FR.	217853 (100%)	Mineral	Claim	103P043	1967/aug/31	2022/mar/10	GOOD	25.0000	Fractional Claim (MCF)			C		
255354	FAST 2	217853 (100%)	Mineral	Claim	103P043	1974/jul/05	2021/mar/10	CONV 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
255355	FAST 3	217853 (100%)	Mineral	Claim	103P043	1974/jul/05	2021/mar/10	CONV 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
255356	FAST 4	217853 (100%)	Mineral	Claim	103P043	1974/jul/05	2021/mar/10	CONV 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
255357	FAST 5	217853 (100%)	Mineral	Claim	103P043	1974/jul/05	2021/mar/10	CONV 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
255358	FAST 6	217853 (100%)	Mineral	Claim	103P043	1974/jul/05	2021/mar/10	CONV 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
255359	FAST 7	217853 (100%)	Mineral	Claim	103P043	1974/jul/05	2021/mar/10	CONV 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
255360	FAST 8	217853 (100%)	Mineral	Claim	103P043	1974/jul/05	2021/mar/10	CONV 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
255361	FAST 9	217853 (100%)	Mineral	Claim	103P043	1974/jul/05	2021/mar/10	CONV 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
255362	FAST 10	217853 (100%)	Mineral	Claim	103P043	1974/jul/05	2021/mar/10	CONV 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
255363	FAST 11	217853 (100%)	Mineral	Claim	103P043	1974/jul/05	2021/mar/10	CONV 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
255364	FAST 12	217853 (100%)	Mineral	Claim	103P043	1974/jul/05	2021/mar/10	CONV 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
255365	FAST 13	217853 (100%)	Mineral	Claim	103P043	1974/jul/05	2021/mar/10	GOOD	25.0000	Two Post Claim (MC2)			C		
255366	FAST 14	217853 (100%)	Mineral	Claim	103P043	1974/jul/05	2021/mar/10	GOOD	25.0000	Two Post Claim (MC2)			C		
255367	FAST 15	217853 (100%)	Mineral	Claim	103P043	1974/jul/05	2021/mar/10	CONV 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
255368	FAST 16	217853 (100%)	Mineral	Claim	103P043	1974/jul/05	2021/mar/10	CONV 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
255369	FAST 17	217853 (100%)	Mineral	Claim	103P043	1974/jul/05	2021/mar/10	CONV 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
255370	FAST 18	217853 (100%)	Mineral	Claim	103P043	1974/jul/05	2021/mar/10	CONV 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
255371	FAST 19	217853 (100%)	Mineral	Claim	103P043	1974/jul/05	2021/mar/10	CONV 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
255372	FAST 20	217853 (100%)	Mineral	Claim	103P043	1974/jul/05	2021/mar/10	CONV 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
255373	FAST 21	217853 (100%)	Mineral	Claim	103P043	1974/jul/05	2021/mar/10	CONV 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
255374	FAST 22	217853 (100%)	Mineral	Claim	103P043	1974/jul/05	2021/mar/10	CONV 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
255375	FAST 1	217853 (100%)	Mineral	Claim	103P043	1974/jul/05	2021/mar/10	CONV 2011/sep/27	25.0000	Two Post Claim (MC2)			C		
509804		217853 (100%)	Mineral	Claim	103P	2005/mar/30	2022/mar/10	GOOD	220.3470	Mineral Cell Title Submission (MCX)				D	
510205		217853 (100%)	Mineral	Claim	103P	2005/apr/05	2022/mar/10	GOOD	1322.7590	Mineral Cell Title Submission (MCX)				D	
510225		217853 (100%)	Mineral	Claim	103P	2005/apr/05	2022/mar/10	GOOD	367.2350	Mineral Cell Title Submission (MCX)				D	
510226		217853 (100%)	Mineral	Claim	103P	2005/apr/05	2022/mar/10	GOOD	238.7340	Mineral Cell Title Submission (MCX)				D	
517362	WOLF GAP	217853 (100%)	Mineral	Claim	103P	2005/jul/12	2022/mar/10	GOOD	110.2110	Mineral Cell Title Submission (MCX)				D	
517364	LIME CREEK FRAC	217853 (100%)	Mineral	Claim	103P	2005/jul/12	2022/mar/10	GOOD	55.0880	Mineral Cell Title Submission (MCX)				D	
517367	ROUNDY CREEK FRAC	217853 (100%)	Mineral	Claim	103P	2005/jul/12	2022/mar/10	GOOD	18.3560	Mineral Cell Title Submission (MCX)				D	
517371	BELLE FRAC	217853 (100%)	Mineral	Claim	103P	2005/jul/12	2022/mar/10	GOOD	36.6940	Mineral Cell Title Submission (MCX)				D	
527089	KITSAULT SOUTH	217853 (100%)	Mineral	Claim	103P	2006/feb/06	2022/mar/10	GOOD	459.3610	Mineral Cell Title Submission (MCX)				D	
530006	KITSAULT NORTH 1	217853 (100%)	Mineral	Claim	103P	2006/mar/14	2022/mar/10	GOOD	440.0710	Mineral Cell Title Submission (MCX)				D	
530007	KITSAULT NORTH 2	217853 (100%)	Mineral	Claim	103P	2006/mar/14	2022/mar/10	GOOD	73.3600	Mineral Cell Title Submission (MCX)				D	
530008	KITSAULT NORTH FRACTION	217853 (100%)	Mineral	Claim	103P	2006/mar/14	2022/mar/10	GOOD	220.0860	Mineral Cell Title Submission (MCX)				D	
530009	KITSAULT NORTH FRAC 2	217853 (100%)	Mineral	Claim	103P	2006/mar/14	2022/mar/10	GOOD	55.0160	Mineral Cell Title Submission (MCX)				D	
530826	KITSAULT NORTH 5	217853 (100%)	Mineral	Claim	103P	2006/mar/29	2022/mar/10	GOOD	385.2170	Mineral Cell Title Submission (MCX)				D	
530827	KITSAULT NORTH 6	217853 (100%)	Mineral	Claim	103P	2006/mar/29	2022/mar/10	GOOD	183.3950	Mineral Cell Title Submission (MCX)				D	



Tenure Number	Claim Name	Owner	Tenure Type	Tenure Sub Type	Map Number	Issue Date	Good To Date	Status	Area (ha)	Title Type	1976 Royalties	1984 Royalty	ALI Agreement	TA Agreement	NC Agreement
530884	KITSAULT FRAC 1	217853 (100%)	Mineral	Claim	103P	2006/mar/30	2022/mar/10	GOOD	36.6920	Mineral Cell Title Submission (MCX)				D	
530885	KITSAULT FRAC 2	217853 (100%)	Mineral	Claim	103P	2006/mar/30	2022/mar/10	GOOD	18.3460	Mineral Cell Title Submission (MCX)				D	
530886	KITSAULT FRAC 3	217853 (100%)	Mineral	Claim	103P	2006/mar/30	2022/mar/10	GOOD	18.3440	Mineral Cell Title Submission (MCX)				D	
530887	KITSAULT FRAC 4	217853 (100%)	Mineral	Claim	103P	2006/mar/30	2022/mar/10	GOOD	55.0340	Mineral Cell Title Submission (MCX)				D	
530888	KITSAULT EAST 2	217853 (100%)	Mineral	Claim	103P	2006/mar/30	2022/mar/10	GOOD	385.6270	Mineral Cell Title Submission (MCX)				D	
530889	KITSAULT EAST 3	217853 (100%)	Mineral	Claim	103P	2006/mar/30	2022/mar/10	GOOD	110.1570	Mineral Cell Title Submission (MCX)				D	
530890	KITSAULT EAST 1	217853 (100%)	Mineral	Claim	103P	2006/mar/30	2022/mar/10	GOOD	440.5140	Mineral Cell Title Submission (MCX)				D	
530891	EAST FRAC 1	217853 (100%)	Mineral	Claim	103P	2006/mar/30	2022/mar/10	GOOD	36.7000	Mineral Cell Title Submission (MCX)				D	
530892	EAST FRAC 2	217853 (100%)	Mineral	Claim	103P	2006/mar/30	2022/mar/10	GOOD	55.0560	Mineral Cell Title Submission (MCX)				D	
530893	WIDDZECH 1	217853 (100%)	Mineral	Claim	103P	2006/mar/30	2022/mar/10	GOOD	220.2800	Mineral Cell Title Submission (MCX)				D	
530912	EAST FRAC 3	217853 (100%)	Mineral	Claim	103P	2006/mar/31	2022/mar/10	GOOD	18.3560	Mineral Cell Title Submission (MCX)				D	
530913	EAST FRAC 4	217853 (100%)	Mineral	Claim	103P	2006/mar/31	2022/mar/10	GOOD	18.3600	Mineral Cell Title Submission (MCX)				D	
530914	EAST FRAC 5	217853 (100%)	Mineral	Claim	103P	2006/mar/31	2022/mar/10	GOOD	18.3500	Mineral Cell Title Submission (MCX)				D	
555363	HOAN NORTH	217853 (100%)	Mineral	Claim	103P	2007/mar/29	2022/mar/10	GOOD	220.4875	Mineral Cell Title Submission (MCX)					E
555366	HOAN SOUTH	217853 (100%)	Mineral	Claim	103P	2007/mar/29	2022/mar/10	GOOD	220.8053	Mineral Cell Title Submission (MCX)					E
564915	GWIN 1	217853 (100%)	Mineral	Claim	103P	2007/aug/22	2022/mar/10	GOOD	440.5837	Mineral Cell Title Submission (MCX)				D	
564916	GWIN 2	217853 (100%)	Mineral	Claim	103P	2007/aug/22	2022/mar/10	GOOD	440.7171	Mineral Cell Title Submission (MCX)				D	
564917	GWIN 3	217853 (100%)	Mineral	Claim	103P	2007/aug/22	2022/mar/10	GOOD	385.5937	Mineral Cell Title Submission (MCX)				D	
566438	HB1	217853 (100%)	Mineral	Claim	103P	2007/sep/21	2022/mar/10	GOOD	459.4243	Mineral Cell Title Submission (MCX)				D	
566439	HB2	217853 (100%)	Mineral	Claim	103P	2007/sep/21	2022/mar/10	GOOD	36.7857	Mineral Cell Title Submission (MCX)				D	
566480	MONSTER1	217853 (100%)	Mineral	Claim	103P	2007/sep/21	2022/mar/10	GOOD	460.0167	Mineral Cell Title Submission (MCX)				D	
566483	MONSTER2	217853 (100%)	Mineral	Claim	103P	2007/sep/21	2022/mar/10	GOOD	460.1915	Mineral Cell Title Submission (MCX)				D	
566486	MONSTER3	217853 (100%)	Mineral	Claim	103P	2007/sep/21	2022/mar/10	GOOD	349.5576	Mineral Cell Title Submission (MCX)				D	
568513	HOANEAST1	217853 (100%)	Mineral	Claim	103P	2007/oct/23	2022/mar/10	GOOD	331.1440	Mineral Cell Title Submission (MCX)				D	
568514	HOANEAST2	217853 (100%)	Mineral	Claim	103P	2007/oct/23	2022/mar/10	GOOD	386.2257	Mineral Cell Title Submission (MCX)				D	
568515	HOANEAST3	217853 (100%)	Mineral	Claim	103P	2007/oct/23	2022/mar/10	GOOD	441.1656	Mineral Cell Title Submission (MCX)				D	
568516	HOANEAST4	217853 (100%)	Mineral	Claim	103P	2007/oct/23	2022/mar/10	GOOD	441.1678	Mineral Cell Title Submission (MCX)				D	
568517	HOANEAST5	217853 (100%)	Mineral	Claim	103P	2007/oct/23	2022/mar/10	GOOD	422.9085	Mineral Cell Title Submission (MCX)				D	
568518	HOANEAST6	217853 (100%)	Mineral	Claim	103P	2007/oct/23	2022/mar/10	GOOD	459.3480	Mineral Cell Title Submission (MCX)				D	
568519	HOANEAST7	217853 (100%)	Mineral	Claim	103P	2007/oct/23	2022/mar/10	GOOD	459.3470	Mineral Cell Title Submission (MCX)				D	
568520	HOANWEST1	217853 (100%)	Mineral	Claim	103P	2007/oct/23	2022/mar/10	GOOD	404.0887	Mineral Cell Title Submission (MCX)				D	
568521	HOANEAST8	217853 (100%)	Mineral	Claim	103P	2007/oct/23	2022/mar/10	GOOD	367.3531	Mineral Cell Title Submission (MCX)				D	
568522	HOANWEST2	217853 (100%)	Mineral	Claim	103P	2007/oct/23	2022/mar/10	GOOD	459.3495	Mineral Cell Title Submission (MCX)				D	
568523	HOANWEST3	217853 (100%)	Mineral	Claim	103P	2007/oct/23	2022/mar/10	GOOD	386.0052	Mineral Cell Title Submission (MCX)				D	
568524	HOANWEST4	217853 (100%)	Mineral	Claim	103P	2007/oct/23	2022/mar/10	GOOD	459.7091	Mineral Cell Title Submission (MCX)				D	
568525	HOANEAST9	217853 (100%)	Mineral	Claim	103P	2007/oct/23	2022/mar/10	GOOD	257.6565	Mineral Cell Title Submission (MCX)				D	
568526	KWIN1	217853 (100%)	Mineral	Claim	103P	2007/oct/23	2022/mar/10	GOOD	367.3555	Mineral Cell Title Submission (MCX)				D	
568527	KWIN2	217853 (100%)	Mineral	Claim	103P	2007/oct/23	2022/mar/10	GOOD	349.0378	Mineral Cell Title Submission (MCX)				D	
568530	HOANSOUTH1	217853 (100%)	Mineral	Claim	103P	2007/oct/23	2022/mar/10	GOOD	460.1730	Mineral Cell Title Submission (MCX)				D	
568534	HOANWEST5	217853 (100%)	Mineral	Claim	103P	2007/oct/23	2022/mar/10	GOOD	312.7391	Mineral Cell Title Submission (MCX)				D	
568537	KWIN3	217853 (100%)	Mineral	Claim	103P	2007/oct/23	2022/mar/10	GOOD	330.7714	Mineral Cell Title Submission (MCX)				D	
568538	KWIN4	217853 (100%)	Mineral	Claim	103P	2007/oct/23	2022/mar/10	GOOD	459.3562	Mineral Cell Title Submission (MCX)				D	
568539	KWIN5	217853 (100%)	Mineral	Claim	103P	2007/oct/23	2022/mar/10	GOOD	459.3554	Mineral Cell Title Submission (MCX)				D	
598581	BLUE FRACTION	217853 (100%)	Mineral	Claim	103P	2009/feb/02	2022/mar/10	GOOD	18.3613	Mineral Cell Title Submission (MCX)					
602567	BONANZA 10	217853 (100%)	Mineral	Claim	103P	2009/apr/14	2022/mar/10	GOOD	441.1518	Mineral Cell Title Submission (MCX)				D	
602570	BONANZA 11	217853 (100%)	Mineral	Claim	103P	2009/apr/14	2022/mar/10	GOOD	441.1108	Mineral Cell Title Submission (MCX)				D	
602571	BONANZA 12	217853 (100%)	Mineral	Claim	103P	2009/apr/14	2022/mar/10	GOOD	441.3357	Mineral Cell Title Submission (MCX)				D	
602572	BONANZA 13	217853 (100%)	Mineral	Claim	103P	2009/apr/14	2022/mar/10	GOOD	441.3751	Mineral Cell Title Submission (MCX)				D	
602574	BONANZA 14	217853 (100%)	Mineral	Claim	103P	2009/apr/14	2022/mar/10	GOOD	441.5655	Mineral Cell Title Submission (MCX)				D	
602576	BONANZA 15	217853 (100%)	Mineral	Claim	103P	2009/apr/14	2022/mar/10	GOOD	441.7512	Mineral Cell Title Submission (MCX)				D	
602577	BONANZA 16	217853 (100%)	Mineral	Claim	103P	2009/apr/14	2022/mar/10	GOOD	441.9348	Mineral Cell Title Submission (MCX)				D	
602580	STAGOO 4	217853 (100%)	Mineral	Claim	103P	2009/apr/14	2022/mar/10	GOOD	442.2367	Mineral Cell Title Submission (MCX)				D	
602583	STAGOO 5	217853 (100%)	Mineral	Claim	103P	2009/apr/14	2022/mar/10	GOOD	442.2125	Mineral Cell Title Submission (MCX)				D	
602584	STAGOO 7	217853 (100%)	Mineral	Claim	103P	2009/apr/14	2022/mar/10	GOOD	442.3887	Mineral Cell Title Submission (MCX)				D	
602586	STAGOO 6	217853 (100%)	Mineral	Claim	103P	2009/apr/14	2022/mar/10	GOOD	442.3270	Mineral Cell Title Submission (MCX)				D	
602587	STAGOO 8	217853 (100%)	Mineral	Claim	103P	2009/apr/14	2022/mar/10	GOOD	368.7621	Mineral Cell Title Submission (MCX)				D	
602593	BONANZA 2	217853 (100%)	Mineral	Claim	103P	2009/apr/14	2022/mar/10	GOOD	110.2592	Mineral Cell Title Submission (MCX)				D	
603005	VERY STEEP	217853 (100%)	Mineral	Claim	103P	2009/apr/20	2022/mar/10	GOOD	220.6216	Mineral Cell Title Submission (MCX)				D	
603006	STAGOO 9	217853 (100%)	Mineral	Claim	103P	2009/apr/20	2022/mar/10	GOOD	442.3007	Mineral Cell Title Submission (MCX)				D	
603007	STAGOO 10	217853 (100%)	Mineral	Claim	103P	2009/apr/20	2022/mar/10	GOOD	368.5619	Mineral Cell Title Submission (MCX)				D	
603009	STAGOO 11	217853 (100%)	Mineral	Claim	103P	2009/apr/20	2022/mar/10	GOOD	442.0723	Mineral Cell Title Submission (MCX)				D	
603011	STAGOO 13	217853 (100%)	Mineral	Claim	103P	2009/apr/20	2022/mar/10	GOOD	332.0690	Mineral Cell Title Submission (MCX)				D	



Tenure Number	Claim Name	Owner	Tenure Type	Tenure Sub Type	Map Number	Issue Date	Good To Date	Status	Area (ha)	Title Type	1976 Royalties	1984 Royalty	ALI Agreement	TA Agreement	NC Agreement
603012	STAGOO 14	217853 (100%)	Mineral	Claim	103P	2009/apr/20	2022/mar/10	GOOD	147.3843	Mineral Cell Title Submission (MCX)				D	
603533	BONANZA 9	217853 (100%)	Mineral	Claim	103P	2009/apr/28	2022/mar/10	GOOD	442.0954	Mineral Cell Title Submission (MCX)				D	
603534	BONANZA 10	217853 (100%)	Mineral	Claim	103P	2009/apr/28	2022/mar/10	GOOD	442.2074	Mineral Cell Title Submission (MCX)				D	
603535	BONANZA 11	217853 (100%)	Mineral	Claim	103P	2009/apr/28	2022/mar/10	GOOD	442.0944	Mineral Cell Title Submission (MCX)				D	
603536	STAGOO 3	217853 (100%)	Mineral	Claim	103P	2009/apr/28	2022/mar/10	GOOD	460.6900	Mineral Cell Title Submission (MCX)				D	
603537	STAGOO1	217853 (100%)	Mineral	Claim	103P	2009/apr/28	2022/mar/10	GOOD	460.9246	Mineral Cell Title Submission (MCX)				D	
603538	STAGOO 2	217853 (100%)	Mineral	Claim	103P	2009/apr/28	2022/mar/10	GOOD	239.7621	Mineral Cell Title Submission (MCX)				D	
606521	JANICE	217853 (100%)	Mineral	Claim	103P	2009/jun/23	2022/mar/10	GOOD	55.0330	Mineral Cell Title Submission (MCX)				D	
606522	NANCY	217853 (100%)	Mineral	Claim	103P	2009/jun/23	2022/mar/10	GOOD	55.0444	Mineral Cell Title Submission (MCX)				D	
606523	MICKEY	217853 (100%)	Mineral	Claim	103P	2009/jun/23	2022/mar/10	GOOD	367.8009	Mineral Cell Title Submission (MCX)				D	
606524	ELBEE	217853 (100%)	Mineral	Claim	103P	2009/jun/23	2022/mar/10	GOOD	367.7988	Mineral Cell Title Submission (MCX)				D	
606963	NANCY 2	217853 (100%)	Mineral	Claim	103P	2009/jul/03	2022/mar/10	GOOD	330.3178	Mineral Cell Title Submission (MCX)				D	
606964	NANCY 3	217853 (100%)	Mineral	Claim	103P	2009/jul/03	2022/mar/10	GOOD	18.3404	Mineral Cell Title Submission (MCX)				D	
617304	HM 1	217853 (100%)	Mineral	Claim	103P	2009/aug/11	2022/mar/10	GOOD	440.6511	Mineral Cell Title Submission (MCX)				D	
617306	HM 2	217853 (100%)	Mineral	Claim	103P	2009/aug/11	2022/mar/10	GOOD	440.6510	Mineral Cell Title Submission (MCX)				D	
617323	HM 3	217853 (100%)	Mineral	Claim	103P	2009/aug/11	2022/mar/10	GOOD	275.3474	Mineral Cell Title Submission (MCX)				D	
617344		217853 (100%)	Mineral	Claim	103P	2009/aug/11	2022/mar/10	GOOD	367.0197	Mineral Cell Title Submission (MCX)				D	
617345		217853 (100%)	Mineral	Claim	103P	2009/aug/11	2022/mar/10	GOOD	146.7239	Mineral Cell Title Submission (MCX)				D	
617346		217853 (100%)	Mineral	Claim	103P	2009/aug/11	2022/mar/10	GOOD	385.2304	Mineral Cell Title Submission (MCX)				D	
617363		217853 (100%)	Mineral	Claim	103P	2009/aug/11	2022/mar/10	GOOD	110.0829	Mineral Cell Title Submission (MCX)				D	
620565	SB FRACTION	217853 (100%)	Mineral	Claim	103P	2009/aug/17	2022/mar/10	GOOD	18.3576	Mineral Cell Title Submission (MCX)				D	
620583	HM FRACTION	217853 (100%)	Mineral	Claim	103P	2009/aug/17	2022/mar/10	GOOD	18.3482	Mineral Cell Title Submission (MCX)				D	
649604	HOAN SOUTH 2	217853 (100%)	Mineral	Claim	103P	2009/oct/09	2022/mar/10	GOOD	331.1404	Mineral Cell Title Submission (MCX)				D	
649605	HOAN SOUTH 3	217853 (100%)	Mineral	Claim	103P	2009/oct/09	2022/mar/10	GOOD	331.2398	Mineral Cell Title Submission (MCX)				D	
683484	CONNECTOR 4	217853 (100%)	Mineral	Claim	103P	2009/dec/10	2022/mar/10	GOOD	220.9425	Mineral Cell Title Submission (MCX)				D	
683503	CONNECTOR 3	217853 (100%)	Mineral	Claim	103P	2009/dec/10	2022/mar/10	GOOD	276.0496	Mineral Cell Title Submission (MCX)				D	
683523	CONNECTOR 2	217853 (100%)	Mineral	Claim	103P	2009/dec/10	2022/mar/10	GOOD	441.3794	Mineral Cell Title Submission (MCX)				D	
683543	CONNECTOR 1	217853 (100%)	Mineral	Claim	103P	2009/dec/10	2022/mar/10	GOOD	441.0809	Mineral Cell Title Submission (MCX)				D	
707024		217853 (100%)	Mineral	Claim	103P	2010/feb/24	2022/mar/10	GOOD	238.3672	Mineral Cell Title Submission (MCX)					
719548	AVTFR1	217853 (100%)	Mineral	Claim	103P	2010/mar/10	2022/mar/10	GOOD	18.3461	Mineral Cell Title Submission (MCX)					
839492	BM AREA	217853 (100%)	Mineral	Claim	103P	2010/dec/02	2022/mar/10	GOOD	146.7029	Mineral Cell Title Submission (MCX)					
844688		217853 (100%)	Mineral	Claim	103P	2011/jan/27	2022/mar/10	GOOD	18.3424	Mineral Cell Title Submission (MCX)					
862828	KIT FRAC	217853 (100%)	Mineral	Claim	103P	2011/jul/05	2022/mar/10	GOOD	18.3424	Mineral Cell Title Submission (MCX)					
895734		217853 (100%)	Mineral	Claim	103P	2011/aug/31	2020/mar/10	GOOD	477.1035	Mineral Cell Title Submission (MCX)					
895735		217853 (100%)	Mineral	Claim	103P	2011/aug/31	2020/mar/10	GOOD	201.8572	Mineral Cell Title Submission (MCX)					
895736		217853 (100%)	Mineral	Claim	103P	2011/aug/31	2021/mar/10	GOOD	293.5488	Mineral Cell Title Submission (MCX)					
895737		217853 (100%)	Mineral	Claim	103P	2011/aug/31	2021/mar/10	GOOD	91.7120	Mineral Cell Title Submission (MCX)					
895738		217853 (100%)	Mineral	Claim	103P	2011/aug/31	2021/mar/10	GOOD	18.3443	Mineral Cell Title Submission (MCX)					
895739		217853 (100%)	Mineral	Claim	103P	2011/aug/31	2021/mar/10	GOOD	18.3557	Mineral Cell Title Submission (MCX)					
895740		217853 (100%)	Mineral	Claim	103P	2011/aug/31	2020/mar/10	GOOD	183.6541	Mineral Cell Title Submission (MCX)					
895741		217853 (100%)	Mineral	Claim	103P	2011/aug/31	2020/mar/10	GOOD	202.0226	Mineral Cell Title Submission (MCX)					
895742		217853 (100%)	Mineral	Claim	103P	2011/aug/31	2021/mar/10	GOOD	73.3771	Mineral Cell Title Submission (MCX)					
895743		217853 (100%)	Mineral	Claim	103P	2011/aug/31	2020/mar/10	GOOD	110.1399	Mineral Cell Title Submission (MCX)					
895744		217853 (100%)	Mineral	Claim	103P	2011/aug/31	2020/mar/10	GOOD	18.3595	Mineral Cell Title Submission (MCX)					
895745		217853 (100%)	Mineral	Claim	103P	2011/aug/31	2020/mar/10	GOOD	18.3614	Mineral Cell Title Submission (MCX)					
895746		217853 (100%)	Mineral	Claim	103P	2011/aug/31	2021/mar/10	GOOD	36.7263	Mineral Cell Title Submission (MCX)					
895833		217853 (100%)	Mineral	Claim	103P	2011/sep/01	2022/mar/10	GOOD	183.4469	Mineral Cell Title Submission (MCX)					
895835		217853 (100%)	Mineral	Claim	103P	2011/sep/01	2022/mar/10	GOOD	183.4895	Mineral Cell Title Submission (MCX)					
895837		217853 (100%)	Mineral	Claim	103P	2011/sep/01	2022/mar/10	GOOD	275.3056	Mineral Cell Title Submission (MCX)					
901609	ACC NO16 FR	217853 (100%)	Mineral	Claim	103P	2011/sep/27	2022/mar/10	GOOD	18.3556	Mineral Cell Title Submission (MCX)					
901629		217853 (100%)	Mineral	Claim	103P	2011/sep/27	2022/mar/10	GOOD	36.7170	Mineral Cell Title Submission (MCX)					
901649	I.W. FR	217853 (100%)	Mineral	Claim	103P	2011/sep/27	2022/mar/10	GOOD	36.7170	Mineral Cell Title Submission (MCX)					
901669		217853 (100%)	Mineral	Claim	103P	2011/sep/27	2022/mar/10	GOOD	110.1565	Mineral Cell Title Submission (MCX)					
901689	JAN FR	217853 (100%)	Mineral	Claim	103P	2011/sep/27	2022/mar/10	GOOD	36.7134	Mineral Cell Title Submission (MCX)					
901749		217853 (100%)	Mineral	Claim	103P	2011/sep/27	2022/mar/10	GOOD	458.9677	Mineral Cell Title Submission (MCX)					

